

Folders and Attachments

for the Sewn Products Industry











2017

Rev 1

a Division of HSM

ATLANTA ATTACHMENT COMPANY® SEWING AUTOMATION



72 Hours or FREE* Policy

As the leading supplier of automated sewing workstations, Atlanta Attachment Company pledges unequaled service and support to our valued customers. We pledge to maintain inventories of the recommended spare parts for our automated workstations* and to ship those replacement parts within 72 hours. If the expendable replacement parts are not shipped within 72 hours they will be Free of Charge!

* Contact sales for the recommended spare parts list and the model workstations covered.

Statement of Corporate Vision

- We will be primarily a manufacturer and provider of products and services to our customers which are of high quality and provide overall value for their investment.
- We will be noted for the delivery of these products and services on a timely basis.
- We will make use of advanced technology where practical and economical.
- The highest standards for material selection appropriate to the product / service will be maintained.
- We will strive to provide a work environment of integrity, respect and dignity for employees and all who come in contact with our business.
- Employees will be recruited and maintained who are creative, technically competent and productivity oriented.
- Management systems and processes will be developed and maintained which emphasize team work, a high level of quality assurance and flexibility.
- We will be a profitable company and distribute these assets in fair and equitable ways after sufficient reinvestment for necessary long-term company growth.
- We will be responsible to the environment and to the communities within which we do business.
- We will diversify into various markets and product lines in order to leverage our expertise, balance our work demands, provide new opportunities for growth and hedge against downturns in any one industry.



Atlanta Attachment Company

Innovative Technology for
the Sewn Products Industry Worldwide

Change Notice:
All content contained herein is subject to change without notice. Atlanta Attachment Company reserves the right to make changes, modifications, additions, corrections or deletions. Atlanta Attachment Company may terminate, change, suspend or discontinue any product in this catalog, including the availability of any products, at any time. Every effort is made to keep products up-to-date but due to the nature of printed media, changes may only be available online or by contacting your sales representative.

All materials contained herein are additionally protected by United States copyright law and may not be used, disclosed, reproduced, distributed, published or sold without the express written consent of Atlanta Attachment, which consent may be withheld in Atlanta Attachment's sole discretion. You may not alter or remove any copyright, trademark or other notice from copies of these materials.

Atlanta Attachment Company, Atlanta Parts Depot, Sudden Service, Sewing Automation, individually and when used in combination are registered trademarks of Atlanta Attachment Company. AAC is a division of HSM.

© 2017 Atlanta Attachment Company. All rights reserved.

17014091217

Corporate Headquarters, Sales, Engineering & Service

Atlanta Attachment Company is a global supplier of sewing workstations, automated sewing equipment, folders, attachments and other labor saving devices for the apparel industry. Our equipment is built from the highest quality materials and with dedicated workmanship. The Atlanta Attachment brand is well known throughout the sewn products industry for its innovative technology.

Our line of apparel production equipment is developed for working with materials such as knit, woven and synthetic. A few of the many products sewn include placket shirts, circular collar and flat collar tee-shirts. AAC offers many sewing workstations for sweatshirts, sweatpants, and hooded sweatshirts. Equipment is also available for producing mens and ladies underwear, blouses and pajamas. More equipment is available for sewing drapery, caps and aprons. Multi-head embroidery equipment can be used for items needing personalization.

AAC stocks a wide variety of sewing machine attachments and folders but from it's inception has specialize in custom sewing machine folders. The Atlanta Parts Depot division delivers one-stop shopping for replacement sewing machine parts.

Our manfufacturing facility in Lawrenceville Ga, USA is capable of handling any type of fabrication needed for our equipment.

- Engineering & Design
- Mechanical Assembly
- Electronic Assembly
- Electrical Assembly
- Sub-assembly
- CNC Milling up to 120”
- CNC Lathe
- Manual Milling
- Manual Lathe
- Surface Grinding
- Metal Fabrication
- Metal Finishing
- Tube Bending
- Cutting: Laser, Plasma, Water Jet
- Heat Treating
- Welding
- Painting
- Warehousing
- Distribution & Installation















QR Code for quick accesses to our location in google maps.

Atlanta Attachment Company
is a recognized sewn products industry leader in automated workstations, labor saving devices, folders and ergonomic risk reduction. The company, founded in 1969, has made its policy of ***Sudden Service***® a way of life in all aspects of operation.

Location

362 Industrial Park Drive
Lawrenceville, GA 30046 USA
+1 (770) 963-7369
FAX +1 (770) 963-7641

Sales & Technical Support

Sales



Hank Little
President



Randy Clark
VP Midwest Sales



Eugenio Fonts
VP International Sales



Darrell Miller
Regional Sales Manager



Eric Iverson
Regional Sales Manager



John Price
VP Folder Division



Sandra Morrison
Director of Corporate Admin.



Jose Pulido
Latin America Sales

Inside Sales



David Wall
Inside Sales



Scott Ake
Inside Sales



Michael Leathers
Inside Sales



Celso Alvarez
Inside Sales





The "A" Team



William Richey
VP Customer Service



Jurgen Van Osch
Service Manager



Faye Williams
Customer Service
Executive Assistant



Jeff Moore
Service Technician



Jim Loewen
Service Technician



Jose Ortiz
Service Technician



Brett Button
Service Technician



Frank Campos
Service Technician




Justin Ozbolt
Service Technician



Hector Leon
Service Technician



Roberto Fernandez
Service Technician



Adam Broich
Service Technician



Craig Reichart
Service Technician



Michael Sewing
Service Technician



Rene Montano
Service Technician



Ryan Golden
Service Technician



Marty Rudolph
Service Technician

Technical Support

Languages Represented:
Other than English

- Portuguese
- German
- Dutch
- Afrikaans
- Spanish

INFORMACION GENERAL Y CONDICIONES DE PAGO

AL ENVIAR UNA ORDEN, FAVOR INDICAR:

(1) Muestra de la costura.
(2) Muestra del material.
(3) Distancia entre las agujas (gauge) y tipo de máquina.
(4) Tipo de Corriente.

CONDICIONES DE PAGO:

Para establecer crédito con nosotros (una buena relacion comercial), favor indicarnos el nombre de su banco, número de su cuenta y dos referencias comerciales corrientes.
Pagos deben hacerse por adelantado.
Todos los precios son F.O.B. Fabrica.
Todos los cheques deben ser pagados en USA dolares, en cheques de Gerencia.

FORMAS DE EMBARQUE:

Paquete Postal aereo, via terrestre, aerea o maritima. Favor enviar sus instrucciones de embarque, nombre de su agente aduanal junto con sus ordenes.

GARANTIA:

Todos los adiiamentos so hechos de acuerdo a sus instrucciones y muestras, no podran ser cancelados o recibir crédito por el mismo dispuès que la orden se ha procesado.
Si el cliente no está satisfecho con su orden debido a cualquier defecto laboral o el material usado, la misma será arreglada o cambiada sin costo alguno al cliente.

EMBARQUE:

Nuestra norma es "SERVICIO INMEDIATO". Las orden serán procesadas en el transcurso de una semana, despues de haberlas recibido. Si por cualquier motivo no se puede haccer el embarque en éste lapso de tiempo, nuestro cliente será notificado debidamente.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617
Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TERMS AND CONDITIONS OF SALE

Seller acknowledges and accepts Buyer's order conditioned, however, upon Buyer's assent to all of the terms and conditions contained herein. No terms or conditions other than those stated herein, whether contained in Buyer's purchase order or shipping release, or elsewhere, and no written or oral agreement that purports to vary these terms and conditions shall be binding upon Seller unless hereafter set forth in a writing signed by Seller. All negotiations, proposals and representations, if any, made prior and with reference hereto are merged herein, and this writing shall constitute a complete and exclusive statement of the terms of the agreement between Buyer and Seller.

Buyer's assent to these terms and conditions of sale shall be conclusively presumed either from Buyer's failure promptly to object in writing or from receipt of any material ordered.

DELAY – Seller shall be excused for any delay in performance due to acts of God, war, riot, embargoes, fire, explosion, strike or other differences with workmen, shortages, delay in transportation, breakdown or accident, actions taken to comply with any law or regulation, or any other cause, without limitation, beyond Seller's control of its business.

WARRANTY AND EXCLUSION OF OTHER WARRANTIES – Seller warrants that the material will meet the specifications as invoiced, that Seller will convey good title thereto, and that the material when shipped shall be free from defects in material and workmanship. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE, WHETHER ARISING BY LAW, CUSTOM OR CONDUCT, AND NO WARRANTY IS MADE WHICH EXTENDS BEYOND THE SPECIFICATIONS AS INVOICED.

LIMITATION OF LIABILITY AND REMEDIES – If the material furnished to Buyer shall fail, whether due to Seller's negligent acts or omissions or otherwise, to conform to this contract or to any express or implied warranty, the Seller shall, at Seller's option, reimburse up to the amount of the purchase price, or replace such nonconforming material at the original point of delivery and shall furnish instructions for its disposition. In the event of any shortages in Seller's shipment, Seller may (at its option) make a supplemental shipment or appropriate adjustment in the purchase price.

THE FOREGOING RIGHTS AND REMEDIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER RIGHTS OR REMEDIES WHATSOEVER, WHETHER STATUTORY OR OTHERWISE AND WHETHER BASED ON A CONTRACT, TORT, OR ANY OTHER THEORY. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY LABOR CLAIMS OR ANY OTHER SPECIAL, DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, LOSS OF PROFIT OR COMMISSION, OR FOR LOSS OR DELAY IN PRODUCTION, TO ANYONE.

PATENT INFRINGEMENT – If any material is furnished to Buyer's specifications, Buyer will indemnify Seller and its successors and assigns against all liabilities and expenses resulting from any claim of infringement of any patent connection with the processing of such material.

CLAIMS – All claims for any alleged shortage, damaged material, or defect, or for alleged failure of the material to meet any specification, warranty or term of this contract must be made in writing, particularizing the claim, within 30 days of receipt of the material. Seller's permission must be obtained prior to the return of any material sold.

TOLERANCES – All tolerances are to be in accordance with Seller's standards, which will be provided upon request.

CREDIT APPROVAL – Shipments, deliveries and performance of work shall at all times be subject to the approval of Seller's Credit Department. Seller may at any time decline to make any shipment or delivery or perform any work except upon receipt of payment or security or upon terms and conditions satisfactory to such Department.

TERMS OF PAYMENT – Subject to the terms hereof, payment shall be due within 30 days from the date of each invoice.

SET-OFF – Seller is authorized to apply toward any payment of any monies due Seller hereunder any sums now or hereafter owed to Buyer or any affiliated company by Seller or any affiliated company.

GOVERNMENT REGULATIONS – Seller certifies that the material was produced or processed by it in compliance with the requirements of the Fair Labor Standards Act, as amended, and of the regulations issued pursuant thereto. Seller does not discriminate against any employee or applicant for employment because of race, creed, color, sex or national origin, and does not and will not maintain any segregated facilities at his establishments on the basis of race, creed, color or national origin. Executive Order 11246 is incorporated herein.

NONWAIVER BY SELLER – Waiver by Seller of any terms or conditions of this contract or waiver of any breach thereof shall not be construed as a waiver of any other term, condition or breach.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

CONDICIONES DE PAGO Y VENTA

El vendedor acusará recibo y aceptara la orden siempre y cuando el Comprador esté de acuerdo con las condiciones de pago y venta aquí descritas. Solamente estas condiciones y ninguna otra, ya sean descritas en la orden de compra o en las instrucciones, o en las instrucciones del embarque o en cualquier otra parte o en ningún otro acuerdo ya sea por escrito o verbal que tenga como propósito variar estas condiciones u obligar al vendedor, a menos que sean por escrito y firmadas por el vendedor. Todas las negociaciones, proposiciones y representaciones hechas anteriormente con relación a lo aquí consolidades, y a lo aquí escrito, constituirá una declaración completa y exclusiva del contrato entre el Comprador y Vendor.

La aceptación del Comprador a éstas condiciones de pago y venta se presumen concluyentes ya sea por falta del comprador de objetar prontamente por escrito al recibo del material ordenado.

DEMORA EN LA ENTREGA DE LA MERCADERÍA–El Vendedor no es responsable por demoras ocacionadas por embargos, guerras, motines, incendios, explociones, huelgas, problemas laborales, escasez de la materia prima, demoras de transportación averías o accidentes, acciones requeridas para cumplir con alguna ley o regulaciones o cualquiera otra causa que no pueda ser controlada por nuestra empresa.

GARANTIA Y EXCLUCIONES DE OTYRAS GARANTIAS–El Vendedor garantiza que el material usado será igual al descrito en la factura comercial, que el Vendedor transmitira el título a ello; que el producto embarcado no tendrá ningún defecto ni de materiel ni de mano de obra- Esta garantia es en vés de otra garantia implicita.

LIMITACIONES DE RESPONSABILIDADES Y RECURSOS–Si el material suministra do al Comprador fallara, yá sea debido a la negligencia, actos u omiciones del Vendedor a conformar con éste contrato o con qualquier garantia implicita, el Vendedor podrá a su opcion, reembolsar el valor de la compra, o reemplazar el material a su punto original de entrega y deberá suministrar instrucciones para su disposicion. En caso de faltas, el Vendedor puede (a su opcion) hacer un embarque adicional o un ajuste de acuerdo al precio de compra.

LOS DERECHOS Y RECURSOS SON EXCLUSIVOS Y EN VES DE CUALQUIER OTRO DERECHO O RECURSO, YA SEA DE ESTATUTO O CUALQUIER OTRO O YA SEA BASADO EN UN CONTRATO O CUALQUIERA OTRA TEORIA. EN NINGÚN CASO SERA EL VENDEDOR - RESPONSABLE FOR RECLAMOS, PROBLEMAS LABORALES O CUALQUIER OTRO DAÑO ESPECIAL, DIRECTO, INDIRECTO, INCIDENTIAL O CONCLUYENTE, PERDIDAS DE GANANCIA O COMISIONES, O POR PERDIDA O DEMORA EN PRODUCCIÓN.

VIOLACION DE PATENTE–Si un materia es suministrado de acuerdo a las especificaciones del Comprador, el Comprador indemnizarsá al Vendedor y á sus sucesores contra cualquier responsabilidad y gasto que resultará por reclámos o violación de patentes en conexion con el procedimiento de tal material.

RECLAMOS–Todos los reclamos debido á la falla de materia prima, daños a defectos de la misma a por falta de la misma, por falta del material a conformar con las especificaciones, garantias o condiciones de éste contrato, deben hacerse por escrito indicando la clase de reclamo en un lapso de 30 dias del recibo de la mercaderia. El vendedor debá autorizar la devolución de cualquiera orden.

TOLERANCIA/INDULGENCIA–Deben ser de acuerdo con las normas del Vendedor, las cuales serán suministradas si son requeridas.

APROBACION DE CREDITO–Toda orden está suieta a la aprobación de nuestro Departmento de Credito.


REGULACIONES GUBERNAMENTALES–El Vendedor certifica que el material, la mercaderia, há sido fabricado de acuerdo á lo requerido en el FAIR LABOR STANDARD ACT, de acuerdo a la enmienda y a las regulaciones emitidas. El Vendedor no podrá escoger / diferenciar a ningún empleado o solicitador debido a su raza, religión o credo, color, sexo u origen.

RENUNCIA DEL VENDEDOR–La renuncia de parte del Vendedor a cualquiera de as condiciones de esté contrato o rompimiento de este contrato no constituye ninguna otra renuncia del mismo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617
Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MULTI-NEEDLE GAUGE DIMENSIONS

MACHINE MODIFICATION MAY BE NECESSARY FOR GAUGE SETS OVER 2 INCHES WIDE



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.














17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

PART 1. GENERAL INFORMATION

Section 2A. Schematic Index of Seams and Stitchings in Alphabetical Order by Class

Seam Class **SS** (Superimposed)









SSa 	SSk 	SSt 	SSab 
SSb 	SSl 	SSu 	SSac 
SSc 	SSm 	SSv 	SSad 
SSd 	SSn 	SSw 	SSae 
SSe 	SSp 	SSx 	SSaf 
SSf 	SSq 	SSy 	SSag 
SSh 	SSr 	SSz 	SSah 
SSj 	SSs 	SSaa 	SSaj 

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Seam Class **SS** (Superimposed) (Continued)

SSak 	SSas 	SSba 	
SSal 	SSat 	SSbb 	
SSam 	SSau 	SSbc 	
SSan 	SSav 	SSbd 	
SSao 	SSaw 	SSbe 	
SSap 	SSax 	SSbf 	
SSaq 	SSay 	SSbg 	
SSar 	SSaz 	SSbh 	
















PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Seam Class **LS** (Lapped)


LSa 	LSk 	LSt 	LSab 
LSb 	LSl 	LSu 	LSac 
LSc 	LSm 	LSv 	LSad 
LSd 	LSn 	LSw 	LSae 
LSe 	LSp 	LSx 	LSaf 
LSf 	LSq 	LSy 	LSag 
LSg 	LSr 	LSz 	LSah 
LSj 	LSs 	LSaa 	LSaj 

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Seam Class **LS** (Lapped) (Continued)




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Seam Class **LS** (Lapped) (Continued)



Website: www.atlatt.com email: sales@atlatt.com

The *Sudden Service*™ Company


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Seam Class **LS** (Lapped) (Continued)










LScz 			
LSda 			
LSdb 			
LSdc 			
LSdd 			

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Seam Class **BS** (Bound)

BSa 	BSj 	BSr 	
BSb 	BSk 	BSs 	
BSc 	BSl 		
BSd 	BSm 		
BSe 	BSn 		
BSf 	BSo 		
BSg 	BSp 		
BSh 	BSq 		



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Seam Class **FS** (Flat)

FSa 	FSe 		
FSb 	FSf 		
FSc 			
FSd 			

Stitching Class **OS** (Ornamental)

OSa 	OSe 		
OSb 	OSf 		
OSc  OSc	OSg 		
OSd 	OSh 		








PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Stitching Class **EF** (Edge Finishing)

EFa 	EFj 	EFs 	EFaa 
EFb 	EFk 	EFt 	EFab 
EFc 	EFl 	EFu 	EFac 
EFd	EFm 	EFv 	EFad 
EFe 	EFn 	EFw 	EFae 
EFf 	EFp 	EFx 	EFaf 
EFg 	EFq 	EFy 	EFag 
EFh 	EFr 	EFz 	EFah 

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

JEANS JACKET




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

WESTERN JEANS




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

OVERALLS




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

COVERALLS




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

DRESS SHIRTS




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

PAJAMAS




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

BOXER SHORTS




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

DRESS/CASUAL SLACKS




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php


© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

BLOUSE






PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TEE SHIRT
(FLAT COLLAR)



Website: www.atlatt.com email: sales@atlatt.com
The *Sudden Service*™ Company


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TEE SHIRT
(CIRCULAR COLLAR)



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TANK TOP



Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


MENS BRIEFS



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

PANTIES



Website: www.atlatt.com email: sales@atlatt.com

The *Sudden Service*™ Company


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


PANTIES



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SWEATSHIRT




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SWEATPANTS




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

HOODED SWEATSHIRT



Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

JACKET




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SHORTS



Website: www.atlatt.com email: sales@atlatt.com
The *Sudden Service*™ Company


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

PLACKET SHIRT




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SWEATER



CARDIGAN




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

WIND BREAKER/RAINWEAR




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

BALL CAP



Website: www.atlatt.com email: sales@atlatt.com


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

APRON



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Please visit our website for the latest in Automated Sewing Workstations and Sewing Attachments.

http://www.atlatt.com



Website: www.atlatt.com email: sales@atlatt.com

The *Sudden Service*™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



FOLDERS

FOLDERS and OTHER ATTACHMENTS

Sewing Machine Folders & Attachments

We have a dedicated division just for making folders and attachments. This is what our company was founded on in 1969 and our team of skilled craftsmen create these folders by hand to meet the specifications of your products.

- Standard binders and folders in stock
- Custom made binders and folders made in 5-7 working days from customer supplied sample







Block Binding



201
Right Angle Binder



423
Elbow Banding Folder



420C
Sleeve Facing Folder



301
Clean Finish Swing Hemmer



Zipper Attachments



Hemming Attachments



192
Collarette Binding Folder



Welting Attachments

Website: www.atlatt.com email: sales@atlatt.com

The *Sudden Service*™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

191 –B
COLLARETTE BINDING FOLDER



Available with or without "air-jet feed."

Disponsible con o sin aire compreso (Air Feed).



Available in style "B" only. Clean finish top, raw bottom.

Disponsible solamente en el estilo "B". Remate Limpio, completo en la parte de arriba, y Bruto en la parte de abajo.

*PATENT PENDING

Our creative attachment makers have developed a binder which will accept binding that has been cut too wide without any adjustment being made to the folder, and still produce the same size and quality binding operation on your garment.

By being able to utilize binding which was cut for other styles, incorrectly cut, etc., just think of the money and the time you'll save in binding costs, meeting deadlines, smoother production and more even cash flow.

Nuestros operarios, responsables de la fabricación de estos artísticos ribeteadores, han desarrollado un ribeteador el cuel recibe el ribete que ha sido cortado bien ancho sin hacer ningún ajuste al mismo (al Folder/Plegador/Ribeteador), produciendo el mismo tamaño, y calidad de operacion de ribete en la prenda de vestir.

Al poder utilizar este ribeteador, el cual fue preparado para estilos incorrectamente cortados, etc., simplemente piense en el dinero, tiempo que Ud. economizará con este ribeteador (folder), pudiendo entregar sus ordenes a tiempo y sin ningúna demora, facilitando una producción sin ningún obstáculo y con una mayor ganancia.

Available for all cover stitch machines: Union Special – Willcox & Gibbs – Rimoldi, etc.

Disponsible para toda clase de maquinas de punto de recubrimiento: Union Special, Willcox & Gibbs, Rimoldi, etc.

The excess binding is folded into the turn-back and the finish remains the same: See illustration below.

El exceso de ribete (cinta) es doblado hacia adentro nuevamente y el acabado permanece igual, Ver la ilustracion debajo.



ILL: A
Binding cut correct width
El ribete ha sido cortado correctamente.



ILL: B
Binding cut too wide
El ribete ha sido cortado demasiado ancho.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

192
COLLARETTE BINDING FOLDER

FOR ATTACHING KNIT BINDING TO NECKS AND ARM HOLES OF KNIT GARMENTS



Made for all Cover Stitch Machines:
UNION SPECIAL – RIMOLDI – WILLCOX & GIBBS, etc.
No. 192 Collarette Binding with Piping or Elastic used to attach binding with one or more contrasting colors.
May also be used to insert elastic or raw rubber into the seam.
Elastic may be stationary or movable for tacking at end of seam.
No. 192-E1 Stationary Mount – Top
No. 192-E2 Stationary Mount – Bottom

Hecho para toda clase de Maquina de punto de recubrimiento.
UNION SPECIAL – RIMOLDI – WILLCOX & GIBBS, ETC.
No. 192 Ribeteador de Cuello con Rebordes Acordonados o Elastico usado para unir ribetes de uno o mas colores.
Puede ser usado para introducir hule o elastico al nudo.
El elastico puede estar fijo o movible al hacer el acabado del nudo.
No. 192-E1 Montura Fija Arriba
No. 192-E2 Montura Fija Parte Inferior




No. 192-E3 Movable Mount - For Tacking -Top Inserting Elastic in Binding on Top of Garment

No. 192-E3 Montura Movible-Para Reforzar-Arriba
Para Intercalar Elastico en el Ribete, en la parte de arriba de la tela.



No. 192-E4 Movable Mount-For Tacking-Bottom Inserting Elastic in Binding Under Garment

No. 192-E4 Montura Movible-Para Reforzar-Parte Inferior
Para intercalar Elastico en el Ribete Debajo de la Tela




A



B



C



D



E



F




G



H



J



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

192A/314B
HEM AND BAND FOLDER





UNIQUE COMBINATION FOLDER FOR BOTTOM BAND. ELIMINATE SERGE ON & TOPSTITCH. SINGLE OPERATION INCREASES PRODUCTION AND QUALITY.

AVAILABLE FOR ALL COVERSTITCH MACHINES

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

192-8
COLLARETTE WITH AIR JET FEED



"PATENT PENDING"

Helps eliminate pucker caused by stretchy binding. Produces a better quality seam. Our Air Jet Feed Folder takes the stretch out of the binding before it gets to the needle. A treadle switch is provided to deliver air to the folder where a needle valve regulates the amount of air needed to feed the fabric through the folder in a relaxed condition. Ideally suited for use with Model 780-U Ball Bearing Reel. (Patent Pending.)

Ayuda a eliminar la arruga en el ribete que se estrecha. Hace una mejor calidad de puntos. Nuestro Doblador ("Folder") de Aire Comprso elimina la estrechez del ribete antes de llegar a la aguja. El conmutador del pedal está acondicionado para transmitir aire al Doblador ("Folder") donde la valvula de la aguja regula la cantidad de aire necesario para alimentar la tela atraves del Doblador ("Folder"), en una forma relajada, sin presion. Igualmente aplicable para ser usado con el modelo 780-U Portacarrete con cojinete (Patente pendiente).



Treadle Rod Assembly Only
No. A192-5

Solamente Para La Linea De Montaje
Del Pedal No. A192-5

A


B


C



D



E


F


G


H


I



J


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

193
PICOT TRIM BINDER





Used for attaching ready-made picot trim to necks and armholes of knit garments.

Usado pum pegar, al ya hecho, adorno Picot a los cuellos y a las sisas de las prendas de punto


195-2
CARPET BINDING
FOR BINDING THE EDGE OF CARPETS

Can be fitted to all popular carpet machines. (Replaces NC-10.)

RIBETE DE ALFOMBRA
Para Ribetear las orillas de las alfombras

Puede ser adaptado a las máquinas más populares de hacer alfombras
(Reemplaza a NC-10)






PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


199E
RIGHT ANGLE BINDER
(FLAT BED MOUNT)

Made For All Types Of Machines

Hecho para todos tipos de máquinas



Swing-Out Mount Available



Binder Foot, Feed Dog, and Throat Plate Recommended

Placa de aguja, impelente de diente, y prensa tela recomendado

FOR VINYL BINDING SEE MODEL 212

Ver Modelo 212 para ribete de vinilo

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

201
RIGHT ANGLE BINDER

This Standard Binder is used in all types of binding operations. Made for all single needle lockstitch machines, Drop or Needle Feed. Available with adjustable lever. Supplied with three-way mount, compensating foot, feed dog, needle plate and Binding Reel.

El ribeteador regular (standard) es usado para hacer toda clase de ribetes.
Hecho para ser usado con todas las maquinas de Doble Pespunte de una aguja, Arrastre Inferior o Alimentacion/aguja.
Disponsible una palanca ajustable para desplazar el ribeteador o puede estar equipado con tres tipos de monturas diferentes.
Viene completa con el pie prensatela compensado, arrastre placa de aguja y porta cinta.
Suministrado en forma movible. El aire compreso se puede usadin para ayudar la alimentacion de ciertos materiales/telas.



C



Clean Finish
Top & Bottom

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL BINDER PLATES & FEEDS



For heavy-duty operations where extra feeding is required.

1435-01 = 4 Row Feed
1435-02 = 4 Row Plate

1436-01 = 6 Row Feed
1436-02 = 6 Row Plate



Para trabajos de materiales pesados donde se requiere una extra alimentacion.

1435-01 = 4 Hilera Impelente
1435-02 4 Hilera Placa

1436-01 = 6 Hilera Impelente
1436-02 = 6 Hilera Placa

147451 — Feed Dog
147452 — Needle Plate



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

201-E
BINDER WITH CONTINUOUS ELASTIC INSERTION

For continuously binding and inserting elastic at the same time.
This attachment has an adjustable tension to stretch the elastic while sewing. Elastic may be above or below item being sewn. Please specify.
Complete with needle plate, feed dog, presser foot and binding reel.



Para ribetear e insertar elastico al mismo tension tiempo, se una forma continua
Este adiamento tiene un regulador de hilo para estirar el elastico cuando se esta cosiendo. El elastico puede ponerse amba o abajo de la tela que se esta cosiendo. Favor especificar.

completa con placa de aguja, impelente de diente, prensa tela y porta cinta.

C1



ELASTIC ON TOP OF GARMENT

C2

ELASTIC UNDER GARMENT

202
RIGHT ANGLE SWING BINDER

C



Same as No. 201. Binder may swing away to permit tacking or other finishing operations. Complete with compensating presser foot, feed dog, needle plate and binding reel.



Lo mismo que el No. 201. El ribeteador puede desplazarse permitiendo refilar u otros tipos de acabados.
Completo con prensatela, impelente, plancha de aguja, y porta cinta.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

IF YOU HAVE FINALLY WORN OUT THAT SPECIAL FOLDER
THAT IS NOT ILLUSTRATED IN ANY CATALOG,
SEND IT TO US AND WE WILL MAKE AN EXACT DUPLICATION.
"SUDDEN SERVICE" AVAILABLE HERE, TOO!

SI UD FINALMENTE HA GASTADO O DESTRUIDO ESE DOBLADILLADOR ESPECIAL,
EL CUAL NO APARECE EN NINGUN CATALOGO, SI UD. NO LOS ENVIA, NOSOTROS
PODEMOS REPRODUCIRLO EXACTAMENTE.

TAMBIEN OFRECEMOS UN "SERVICIO INMEDIATO"

204
RIGHT ANGLE SEMI-FOLD BINDER

For binding seams in suits and coats with a clean finish on top and a raw edge on the bottom.
When pressed, binding will not show through.
Can be made to swing out to permit finishing operation, See Binder No. 202.
Furnished with Compensating Presser Foot, Feed Dog, Needle Plate and Binding Reel.

Para ribetear los ruedos de los trajes, abrigos con un acabado bien hecho en la parte de arriba y sin terminar en la parte de abajo, del borde.
Despues que se ha planchado el material, el ribete no se verá atraves de la tela.
Puede ser hecho con desplazamiento hacia afuera permitiendo asi terminar la operación, ver el ribeteador No. 202.
Provisto con pie prensatela compensado, impelente de dientes, placa de aguja y porta cinta.



B

Clean Top - Raw Bottom



SEE 201 ALSO

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

205
RIGHT ANGLE TAPE BINDER

For sewing selvage edge tape to mattresses, blankets, slip covers and many other articles. Compensating Foot, needle plate, feed dog and binding reel furnished.

Para coser tejidos de hilo o algodon a la orilla de los colchones, cobijas, fundas, y muchos otros articulos. Está equipado con Compensating Foot, Pie, placa de aguja, impelente de dientes y porta cinta



A



Raw-edge Top & Bottom



FOR SWING-OUT, SEE 205B

205A
RIGHT ANGLE TAPE BINDER

Also See 199E

Same as 205 except Flat Bed Mount. Used on chainstitch machines. Presser foot, feed dog and needle plate available for most machines
Swing-out available.

Lo mismo que el 205, pero con la excepción de la montura de base plana. Usado con las Máquinas de Puntada de Cadeneta:
El prensa tela, impelente de diente y la plancha de aguja se puede conseguir para todas estas máquinas.

Desplazamiento hacia Afuera puede ser ordenado Adiamento movible esta a sus disposición.

Available for all double needle machines.



A

Raw-edge Top & Bottom

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

205-B
SWING TYPE RIGHT ANGLE TAPE BINDER

Also See 202
Ver también el 202

Same as 205 except with Swing-Out Mount. Compensating presser foot, needle plate, feed dog and binding reel furnished.

Lo mismo que el 205, con la excepcion del Desplazamiento Hacia Afuera. Pie prensatela compensado, plancha de aguja, impelente de diente y porta cinta, se proveen.



RAW TOP AND BOTTOM



Pneumatic Air Scissors

Heavy Duty
AT – 200 – 2" Blade
AT – 300 – 3" Blade

This unit mounts under the arm of most machines and cuts approximately 1" behind presser foot.
Available for all machines.
Shipped complete with all accessories.

FOR SAFETY KNIFE SPECIFY AT–301

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

206
ELASTIC BINDER

Used to bind items with elastic binding. The amount of stretch is regulated by a thumb screw. Automatically gathers work in one operation. For all plain sewers.
Swing-out available.
Available with Foot, Feed and Plate for plain sewers.

Usado para ribetear con un ribete elástico. La cantidad que se estira es regulada con un tornillo de mano.
Automáticamente congrega el trabajo en una sola operación.
Para todas las máquinas sencillas/corrientes.

Disponsible en forma movible

Disponsible con tension automatica o manual.



See 251-E



Available with automatic tension opening device so elastic may be sewn flat where no tension is needed.

Con una abertura, para que el elastico se pueda coser en una forma sencilla donde no se necesite ninguna tensión.
Aditamento movible esta a sus disposición.

206-1
ELASTIC BINDER

Same as No. 206 with Flat Bed Mount.
Available for all zig-zag, single or double needle machines.
Swing-out available.
Available with Foot, Feed and Plate for plain sewers.

Disponsible en forma movible

Lo mismo que el No. 206 pero con Montura de base Plana.
Disponible para toda las máquinas Zig-Zag, de una o dos agujas.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

207
RIGHT ANGLE WELTING-BINDER

This attachment combines binding and welting in one operation. Used for auto seat covers, furniture, slipcovers.
For any double needle machine.
Special presser feet available on request
Swing-out available.



May be used on Single Needle Walking Foot machine.



Este Aditamento combina el oivo y ribete en una sola operación. Usado para coser, hacer, los forros de los asientos de los carros, muebles, fundas.
Para cualquiera máquina de dos agujas.
Un prensatela epecial está a su disposición

Disponsible en forma movible

207-A
RIGHT ANGLE CORDING BINDER

Designed to sew large cord filler. Primarily used on bed spreads with No. 2, 4, or 6 cord.
For single or double needle machines.
Special presser feet available on request

Deseñado para coser los cordones gruesos usados para rellenar ribetes. Principalmente usado en los cobertores con los condones Nos. 2, 4, o 6.
Para máquinas de una o dos agujas.
Un prensatela especial está a sus disposición





Swing-out available.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

208A—208B
STRAIGHT BINDING SET

Plain presser foot supplied for all plain sewers.

Prensatela corriente, sencillo, provisto para todo tipo de máquina corriente, sencillo.

208-A
Straight binder, flat bed mount.

Ribeteador para hacer dobladillos rectos, con montura de base plana.

A



A





208-B
Straight binder, set in needle plate. Used for binding plastics, vinyl, leatherette.

Ribeteador recto, fijo en la plancha de aguja. Usado para ribetear plasticos, vinilo e imitaciones de cuero.

B



208-1 (Not pictured) *208-1 (El grabado no aparece en esta página)*
Same as No. 208-A — For glove operations.

Lo mismo que el No. 208-A Usado para la confección de guantes.

Tambien ver 254

ALSO SEE NO. 254

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

209
RIGHT ANGLE BINDER WITH PIPING

This attachment will bind and insert piping or welting in one operation. Used for two-tone or contrasting binding and piping. Compensating presser foot, feed dog, needle plate and binding reel available. Swing-out available.



Este aditamento ribeteará e insertará rebordes de acordonado y hará ojos a un mismo tiempo, en una sola operación. Usado para ribetear o poner ojos de dos tonos o de colores contrastantes.
el prensatelo compensado, impelente de diente, plancha de aguja y porta cinta **disponible**
Disponible en forma inquible.
El 780-UI Porta carrete con cojinete:

See 780-UI BALL BEARING REELS





Available for all Plain Sewers. or needle feed machines.

Also See No. 192 Folder.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

DOUBLE BINDER ATTACHMENT


Operation utilizes right and left hand binders.

Material guides available for 4" to 18" goods.

Binder finish sizes 3/4" to 1"



Adaptable to most double needle machines.



AVAILABLE FOR AUTOMATIC OPERATION

BINDER/RUFFLER ATTACHMENT

FOR ROD POCKETS ON CURTAINS



Variable or fixed ruffling ratio.

Adaptable to existing machines.



Variable speed material pull-off recommended.

Model A20-10 Fluid Drive Backwinder available for automatic operation.

Right angle material guides available for hands free operation

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


210-B
ATTACH & MAKE ROW CAP ATTACHMENT
(INVISIBLE STITCH)


Waistband is attached to pant in first operation – see ill. no. 1, then folded over to hide stitch – The waistband is then inserted into binder – see ill. no. 2 – the third operation crack stitches the band to stay the row-cap inside the pant.

La pretina es pegada al pantalon en la primera operación. Ver el grabado No. 1 entonces se dobla ocultando asi la puntada. La pretina es insertada dentro del ribeteador.–Ver grabado No. 2–La tercera operación con puntada 'crack' se pega la cinta al forro dentro de la pretina del pantalon.

NOTE See No. 377 & 210B-210C








210-CS
ATTACH ROW CAP TO PANT

The pre-prepared row-cap with self waistband is fed through the dual function folder below. The waistband, row-cap with pleat is set and top stitched in one operation. The pleat is folded back during this operation to prevent it from being sewn.

El ya preparado forro junto con la pretina es alimentado atraves de esta operación "dual" (operación doble) realizada por el aditamento de arriba, folder.
La pretina, el forro con pliegue, son cosidos en la parte de arriba en una sola operación, de una ves.
El pliegue es doblado ocultando asi la puntada.
Ver grabado.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

210C
ROW CAP ATTACHMENT FOR U.S. 53100





For attaching pre-made waistband lining to men's pants.
Fully adjustable. Made to your specifications.

No. 210-P	**Pant Edge Guide.**
No. 210-C-1	**Top hemmer only.**
No. 210-C	**Same as Union Special 23450-L.**
No. 210-F	**Same as Union Special 23450-F.**
No. 210-J	**Same as Union Special 23450-J.**
No. 210-K	**Same as Union Special K71538.**
No. 210-U	**Same as Union Special 23450-U.**

Parts may be purchased separately.
Ban-roll may be used on this folder.

Para pegar los forros (ya hechos) a las pretinas de los pantalones de hombres.

Completamente ajustable. Hecho de acuerdo a sus instrucciones.

No. 210-P	*Guia de Borde para los pantalones.*
No. 210-C-1	*En la parte de arriba de la costura solamente.*
No. 210-C	*Lo mismo que la Union Special 23450-L.*
No. 210-F	*Lo mismo que la Union Special 23450-F.*
No. 210-J	*Lo mismo que la Union Special 23450-J.*
No. 210-K	*Lo mismo que la Union Special K71538.*
No. 210-U	*Lo mismo que la Union Special 23450-U.*

Las partes pueden ser compradas por separado.
Ban-Roll se puede usar con este ribeteador.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

210 SERIES
ROW CAP ATTACHMENTS



These custom attachments are designed to be widely adjustable and vary in appearance and function.

Submit sewn and unsewn samples and specify machine type, class, and gauge for prompt quote and delivery.



ALSO SEE NO. 377





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

211
FITTED SHEET BINDER
(WITH ELASTIC OR RAW RUBBER)






For binding and inserting elastic in one operation.
Elastic tension device mounted on swing-out bracket.
Used for fitted sheets and other items.
Presser foot, feed dog, needle plate and binding reel available for plain sewers.

Para ribetear e insertar elástico al mismo tiempo, en una sola operación.
El aparato que regula la tensión del elástico está montado en un soporte movible.
Usado para hacer las bolsas de las sabanas y otros artículos.
El prensatela, impelente de diente, placa de aguja y el porta cinta son **disponible**
Para todas las máquinas corrientes/sencillas.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

212
OFF ANGLE BINDER







Also See 199E *Ver también el grabado 199E*

AVAILABLE IN CRINKLE METAL WITH OILER FOR VINYLS

Disponsible en metálico rizar con engrasador para vinilos

This attachment is used for knitted borders on chainstitch or lockstitch machines.
Bed plate mount.
Binder has three-way mount for proper alignment.
Please advise machine class.
Reduced angle reduces drag on binding.
Swing-out available.
Edge Guide Presser Foot available for all plain sewers.

Este dobladillador, "Folder", es usado para orillar materiales de punto con máquinas de punto cadeneta o de doble pespunte.
Montado sobre la placa base.
Este dobladillador se puede montar en tres formas diferente permitiendo así un alineamiento correcto.
Por favor indicar la clase de su máquina, con la cúal va a usar éste dobladillador.
Al reducir el tamaño del angulo se reduce el arrastre del material.
Este aparato se puede suministrar en forma movible Hacia Afuera ó de lado.
El prensatela guia de bordes es **disponsible** *para todas las máquinas corrientes/sencillas*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

212-E
RIGHT ANGLE BINDER WITH ELASTIC





Made for all single and double needle machines.
An adjustable elastic tension guide allows garment to be shirred to size.
Swing-out available.

See 201E for Single Needle Lockstitch Machines.
Also see 211.

Hecho para ser usado con todas las máquinas de una y dos agujas.
El regulador de tensión guía elástico permite que la prenda sea fruncida de acuerdo al tamaño deseado.
Se puede sujetar en forma movible.
Ver el grabado 201E para máquinas de una aguja de doble pespunte.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

214-A
30° BINDER WITH RAW RUBBER

(FOR VINYL BABY PANTS)

See 214B, Below




B



Clean Top
Raw Bottom

C



Clean Top
& Bottom

Used mainly in the production of vinyl baby pants with tricot binding.
Available with adjustable tension.
Available for all single and double needle machines, cover stitch machines, 52700 Union Special, etc.

Usado principalmente en la producción de pantalones de niño, hechos de vinilo y ribetes de tricot.
Disponible con tensión ajustable.
Disponible para todas las máquinas de una ó dos agujas, puntó de recubrimiento Union Special 52700, etc.

214B
RIGHT ANGLE BINDER WITH RAW RUBBER

(FOR VINYL BABY PANTS)

See 214A, Above

B



C





Used mainly in production of vinyl baby pants with tricot binding. Available with adjustable tension.
For plain sewers, double needle, cover stitch machines, etc.

Usado principalmente en la producción de pantalones de niño hechos de vinilo y ribetes de tricot.
Disponible con con tensión ajustable.
Para todas las máquinas corrientes, de doble aguja, puntó de recubrimiento, etc.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

215
RIGHT ANGLE CAP BINDER
(FOR VENT OPENING ON BASEBALL CAPS)

C





For all plain sewers.
Used for binding sport caps, etc.
Furnished with compensating presser foot, feed dog, needle plate and binding reel for all plain sewers.

Para todas las máquinas sencillas, corrientes.
Usado para ribetear gorros deportivos, etc.
Suministrado con pie prensatela compensador, impelente de diente, placa de aguja y porta cinta para todas las máquinas corrientes-sencillas

Also See 201, 199E, 202, etc.

También ver 201, 199 E, 202, etc.

MODEL AT-116 FAST ACTION KNIFE
CUT LEADING AND TRAILING EDGE OF SWEATBAND OR VENT BINDING ON BASEBALL CAPS.
SAVE APPROX. 3" OF SWEATBAND PER CAP



- ELECTRONICALLY CONTROLLED AIR OPERATED
- INCLUDES AUTO-STOP BINDING SAVER
- ADAPTABLE TO MOST CYLINDER BED MACHINES
- EASILY INSTALLED AND OPERATED
- ACCURATE TO WITHIN ONE STITCH

SEE PAGES 82 AND 83 FOR DETAILS

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

220
EDGE TRIM AND BIND FOLDER

This attachment makes it possible to trim the edge of a garment and bind in one operation.






This Binder can be supplied for all trim and bind machines such as Rimoldi - 230 Class, W & G - 401, Union Special - 51200, etc.
Available for trim and bind overlock machines.
Air-jets may be added to help feed some materials.

Este aditamento puede ofrecerse para cortar y ribetear con máquinas tales como la Rimoldi-estilo 230, W&G 401, la Union Special 51200, etc.
Disponible para hacer adornos y ribetear con las máquinas de sobrehilar, overlock.
Aire compreso puede ser añadido para ayudar a alimentar ciertos materiales, telas.

221
MATTRESS TAPE BINDER
(Block Binders)





Folds a prefinished tape.
Binds mattresses, bed ticks, mattress covers, etc.
Special foot, feed and needle plate available for Union Special 51200 and 300W Singer

Stock Cut Sizes 9/16", 5/8", 3/4", 7/8", 1", 1-1/4", 1-7/16"

Dobla la cinta ya acabada.
Para ribetear colchones, fundas de almohadas, bolsa para colchones, forros para colchones, etc.
Tenemos disponibles un pie especial, impelente y placa de agujo para las máquinas Union Special 51200 and Singer 300W

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

CUT & INSERT BINDER

THE MODEL 221-4R IS DESIGNED TO ELIMINATE THE MANUAL CUT AND REINSERT OF BINDING ON ITEMS SUCH AS FLOOR MATS, THROW RUGS, CARPET SAMPLES, ETC. THE OPERATOR PRESSES A FOOT SWITCH TO CUT THE BINDING AT THE POINT OF OVERSEW AND FINISHES THE PIECE. PRESSING A KNEE SWITCH SIGNALS THE 221-4R TO FEED AND INSERT BINDING UNDER THE PRESSER FOOT TO BEGIN THE NEXT CYCLE.






- PNEUMATIC KNIFE CUTS BINDING
- FEEDS & INSERTS ON COMMAND
- ELIMINATES MANUAL CUT & TRIM
- SEMI-CIRCULAR CUT FOR NEAT FINISH
- TOTALLY PNEUMATIC
- ADAPTS TO EXISTING MACHINES
- EASILY INSTALLED

VIDEO TAPE AVAILABLE UPON REQUEST

MODEL 221-4R



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

251
"C" TYPE BINDER
(FOR VINYLS)

This Binder is excellent for use on thin vinyl materials. It is easily attached to the machine. A lubricating unit and crinkle metal helps reduce drag.



Este ribeteador es excelente para ribetear vonilo delgado. Es facilmente adaptado a la máquina. La unidad que aceita la máquina y el material sinuoso con que esta construido ayuda a reducir el atraque del material.

Disponsible con el prensatela guia bordes, para todas las maquinas.
Un prensatela especial disponsible a su disposición.

Edge guide presser foot avalilable for all machines.

Special presser feet available upon request.



A B C D

FOR SWING OUT MOUNT SPECIFY NO. 251-1
Para una forma movible, especificar No. 251-1

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

251-E
ELASTIC "C" TYPE BINDER WITH TENSION



The adjustable tension controls the amount of stretch on the rubber or elastic while binding. Available for all plain-sewers, zig zag and two needle machines.

La tensión ajustable controla la cantidad estrechable de la goma ó elastico cuando se está ribeteando.
Disponsible *para ser usado con todas las máquinas corrientes, zig zag y de dos agujas.*

Also See 352 & 206





CALL US FOR

SOLUTIONS TO YOUR

RUFFLING PROBLEMS

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


252
"C" TYPE BINDER
(FOR MATERIAL ON ROLLS)




This Binder can be adjusted to any position and is, therefore, adaptable for a wide variety of work.
Presser foot available for most machines.
Works well on continuous sleeve facings, with the facing being fed from a roll.
Swing-out available.

Este ribeteador puede ser ajustado a cualquiera posición, y por lo tanto adaptable a una gran variedad de trabajos.
El prensatela está disponible para casi todos los tipos de máquinas.
Trabajo bien cuando se está poniendo el vivo a la manga en una forma continua, el vivo es alimentado desde el porta cinta.
El forma movible es disponsible.

A


B



C




For Strip Load See #420

254
STRAIGHT BINDER

A


B


C






This attachment is designed for tape with pre-finished edges.
Recommended for outside curves and straight seams only.
Bias tape with unfinished edges may be used on C model.

Este aditamento está diseñado para trabajar con cintas, telas, que ya tienen los bordes acabados.
Recomendado para las partes curvas y costuras rectas solamente.
El sesgo de cinta también puede ser usado con los moelo C.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

260
PILLOW CASE HEMMER





Made in sizes 1" – 5".
Attachment is split-type for finishing of pillow case hems.
Recommended use of 5-row feed and plate no. 1434.

Puede hacer tamaños de 1" a 5".
Este es el tipo de aditamento que se puede separar a lo largo, usado para terminar el acabado de los ruedos de las fundas.
Se recomienda el uso de alimentadores de 5 hileras y la placa/plancha no 1434.


261
COMBINATION BED SHEET HEMMER SET





Hemmer Set has 1" and 3" hemmers or 1" and 4".
Used for side hem and top hem on sheets.

See No. 260 Pillow Case Hemmer



Este dobladillador de embudo puede hace dobladillos de 1" y 3" ó de 1" y 4".
Usado para hacer los ruedos de los lados y parte superior de las sabanas.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

262
BED SHEET HEMMER

Hemmer may be swing-out or stationary.
Pipers may be added to allow for contrasting trim.

See No. 262 Pillow Case Hemmer






Este dobladillador puede ser movible ó fijo.
Se puede añadir rebordes de acordonado permitiendo así un contraste en el adorno.

265
SIDE DRAPERY HEMMER

For continous hemming of drapes or other similar operations. Insures excellent control and eliminates the need for pre-folders on automatic set-ups.
Available in right hand configuration for special set-ups.

Available with spring for crossing seams.

Disponsible con resorte para costura cruzada.



A–UPTURN CLEAN FINISH B–DOWNTURN CLEAN FINISH



Se usa para hacer dobladillos a las costuras o trabajos similares en una forma continua.
Permite un excelente control y elimina la necesidad de doblad- cuando se está haciendo una operación automática.
Disponible tal como en el grabado de la derecha, para operaciones especiales.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service


266
DOWNTURN ADJUSTABLE CUFF HEMMER



This downturn hemmer is completely adjustable. Cuffs and linings of different widths can be run.
This should be the only cuff hemmer you will ever need.
Available for all chainstitch machines.

LINING IS ROLL FED FROM BOTTOM

Este dobladillador es completamente ajustable. Se pueden hacer forros y puños de diferentes anchuras.
Este dobladillador beberá ser el unico que Ud. necesitará.
Disponsible *para todas las máquinas de puntada de cadeneta.*




267
DOWNTURN ADJUSTABLE CUFF HEMMER



This Downturn hemmer is completely adjustable. Cuffs and linings of different widths may be used.

Shorter guide length allows easy loading of small cuffs.


LINING IS ROLL FED FROM BOTTOM




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

268-B1
ADJUSTABLE CUFF HEMMING ATTACHMENT






Available for all plain sewers


Disponibles para todo tipo de máquinas sencillas.

268
ADJUSTABLE CUFF ATTACHMENT FOR HEMMING CUFF OVER LINING



The adjustable feature of this attachment helps compensate for cutting errors.

El caracter ajustable de este aditamento compensa los errores causados al cortarse el material.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

269 –2
CUFF SETTING ATTACHMENT






For setting and top stitching a cuff to a shirt sleeve after the cuff is made and turned.
Insures stitching margin, consistant quality and production.
Edge guide presser foot available for all plain sewers.

For stiffer fabric specify 269.

Se usa para fijar y coser el puño a la manga de la camisa despues que el puño está hecho y volteado.
Asegura el borde de la puntada y provee una producción y cualidad consistente.
El prensatela guia de bordes **disponsible** *para todas las máquinas corrientes.*



270
HEM WITH PRE-MADE CORD PIPING

FOR CORD ONLY SEE 314D

For hemming and self-cording in one operation.
Available for all plain-sewers and walking feet machines.
Special feet available on request.
Grooved foot availablefor all plain-sewers.

Se usa para hacer pespuntes y acordonar al mismo tiempo, en una sola operacion.
Disponible para todas las máquinas corrientes y máquinas de pie movible.
El pie especial esta a su disposición, si lo necesita.

Pie de ranura es disponsible





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service


271
BINDING FOLDER WITH ADJUSTABLE GUIDE

(BED PLATE MOUNTING)



Available for all single and double machines.

Disponible para todas las clases de máquinas de una o dos agujas.



272
HORN FOLDER W/CORD FILLER

Available for all single and double needle machines.
For pre-making cord trim.

Grooved foot available for all plain sewers.
Special feet available

Disponible para todas las clases de máquinas de una o dos agujas.
Para aplicar adornos ya hechos.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

273
OVERHEAD BOOK FACING FOLDER

(Available with "Air-Jet Feed")

For attaching collar or cuff tubing to knit shirts.
Overhead design reduces drag and helps eliminate pucker.
Available with Air Jet Feed and Ball Bearing Reel no. 780-U1 for pucker-free sewing.
Swing-out available.

NOTE
See AP22 metering device
Nota
Ver AP22 metering device



Usado para pegar, coser, cuellos o el ribete relleno a los puños de las camisas de punto.
El diseño de arriba reduce el atraque y ayuda a eliminar arrugas.
Disponible con el Alimentador de Aire Compreso, y porta carrete con cojinete No. 780-U1 para costura libre de arruga.
El forma movible es disponible.





See No. 468
For Sandwich Operation

273-1
BOOK FACING FOLDER
(WITH UNCURLER)

El diseño arriba reduce el arrastre y ayuda a eliminar la arruga.
Disponible con el Alimentador de Aire Compreso y porta carrete con cojinete 780-U1 para costura libre de arruga.

For attaching collar tubing to knit shirts.
Overhead design reduces drag and helps to eliminate pucker.
Available with Air Jet Feed and Ball Bearing Reel No. 780-U1 for pucker-free sewing.

273-L
BOOK FACING FOLDER WITH LINING

See No. 468 For Sandwich Operation.



273-CP
BOOK FACING FOLDER WITH CORD PIPING



CP



PP

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


273-4
COLLAR SETTING AND TAPING FOR PLACKET FRONT SHIRTS

Our 273-4 attachment tapes the collar seam as the collar is being set.
The operator touches the knee control to activate the taping folder just after beginning. It is deactivated before reaching the end.
As it moves to the right, the edge trimming knife of the overlock severs the binding. No additional time is required for this operation.
The shirt facings are turned afterwards and, as the tape is stitched down, the label is set.

SPECIAL TOPSTITCH FEET AVAILABLE FOR SINGLE NEEDLE MACHINES

Nuestro aditamento 273-4 se usa para aplicar cintas a la costura del cuello.
La operaria activa el control de rodilla justamente despues que la operación ha sido comenzada. El control de rodilla es desactivado antes de terminar el ciclo de trabajo.
Cuando el aditamento se desliza hacia la derecha, la cuchilla usada para recortar los bordes del deshilado separa el ribete.
No se necesita ningún tiempo adicional para realizar esta operación.
Se voltean los revestimientos, se fija la cinta y se pega la etiqueta en una sola operación.





Fits all overlocks universally.

A special presser foot for all overlocks is available

The 273-4 adds that finished look to your shirt.

Este aditamento puede ser adaptado universalmente a todas las máquinas de sobrehilado, overlock.
El pie prensatela es **disponsible**
El aditamento 273-4 añade un acabado a su camisa a un costo mínimo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

273-34

SET AND TAPE CIRCULAR KNIT COLLAR



The combination of setting and taping circular collars in one operation reduces handling, in-process inventory, and provides the opportunity to custom label goods from stock prior to shipment. An important step for time critical delivery!

- **TAPE SHOULDER SEAM TO SHOULDER SEAM ONLY**
- **NO PRODUCTION LOSS AT COLLAR SETTING**
- **TOPSTITCH AT FINAL OPERATION ALLOWS SHIRT TO BE FINISHED, FOLDED & WAREHOUSED LABELED AS SOLD**
- **PNEUMATIC OPERATION**
- **SIMPLE IN-HOUSE INSTALLATION**

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

274
BOOK FACING FOLDER

(WITH SWING-OUT HEMMER)

Presser foot available for all plain sewers



Prensatela corriente disponsible para todas las máquinas de tipo corriente.





A–FACING IS APPLIED ABOVE HEM

A El vivo es aplicado ensima del nuedo.



B–FACING OR LINING IS INSIDE HEM

B El vivo o el forro esta dentro rel nuedo

IF YOU HAVE FINALLY WORN OUT THAT SPECIAL FOLDER
THAT IS NOT ILLUSTRATED IN ANY CATALOG,
SEND IT TO US AND WE WILL MAKE AN EXACT DUPLICATION.
"SUDDEN SERVICE" AVAILABLE HERE, TOO!

SI UD FINALMENTE HA GASTADO/DESTRUIDO ESE DOBLADILLADOR ESPECIAL,
EL CUAL NO APARECE EN NINGUN CATALOGO, SI UD NO LOS ENVIA,
NOSTROS PODEMOS REDPODUCIRLO EXACTAMENTE
"TAMBIEN OFRECEMOS UN SERVICIO INMEDIATO."

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

275
DOWNTURN HEMMER

(WITH INTERLINING)

For hemming cuffs, collars, shirt fronts, etc., with continuous feed lining.
For chain stitch or lockstitch machine.
Upturn model available 314A-L.






Para dobladillar/hacer ruedo a las mangas, cuellos, la parte del frente de las camisas, etc. para alimentar forros en forma continua.
Para máquinas de puntada de cadeneta o doble pespunte.
Máquina para voltear el material hacia arriba 314A-L esta a su disposición.



A–LEFT HAND

A Mano Izquierda



B–RIGHT HAND

B Mano Derecha

276
SPRING LOADED HEAVY-DUTY HEMMER

For heavy-duty operations and crossing heavy seams.

276-2 Has Heavy-Duty Swing-Out Mount

276-3 Has Special Core for Crossing Felled Seams

276F with flare for heavy seams


Special presser feet available.

Edge guide presser foot supplied for all plain sewers.

Heavy-duty feed and needle plate available.







Para trabajos pesados y costuras cruzadas en los ruedos gruesos.
276-2 Tiene una montura movible fuerte.
276-3 Tiene un aparatico, "core", para rematar la costura cruzada.
Impelente fuerte y plancha/placa de aguja a su disposición.
Tenemos disponibles prensatelas especiales.
Todas las máquinas corrientes están provistas de un prensatela guia de borde.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service


280
FRONT POCKET HEMMER



For hemming scoop or curved front pockets on pants.
Single needle or double needle lock stitch machine used.
Presser foot with edge guide available

Para dobladillar los bolsillos delanteros de forma concava o curva en los pantalones.
Usados con las máquinas de doble puntada de una o dos agujas.
Tenemos disponible un prensatela con guia de borde





280-6 Extra short for pockets with deep scoop.

Aditamento bien pequeño usado para coser bolsillos de forma concava pronunciada.

283
AUTOMATIC HEMMER
(WITH PRE-FOLD)


Designed for continuous hemming.

Diseñado para hacer dobladillos laterales a los paños, en una forma continua.

Specify Right Or Left Hand

283-A
SCROLL HEMMER.





Dobladillor de forma encaracolada.

283-B
PRE-FOLD.



Para material doblado con anterioridad.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

284
SPECIAL FELLING ATTACHMENT








For hemming shirt yokes, collar bands, etc.

Presser foot available for all plain sewers. Swing out available

Este aditamento se usa para coser el canesú de las camisas, y coser cintas a los cuellos, etc.
Un prensatela sencillo es ofrecido para todas las máquinas corrientes.
Disponible en forma movible.

285
UPTURN ROD HEMMER





Made especially for easy loading of short pieces.

Edge guide presser foot available for all plain sewers. Swing out available



Hecho especialmente para alimentar piezas pequeñas.
El prensatela guia de borde ofrecido para todas las máquinas de tipo corriente.
Disponible en forma movible.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

286
HEAVY DUTY HEMMER



Available with swing-out mount.

Designed for hemming burlap, feed sacks, onion sacks, quilted jackets, bedding, comforters, quilted bed spreads, etc.



Presser foot with edge guide available

Tenemos disponible un prensatela con guia de borde

Diseñado para dobladillar tela de henequen, sisal, etc.

288
HEAVY DUTY HEMMER





Designed for hemming burlap, feed sacks, onion sacks, quilted bed spreads, jackets, bedding, etc.

EDGE GUIDE PRESSER FOOT RECOMMENDED

Diseñado para dobladillar tela de henequen, sisal, etc.

Un prensatela con guia de borde disponsible

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

295
DOWNTURN BACK POCKET HEMMER





For light materials see No. 296

For back pocket on jeans.
For use with chainstitch machines.
Sizes: 1/4" to 5/8".

Special presser feet available

See label foot 51420-GA8
(page 162)

Para coser los bolsillos en la parte trasera de los 'jeans'.
Para usarse con máquinas de puntada de cadeneta.
Tamaños: ¼" hasta ⅝".
Prensatelas especiales disponibles


For Larger Sizes See 305D

295-1
DOWNTURN BACK POCKET HEMMER WITH ROD

For back pocket on jeans 1/4" – 5/8".
For use with chainstitch machines.
Single or double needle.

Special presser feet available

See label foot 51420-GA8
(page 162)






Para los bolsillos traseros de los 'jeans' de ¼" hasta ⅝"
Para usarse con máquinas de punto de cadeneta
Con una ó dos agujas
Prensatelas especiales disponibles

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

295-C
DOWNTURN CLEAN FINISH HEMMER





Crinkle metal for use with vinyls.


Presser foot available for all machines.

See label foot 51420-GA8 below

Está fabricado de un metal sinuoso para usarlo cuando se trabajo con vinyls.

El prensatela disponsible para toda tipo máquinas industriale.

51420 GA-8



- Special foot is designed to insert label as pocket is hemmed.
- Available for all machines.
- Specify machine class and needle gauge.
- Also used with lap seam folder for back yoke seam.

Se ha diseñado un pie especial para insertar las etiquetas cuando se cose el bolsillo.
Disponible para todo tipo de máquinas.
Indicar la clase y distancia entre las agujas de su máquina.
Tambien se usa con el 'Folder', que hace costura sobrecarga para coser el canesu de la camisa.


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

296
DOWNTURN BACK POCKET HEMMER WITH TONGUE





Special design with tongue necessary when sewing light weight fabrics.

Start and finish at hem will be correct width.

Available for all chainstitch machines.

Special presser feet available

See label foot 51420-GA8 (page 162)

Un dobladillador especial provisto de una lengueta, la cual es usada cuando se cosen materiales livianos.

El ruedo tendra un ancho correcto desde el principio hasta el final de la operación.

Podemos suministrar êste aditamento para todas las máquinas de puntada de cadeneta.

El prensatela especiales es disponsible.

297
AUTOMATIC BACK POCKET HEMMER



Special Back Pocket Hemmers Available For All makes And Models Of Machines.

Existing Folder Must Be Submitted For Duplication

See label foot 51420-GA8 (page 162)

Suministramos un dobladillador especial para coser los bolsillos en la parte trasera de los pantalones, el cual puede ser usado con todos los modelos y clases de máquinas. Cuando se envia una order favor incluir el aditamento, 'folder', que está viejo, usado para duplicarselo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

298
CLEAN FINISH HEMMER WITH FRINGE GUIDE





For hemming and attaching fringe to bed spreads, etc.

Special presser feet available


Este aditamento se usa para dobladillar y aplicar los ribetes a los cobertores, cubrecamas, etc.
Tenemos disponibles prensatelas especiales

299
UPTURN CLEAN FINISH HEMMER FOR BELLOWS POCKET

Extra length assists in loading pieces with trim that would otherwise hang, such as back pockets, shirt fronts, etc.

El tamaño adicional de éste dobladillador permite la alimentación de piezas sin cortar el hilo, que de otra forma estaría colgante, tales como los bolsillos de la parte trasera de los pantalones, la parte de enfrente de las camisas, etc.






PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

300-A
CLEAN FINISH HEMMER







Available for all lockstitch machines.

Presser foot available for all plain sewers. Swing out available

Ofrecemos este adiamento para todas las máquinas de doble pespunte

El prensatela es disponible para todas las maquinas sencillas y corrientes.

300-B
BLINDSTITCH HEMMER — CLEAN FINISH
(SWING-OUT)





A general purpose hemmer available for all blind stitch machines.

Presser foot available for all blindstitch machines

Este es un dobladillador de uso general el cual es suministrado para todas las máquinas de puntada ciega


El prensatela es disponible para todas las maquinas sencillas y corrientes.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

300-B1
UPTURN CLEAN FINISH HEMMER
(SWING-OUT)



For hemming fabrics on straight runs.

Presser foot available for all plain sewers



Para hacer dobladillos en forma recta.

El prensatela es disponsible para todas las maquinas sencillas y corrientes.

300-C
PATCH POCKET HEMMER


Upturn clean finish patch pocket hemmer.
Swing-out or stationary.
Tongue on hemmer insures that hem width remains constant.

Presser foot available for all plain sewers



Dobladillador usado para aplicar bolsillos de parche con un acabado limpio.
Aparato en forma movible ó fija.
La lengueta del dobladillador permite que el ancho del ruedo permanezca constante.

El prensatela es disponsible para todas las maquinas sencillas y corrientes.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


300-C1
UPTURN CLEAN FINISH HEMMER
(SWING-OUT)

Hemmer has a tongue to insure that the hem starts and finishes the exact width desired.
5-Row feed dog, needle plate available for Singer plain sewer.

Presser foot available for all plain sewers.

Este dobladillador tiene una lengueta que permite que el ruedo tenga el ancho deseado desde el principio hasta el final de la operacion.
Impelente de diente de 5 hileras, plancha/placa de aguja se puede suministrar para todas las máquinas Singer de tipo corriente.

El prensatela es disponsible para todas las maquinas de tipo corrientes.





300D
DOWNTURN CLEAN FINISH HEMMER WITH TONGUE



For patch pockets, etc. Used on chain stitch machines, single or double needle.
Tongue insures the hem maintains the same size from start to finish.

Presser foot available for all plain sewers.

Este aditamento se usa para hacer aplicaciones en los bolsillos, etc.
Usado en las máquinas de puntada de cadeneta.
La lengueta permite que el ruedo mantenga el mismo tamaño desde el principio hasta el fin.

El prensatela es disponsible para todas las maquinas de tipo corrientes.



ALSO SEE NO. 305D and 305D-2

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

300-F
UPTURN CLEAN FINISH HEMMER WITH FLARE

Hemmer has flare on back to allow heavy seams to pass through without hanging.

Hemmer tongue insures correct size hem during entire sewing cycle.

Edge guide presser foot available for all plain sewers







El dobladillar tiene un aparatico, flair, en la parte de atras que permite la alimentación de costuras gruesas sin colgaduras.
El dobladillador en forma de lengueta controla el ancho del ruedo durante todo el ciclo de la costura.

El prensatela con guia de borde es disponible para todas las maquinas de tipo corriente.



IF YOU HAVE FINALLY WORN OUT THAT SPECIAL FOLDER
THAT IS NOT ILLUSTRATED IN ANY CATALOG,
SEND IT TO US AND WE WILL MAKE AN EXACT DUPLICATION.
"SUDDEN SERVICE" AVAILABLE HERE, TOO!

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL HEAVY-DUTY FEED & PLATE

FOR ALL MACHINES



- Needle plate has step which helps align hemmers.
- Heavy-duty feed gives extra feeding for difficult fabrics and operations. Helps prevent twisting on hems, wide binding operations, etc.

Feed – 147451
Plate – 147452

La plancha de aguja tiene un intervalo que ayuda a alinear el dobladillador.
Este alimentador fuerte permite una extra alimentación para materiales y operaciones de difícil realización.
Ayuda a prevenir la torceduras en los ruedos y en operaciones que tienen un ribete ancho, etc.
Impelente-147451, Placa/plancha-147452

1434
STANDARD 5-ROW FEED & PLATE

FOR ALL MACHINES

This feed and plate is recommended for wide hemming or binding operations.

Wide edge guide or plain hemming feet also available.

Special feeds, plates or feet made to your specifications.



PLATE



FEEDER

Set 1434


Un impelente estandard es usado cuando se hacen ruedos anchos ó cuando se desea trabajar con un impelente que tenga más dientes por pulgada.
Tenemos a su disposición una guia de borde ancho ó un dobladillador de pie sencillo.
Impelentes especiales, planchas/placas ó pies son hechos de acuerdo a sus instrucciones.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

301
CLEAN FINISH SWING HEMMER





For hemming straight runs.
Swing-out or stationary mounts are available.

Presser foot available for all plain sewers

Para hacer dobladillos en forma recta. Tenemos disponibles tipos de monturas. Fija o movible.

El prensatela es disponsible para todas las maquinas de tipo corrientes.

301AJ
AIR JET HEMMER







The Air Jet on this attachment helps uncurl material during hemming operation. Loose strings are also eliminated which helps reduce trimming cost later.
Air Treadle Valve No. 192-5 is used to control air flow.

Presser foot available for all plain sewers.

El aire compriso de éste aparato ayuda a desrizar el material cuando se esta haciendo el dobladillo.
Los hilos sueltos son recotados eliminando así un costo futuro al realizar ésta operación.
La valvula 192-5 del pedal de aire, manual, es usada para controlar la entrada de aire.

El prensatela es disponsible para todas las maquinas de tipo corrientes.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

301-A
CLEAN FINISH HEMMER
SWING-OUT)



For all double-needle lockstitch machines.
Special edge guide feet available.



Usado con todas las máquinas de doble pespunte de dos agujas.
El prensatela especiales es disponible.

301-C
CLEAN FINISH BLINDSTITCH HEMMER

For all blindstitch machines.
Swing-out or stationary mounts are available.

Usado con todas las máquinas de puntada invisible.
Les podemos ofrecer éste aparato con montura mouible ó fija.






PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

301-F
UPTURN CLEAN FINISH HEMMER WITH FLARE





Used on lock stitch machines. Folder has flared back for bulky materials or seams to pass through freely.

Edge guide presser foot available for all plain sewers

Usado para trabajar con máquinas de doble pespunte.

Este aditamento, 'Folder', se extiende hacia atras cuando se trabaja con materiales abultados y costuras dejandolas pasar libremente de un extremo a otro.

El prensatela con guia de borde es disponsible para todas las maquinas de tipo corriente.



COMPLETE AUTOMATIC UNITS AVAILABLE. ALSO, ALL COMPONENT REPLACEMENT PARTS.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

301G
UPTURN CLEAN FINISH HEMMER
(FOR VINYL)



Made from crinkle metal to help eliminate drag when sewing vinyl materials.

Este aditamento es hecho de un metal sinuoso el cual ayuda a eliminar el arrastre/atraque al coser materiales de vinilo

El prensatela con guia de borde es disponible para todas las maquinas de tipo corriente.


Edge guide presser foot available for all plain sewers

Presser foot with oiler available.





301L
UPTURN CLEAN FINISH HEMMER WITH LINING



Edge guide presser foot available for all plain sewers



For hemming and attaching lining in one operation.

NOTE: Lining is under hem. See NO. 303 for lining inside hem.

Para dobladillar y aplicar forros en un ciclo de trabajo.
NOTA: El forro está debajo del dobladillo. Ver el No. 303 el forro está en la parte de adentro del dobladillo.

El prensatela con guia de borde es disponible para todas las maquinas de tipo corriente.

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



302
CLEAN FINISH HEMMER

Edge guide foot available for all plain sewers




For long, wide hems. Helps reduce twisting. Recommended for use with 5-row Feed and Plate No. 1434.

Special feet for center stitch margin available

Usado para hacer ruedos largos y anchos. Ayuda a reducir la torcedura del material.
Se recomienda para ser usado con el impelente de 5 hileras de dientes y la plancha No. 1434.





El prensatela con guia de borde es disponsible para todas las maquinas de tipo corriente.

302-1
CLEAN FINISH HEMMER




For button stay operations, shirt fronts, sleeves and other narrow hems and long runs. Helps eliminate twisting. Recommended for use with 5-row Feed and Plate No. 1434.

Special feet for center stitch margin available

Edge guide presser foot available for all plain sewers

Se usa para pegar botones en una forma reforzada, la parte delantera de las camisas. mangas y para ruedos angostos y trabajos, de larga duración.
Ayuda a eliminar la torcedura del material.
Se recomienda para ser usado con el impelente de 5 hileras de dientes y la plancha No. 1434.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

302-2
CLEAN FINISH HEMMER

(HEAVY-DUTY FOR BULKY MATERIAL)




Recommended for use with heavy-duty feed and plate.

Edge guide presser foot available for all plain sewers

Recomendado para el uso con el impelente y placa para trabajos fuertes/pesados.

El prensatela con guia de borde es disponsible para todas las maquinas de tipo corriente.







302-3
UPTURN CLEAN FINISH HEMMER

Also See No. 303.

Edge guide foot available for all plain sewers

Finger slot improves loading.

Recommended for long runs, such as button stay, etc.

Same as 302-2, except short model.

El prensatela con guia de borde es disponsible para todas las maquinas de tipo corriente.

La ranura del pestillo mejora la alimentación.

Recomendado para trabajos de larga duración tales como, pegar botones en forma reforzada, etc.

Como la 302-2, con la excepción del modelo pequeño.

Este aparato se puede ofrecer en forma movible/hacia afuera/de lado.





Swing-out available.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

303
UPTURN CLEAN FINISH BUTTON STAY HEMMER
(WITH LINING OR OTHER TRIMS)





Right Hand Model Shown

A



WITH LINING

B



WITH CORD PIPING

C



WITH LACE

All illustrations above are left hand.

Recommended for use with 5-row Feed and Plate No. 1434 to help reduce twisting.
May be used for sleeve hemming with trim.
Left or right hand models available.

Edge guide presser foot available for all plain sewers. Swing out available

El prensatela con guia de borde es disponsible para todas las maquinas de tipo corriente.

NOTE: See 301-L for lining under hem.

Also See No. 302-3.

Recomendado para usarse con el impelente de 5 hilaras de dientes y la plancha No. 1434 para ayudar a reducir la torcedura del material.
Puede ser usado para dobladillar las mangas con adorno.
Podemos suministrar los modelos de la izquierda ó de la derecha.
Este aparato se ofrece en forma movible, hacia afuera/ hacia un lado.
NOTA: Ver 301L Usado para aplicar forros debajo del dobladillo.

Specify Right Or Left Hand

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


Sudden Service

304
DOWNTURN DOUBLE ROLL HEMMER





Also See No. 305.



For use on chain stitch machines.
For use on sheer materials such as kitchen curtains, etc. Prevents the raw-edge from showing through.

Para usarse en las máquinas de puntada de cadeneta.
Para hacer trabajos con materiales muy finos y delgados tales como en las cortinas de las ventanas de la cocina, etc.
Impide que el ruedo se vea atraves de la tela.

Presser foot available for all plain sewers. Swing out available

El prensatela disponsible para toda tipo maquinas industriale.

El forma movible es disponsible.

304-1
DOWNTURN DOUBLE ROLL HEMMER



Presser foot available for all plain sewers

For use on chainstitch machines.

For use with heavier fabrics.



Prevents the raw edge from showing.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

305
DOUBLE ROLL HEMMERS

LEFT

Izquierdo



RIGHT

Derecho

For use on sheer materials to hide raw edge when hemmed.
May be purchased separately.
Available for all chain and lockstitch machines.
Special presser feet available

Also See No. 304.



Este aditamento se usa cuando se trabaja con materiales fino y delgados ocultando el borde al hacerse el ruedo.
Puede ser comprado separadamente.
Disponible *para todas las máquinas de puntada de cadeneta y de doble pespunte*
Disponible *prensatelas especiales*

305A
DOUBLE ROLL HEMMERS

(WITH ADJUSTABLE GUIDE)





For hemming rolls automatically.
May be purchased separately.
Material widths up to 8" or more.
Available for all chain or lockstitch machines.

Special presser feet available

Este dobladillador se usa para dobladillar rollos de material automáticamente.
Puede ser comprado separadamente.
Se puede usar en materiales hasta de 8" de ancho
Disponible *para todas las máquinas de doble pespunte y puntada de de cadeneta.*
Disponible *prensatelas especiales*



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

305-A-S

DOUBLE ROLL HEMMERS

(WITH ADJUSTABLE GUIDE AND SPRING)



Same as 305A, except with spring to allow seams to pass through.

Como la 305A con la excepción del resorte que permite a la costura pasar de un extremo a otro.


305-D
BUTTON STAY HEMMER



Available for all chainstitch machines.
Special Presser Feet available

Swing-out available.

Edge guide foot available for all plain sewers



DOWNTURN

Disponible para todas las maquinas de puntada de cadeneta.

El prensatela especiales es disponible.

El prensatela con guia de borde es disponible para todas las maquinas de tipo corriente.

El forma movible es disponible.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

305-D1
BUTTON STAY HEMMER

(FOR HEAVY OR BULKY MATERIALS)



Available for all chainstitch machines.
Special Presser Feet available

Disponsible para todas las maquinas de puntada de cadeneta.
El prensatela especiales es disponsible.



305-D2
BUTTON STAY HEMMER

(LARGE WORK PLATE)

Available for all chainstitch machines.
Special Presser Feet available

Disponsible para todas las maquinas
de puntada de cadeneta.
El prensatela especiales es disponsible.

ALSO SEE NO. 371





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

305-DL
BUTTON STAY HEMMER
(WITH LINING)

Available for all chainstitch machines.
Special Presser Feet available



Disponsible para todas las maquinas de puntada de cadeneta.
El prensatela especiales es disponsible.

Lining must be at least 1/16" less than hem width

305-DR
BUTTON STAY HEMMER
(REVERSE)

Available for all chainstitch machines.
Special Presser Feet available



Disponsible para todas las maquinas de puntada de cadeneta.
El prensatela especiales es disponsible.

305-D3
AUTOMATIC TYPE SHIRT FRONT HEMMER

Available Folder only
or complete with brackets.

Disponsible *Folder/Dobladillador*
solamente o con los soportes



SUBMIT OLD FOLDER FOR DUPLICATION


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

306
ROD POCKET HEMMER

(DOUBLE ROLL FOR CURTAINS)



A UPTURN B DOWNTURN

For rod pockets at top of curtains.
Generally used on 1-1/4" double needle chainstitch.
Available in left and right hand models.
Special Presser Feet available



Swing-out available.


Para la cavidad de la parte superior donde va la varilla de las cortinas.
Generalmente usado en 1¼" en puntada de cadeneta con dos agujas.
Se puede suministrar los modelos izquierda ó de la derecha.
El prensatela especiales es disponsible.
El forma movible es disponsible.

307
PIGTAIL HEMMER

For hemming circular garments.

Para dobladillar prendas de vestir circulares.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

307-A
SPLIT HEMMER

For hemming circular garments.
Hemmer automatically opens up when the hem is complete, allowing the operator to complete the garment.
For all plain sewers, double-needle lockstitch and blindstitch machines.


Edge guide foot available for all plain sewers



Sizes 3/4-UP

Tamaños ¾ y mas grandes

El prensatela con guia de borde es disponsible para todas las maquinas de tipo corriente.



Para dobladillar prendas de vestir circulares.
El dobladillador se abre automáticamente cuando se ha terminado el dobladillo, permitiendo así a la operaria terminar la prenda.
Para todas las máquinas corrientes/sencillas, máquinas de doble pespunte de dos agujas, y de puntadas invisible

See 307-C for smaller sizes.

Ver el grabado 307C para tamaños más pequeños.

307-B-4.
SPLIT (BULLDOG) HEMMER



For leg hemming jeans, trousers, etc. on Union Special 63900 or similar machines.

Available with air opener.

Edge guide foot available.



DOWNTURN

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

307C
AUTOMATIC HEMMER
(CLEAN FINISH)

Hemmer automatically opens when circular sleeve or leg hem is completed and then resets itself for the next hem.
Production is increased because machine does not stop during entire sewing cycle.
Edge guide presser foot available for all plain sewers up to 3/4" hem.





Este dobladillador se abre automáticamente cuando se ha terminado la costura circular de las mangas o la costura lateral de los pantalones, preparándose para comenzar la proxima costura/dobladillo
Se aumenta la producción debido a que la máquina no se detiene durante el ciclo de trabajo.

El prensatela con guia de borde es disponible para todas las maquinas de tipo corriente.

1/4 – 3/8 – 1/2 – 5/8

Para tamaños de 1/4-3/8-1/2-5/8

For larger sizes, see 307-A

Para tamaños más grandes ver el grabado 307A

307C-5
AUTOMATIC HEMMER
(SHORT BODY)



SAME AS NO. 307C EXCEPT SHORTER BODY FOR SMALLER SIZES

Lo mismo que el No. 307C, con la excepción de tamaño corto.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

307D
AUTOMATIC HEMMER
(SINGLE FOLD)

Hemmer automatically opens when circular sleeve or leg hem is completed and then resets itself for the next hem.

Production is increased because machine does not stop during entire cycle.


Presser foot available for all plain sewers.



Este dobladillador se abre automáticamente cuando se ha terminado la costura circular de las mangas o la costura lateral de los pantalones, preparandose para comenzar el proximo dobladillo costura.

Se aumenta la producción debido a que la máquina no se detiene.

El prensatela con guia de borde es disponsible para todas las maquinas de tipo corriente.



307-4
UPTURN SPLIT HEMMER



Upturn hemmer for circular goods.

Unit is opened for finish of hem and remains open for loading.

Hemmer shown is clean finish and manually operated.

May be ordered with pneumatic opener.

Presser foot available for all plain sewers.



307-4A



307-4C

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

308
ADJUSTABLE BLINDSTITCH HEMMER

Hemmer Shell slides out to allow operator to complete hem.
Three shells are furnished. (Please advise sizes needed.)
Air operated model available.

El dobladillador para efectos decorativos en forma de concha sale hacia afuera permitiendo así, a la operaria completar el dobladillo/ruedo.
Tres conchas son suministradas con éste dobladillador (Favor indicar los tamaños requeridos).
El apartado en forma manual disponible.





308A
LATCH HEMMER
(BLINDSTITCH)

A press of the lever snaps open the top part of the hemmer to allow operator to complete the hem.

Se presiona la palanca para permitir que el dobladillador se abra, permitiendo así, a la operaria terminar el dobladillo/ruedo.





308B
LATCH HEMMER
(FOR PLAIN SEWER)

A press of the lever snaps open the top part of the hemmer to allow operator to complete the hem.

Edge guide foot available for all plain sewers





Se presiona la palanca para permitir que el dobladillador se abra, permitiendo así a la operaria terminar el dobladillo/ruedo.
Prensatela guia borde **disponible** *para todas las máquinas*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

309
SHIRT TAIL SPRING HEMMER

(FOR CONTOUR SHIRT TAILS)



Furnished complete with foot feed and needle plate for plain sewers.
Designed for fish tail shirts and blouses.
Spring allows seam to pass freely.

Suministrado completo con el prensatela impelente y placa de aguja para todas las máquinas corrientes/sencillas.
Diseñado para hacer blusas y camisas con un acabado en forma de cola.
El resorte permite que la costura pase libremente.



FOR SHARP HEM CURVES SPECIFY NO. 309-5


309-1
SHIRT TAIL SPRING HEMMER

(FOR STRAIGHT BOTTOMS)

Furnished complete with foot feed and needle plate for plain sewers.
Designed for straight shirt or blouse tail.
Spring allows seam to pass freely.



Suministrado completo con el prensatela impelente y placa de aguja para todas las máquinas corrientes/sencillas.
Diseñado para camisas rectas ó con un acabado en forma de cola.
El resorte permite que la costura pase libremente.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

310
SWING UP HEMMER



A



B



C



D



SUSPENDED MOUNT LEAVES BED PLATE FREE.

Swing-up feature allows operator to complete other operations without delay.
Available for all double or single needle machines.
Special Presser Feet available

La propiedad movible de éste aparato permite a la operaria completar otros trabajos sin detenerse.
Se puede suministrar para todas las máquinas de dos ó de una aguja.

El prensatela especiales es disponsible.

311
UPTURN CORE HEMMER
FOR VINYL MATERIAL





For use with vinyl materials.
Crinkle finish helps reduce drag.
Edge guide presser foot availal for all plain sewers.
Swing-out available.

Se usa para hacer trabajos con materiales de **vinilo**
Este aditamento está fabricado con un material simoso que permite reducir el atraque.

El prensatela especiales es disponsible.
El forma movible es disponsible.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

312
PLAIN HEMMER

For miscellaneous hemming operations where seams are crossed.

Edge guide foot available for all plain sewers

Para hacer diferentes tipos de dobladillos con costuras cruzadas

El prensatela con guia de borde es disponible para todas las maquinas de tipo corriente.







312-1
TOWEL END HEMMER
WITH SPRING FOR CROSSING SEAMS

(Con Resorte)

Designed to hem towel ends after side hem is complete.

Edge guide foot available for all plain sewers

Diseñado para hacer dobladillos a las puntas de los paños después que se han hecho las costuras laterales.

El prensatela con guia de borde es disponible para todas las maquinas de tipo corriente.





312-2
WITHOUT SPRING

Sin Resorte



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

313
PLAIN HEMMER
(WITHOUT CORE)



For hems without seams.
Available for all plain sewers.

Edge guide presser foot available for all plain sewers. Swing out available

Para dobladillar materiales sin costura.
Disponsible *para todas las máquinas comientes/sencilla.*

El prensatela con guia de borde es disponsible para todas las maquinas de tipo corriente.

El forma movible es disponsible





313-A
ADJUSTABLE PICOT HEMMER




Designed for use on zig-zag or faggoting machines to hem and picot edge of material strip.
Special Presser Feet available
Swing-out available.

Diseñado para usarse con máquinas zig-zag o con máquinas que hacen costura de union calada, para hacer dobladillos y aplicar borde picot a las tiras.

El prensatela especiales es disponsible.

El forma movible es disponsible





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

313-1
PLAIN HEMMER
(WITHOUT PIN)



Designed for use on zig-zag or faggoting machines to hem and picot edge of material strip.

Edge guide presser foot available for all plain sewers

Available with swing-out mount.

Diseñado para usarse con máquinas zig-zag o con máquinas que hacen costura de union calada, para hacer dobladillos y aplicar borde picot a las tiras.

El prensatela guia de borde es disponsible.
El forma movible es disponsible.





313-2
LONG CORE PIN HEMMER



Designed for use on zig-zag or faggoting machines to hem and picot edge of material strip.
Especially designed for long, straight hems.
Swing-out available.
Special Presser Feet available

Diseñado para usarse con máquinas zig-zag o con máquinas que hacen costura de union calada, para hacer dobladillos y aplicar borde picot a las tiras.
Diseñado especialmente para hacer ruedos largos y rectos.

El prensatela guia de borde es disponsible.
El forma movible es disponsible.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

314-A
SINGLE UPTURN HEMMER



Available for all single or double needle lockstitch machines.

Presser foot available for all plain sewers

Suministrado para todas las máquinas de doble pespunte de una ó dos agujas.

El prensatela es disponible para todas las maquinas de tipo corrientes.



FOR SHARP CURVES SPECIFY 314-A-24

314-A-1
SAME AS W&G 1084
(FOR CURTAIN RUFFLER)

Como la W&G 1084
(Para hacer los faralá/vuelos de las cortinas)



314-A-2
SINGLE UPTURN HEMMER
(WITH ADJUSTABLE UPPER GUIDE TUBE)

Dobladillador sencillo para dar vueltas
(Con guía de tubo superior)



314-A-3
BIBB HEMMER FOR OVERALLS
(HEAVY DUTY)

Dobladillador usado para aplicar las pecheras a los pantalones de trabajo.
(Para material grueso/pesado)



314-A-F
SAME AS 314-A
FOR HEAVY SEAMS
(WITH FLARED OPENING)

Como el 314A
Para costuras gruesas/pesadas
(Con una abertura)



314-A-L
UPTURN RAW EDGE HEMMER
(WITH LINING)

Dobladillador para volear los bordes

(PARA APLICAR FORROS)



314-A-4
COLLAR BAND HEMMER FOR SHIRTS

Para dobladillar bandas en los cuellos de las camisas



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

314-A5
BOOK SEAM FOLDER FOR BLINDSTITCH

MEN'S SUIT COAT VENT HEMMER.

Dobladillador para hacer la apertura de las chquetas de vestir de hombre.





314-8
UPTURN HEMMER
(WITH AIR-JETS)









Air Jet assists in loading knits, terry cloth, velour and other fabrics that curl.

During the sewing cycle the air jets help feeding and reduce stretch and distortion.

Presser foot available for all plain sewers

Special Presser Feet available

El aire compreso ayuda en la alimentación de los tejidos de punto, telas de paño, de terciopelo y otras telas que se se encrespan.

El aire compreso ayuda a alimentar el material y al mismo tiempo evita que se estreche o tuerza.

El prensatela es disponsible para todas las maquinas de tipo corrientes.

El prensatela especiales es disponsible.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

314-B
SINGLE DOWNTURN HEMMER
SWING – OUT



These Folders Available With Spring Loaded Nose For Crossing Seams.

Este dobladillador es disponsible con resorte para costura cruzada





Available for all single and double needle chain and coverstitch machines.

Presser foot available for all machines.

Disponsible para todas las maquinas de punto de cadeneta de uno o dos agujas y de punto de recubrimiento.

El prensatela es disponsible para todas las maquinas de tipo corrientes.
El prensatela especiales es disponsible.

NOTE: CURVED HEMS REQUIRE NO. 314-B-21

314-B-3
SWING - OUT
(WITH ADJUSTABLE GUIDE UNDER HEMMER)

Presser foot available for all machines.

El prensatela disponsible para toda tipo maquinas
El prensatela especiales es disponsible.



314-B-2
SAME AS W&G 4142
Lo mismo que el W&G 4142

Presser foot available for all machines.

El prensatela disponsible para toda tipo maquinas
El prensatela especiales es disponsible.



314-B-L
DOWNTURN RAW EDGE
(WITH LINING)

Presser foot available for all machines.

El prensatela disponsible para toda tipo maquinas
El prensatela especiales es disponsible.



314-B-1
SINGLE DOWNTURN HEMMER
(FOR COVERSTITCH MACHINES)

(MAQUINAS DE PUNTO DE RECUBRIMIENTO)



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

314-B-10
SINGLE DOWNTURN HEMMER



This hemmer has large work plate for easier loading.



314-B-36-8
AIR JET HEMMER



Single downturn with air feed assist to control curling of light weight fabrics.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

314-C
ADJUSTABLE UPTURN HEMMER

Designed for use with leather, heavy vinyls, etc.

Presser foot available for all machines.

Disponible en metal sinuoso, el cual ayuda reducir atraque de materiales pesados.

El prensatela es disponible para todas las maquinas de tipo corrientes.

Disenado para usado con materiales de cuero, vinilo grueso, etc.







AVAILABLE IN CRINKLE METAL TO REDUCE DRAG ON HEAVIER GOODS

314-C1
SINGLE UPTURN HEMMER

Same as Singer No. 269894 Edge Folder.

Presser foot available for all machines.

Lo mismo que Singer No. 269894

El prensatela es disponible para todas las maquinas de tipo corrientes.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

314-D
SINGLE TURN CORD FOLDER





Designed to insert cord and hem in one operation.
Grooved presser foot available for all machines.

Diseñado para insertar cordones y dobladillos de una vez, en una sola operación.

El prensatela de ranura es disponsible

314-E
CLEAN FINISH HEMMER
(WITH CORD INSERT)

Designed to insert cord and hem in one operation.
Grooved presser foot available for all machines.
Special Presser Feet available

Este dobladillador está diseñado para insertar cordones y dobladillar de una vez, en una sola operación.

El prensatela de ranura es disponsible

El prensatela especiales es disponsible.



SPECIAL GAGE SETS FOR ALL MACHINE CLASSES CUSTOM MADE IN TWELVE WORKING DAYS

(SPECIFY MACHINE TYPE, CLASS, AND NEEDLE SPACE)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

315
GORE HEMMER

Specify Left or Right Hemmer.
Compensating foot available for all machines.
Swing-out available.

Indicar cual de los dobladilladores, el de la izquierda o el de la derecha.

El pie compensado es disponible para todas las maquinas corrientes.





RIGHT
DERECHO



LEFT
IZQUIERDO



Right Hand
A MANO DERECHA

El forma movible es disponible

315-1
BELT CLOSING FOLDER
(WITH TOP STITCH GUIDE)



For closing belt after ends are sewn and turned.
Attachment swings out to allow operator to top stitch belt.
Guide can be furnished to top stitch both sides of belt.
Specify LEFT or RIGHT HAND Attachment.

Usado para cerrar la costura del cinturon despues que se ha cosido y volteado.
Este dobladillador se despiaza hacia afuera permitiendo a la operaria pespuntear el cinturon.
Una guia puede ser suministrada para pespuntear ambos lados del cinturon.
Indicar cual de los dos, el de la derecha o el de la izquierda.







RIGHT HAND
El de la derecha



LEFT HAND
El de la izquierda

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

315-2
ATTACH ZIPPER FLY-TOP STITCH

To attach and top stitch zipper flys on jeans.
Swing-out available.

Este dobladillador se usa para aplicar y pespuntear las braguetas a los jeans.

Se requiere un prensatela especial para máquinas con aguja impelente.

El forma movible es disponsible.





Special presser foot for needle feed machine required.

315-3
HEAVY DUTY GORE HEMMER

FOR CLOSING BAGS
(ON SWING ARM)

To close sides and ends of bags before turning.
Prevents raveling of fabric.

Este prensatela se usa para cerrar las bolsas/costales antes de voltearlas.
Evita que la tela se deshile.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

316
DOUBLE YOKING ATTACHMENT





Designed to attach double front or back yokes to shirts or blouses.
Adjustable, easy to operate.

Compensating presser foot available for all machines.

Este dobillador se ha diseñado para aplicar el canesú a las camisas y a las blusas.
Este aparato es ajustable, y muy facil de manejar.

El pie compensado es disponible.



Derecha LEFT *Izquierda*

316-D
SINGLE NEEDLE SLEEVING ATTACHMENTS
(1st OPERATION)

First operation of attaching sleeve to shirt on plain sewer.
Available in Right-Hand model also.

Presser foot available for all machines.



En la primera operación se aplican las mangas con máquinas sencillas.

El modelo de la derecha es disponible, tambien.

El prensatela disponible para toda tipo máquinas



316-E
(2nd OPERATION)

Advise top-stitching margin desired.
Second operation in top stitching sleeve.
Available in Right-Hand model, also.

Compensating presser foot available for all machines.



Indicar el ancho del margen del pespunte
En la segunda operación se pespuntean las mangas.

El prensatela disponible para todas tipo maquinas.

El modelo de la derecha es disponible, tambien.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

316-F
DOUBLE NEEDLE IMITATION SLEEVING ATTACHMENT

FOR 2-NEEDLE MACHINE





For all two-needle lockstitch machines.
Simulates single sleeving in one operation.
Special Presser Feet available

SPECIFY MACHINE TYPE, CLASS, AND GAUGE

Usado con todas las máquinas de doble pespunte de dos agujas.
Imitación clavado de manga en un ciclo de trabajo.

El prensatela especiale es disponsible.

Indicar tipo, clase, y medida de maquina.





CUSTOM AUTOMATIC UNITS BUILT TO YOUR SPECIFICATIONS.



Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

317
MOUSETRAP BLINDSTITCH HEMMER
(CLEAN FINISH)

For hems on circular garments.
Top portion of hemmer hinges up to allow operator to finish hem.

Usado para hacer dobladillos en prendas circulares
La parte superior del dobladillador da vuelta hacia arriba permitiendo así a la operaria terminar el dobladillo.





317-1
MOUSETRAP BLINDSTITCH HEMMER
(SWING OUT – CLEAN FINISH)

For hems on circular garments.
Top portion of hemmer hinges up to allow operator to finish hem.
Swing-out feature for special operations.

Para hacer dobladillos en prendas circulares.
La parte superior del dobladillador da vuelta hacia arriba permitiendo así a la operaria terminar el dobladillo
En forma movible para hacer trabajos especiales.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

317-2
RAW EDGE MOUSETRAP HEMMER

For hems on circular garments.
Top portion of hemmer hinges up to allow operator to finish hem.



Para hacer dobladillos en prendas circulares.
La parte superior del dobladillador da vuelta hacia arriba permitiendo así a la operaria terminar el dobladillo.

317-3
RAW EDGE MOUSETRAP HEMMER
(SWING OUT)

For hems on circular garments.
Top portion of hemmer hinges up to allow operator to finish hem.
Swing-out feature for special operations.



Para hacer dobladillos en prendas circulares.
La parte superior del dobladillador da vuelta hacia arriba permitiendo así a la operaria terminar el dobladillo.
En forma movible para hacer trabajos especiales.

317-A
MOUSETRAP 3-WAY HEMMER
(FULL TURN-IN)



317-A-1
MOUSETRAP 3-WAY HEMMER
(FULL TURN-IN – SWING OUT)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

318
CLEAN FINISH HEMMER
(FOR TERRY CLOTH OR FLEECE)



Designed to hem terry cloth, fleece and other materials with heavy nap.
Available for all plain sewers and compound feed machines.

Edge guide foot available for all machines.

Diseñado para hacer trabajos con telas de paño, felpa y otros materiales gruesos de lanilla.
***Disponsible** para todas las máquinas sencillas y para máquinas que tienen un impelente combinado de aguja y dientes.*
El prensatela guia de bordes es disponsible para todas las m'aquinas.



318-C
BAG CLOSING CLEAN FINISH HEMMER

Designed for materials with open weave such as onion sacks, etc.
Heavy-Duty.

Diseñado para trabajar con telas trenzadas tales como telas de saco, sisal, etc.
Para materiales gruesos.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

320
3-WAY HEMMER
(FULL TURN-BACK)

Hemmer has full turn-back for lighter materials, to eliminate shadow of turn-back on operations such as drapes, etc.

Edge guide presser foot available for all plain sewers


Este dobladillador permite que los materiales livianos se volteen elimina que se vean los distintos colores de los forros de las cortinas, etc.
El prensatela guia de bordes es ***disponible*** *para todas las máquinas sencillas/comentes*





Available for all blind-stitch machines.

321
DOWNTURN HEMMER
(WITH ADJUSTABLE GUIDE)





Operator may hem and attach lining or buckram in one operation.

Compensating presser foot available for all machines.

La operaria puede dobladillar y aplicar forros o telas de line engomado de una ves, en una sola operaci'on.
El prensatela compensado es disponible para todas las m'aquinas.
Disponible para todas las m'aquinas de una o' dos agujas.

Available for all single or double needle machines.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

327-E-F PRESSER FOOT FOR 327 RIMOLDI

(FITTED SHEETS)



For elastic insertion in fitted sheets.
Available for other overlocks machines.

(Para las sabanas de cajon.)
Para insertar elastico a las bolsas de las sabanas/sabanas de cajon.
Disponible para todas las m'aquinas de puntada de sobre hilado.

327-E-T ELASTIC TENSION FOR RIMOLDI



327-ET

Guia de borde para la maquina 327-EG



EDGE GUIDE
327-EG

Used with 327-EF

Usado con todas las maquinas 327-EF

331 TWO-IN-ONE ZIPPER FLY ATTACHMENT





331

Sew lining to fly. Hems and top stitches lining in one operation.
Prevents lining from showing under fly.
Fly top stitched second operation.
Special presser foot for needle feed machines required. No. 331-1B

Para coser el forro a la bragueta.
Hace los dobladillos y pespuntea el forro en una operación.
Evita que el forro se vea.
Pespuntea la bragueta durante la segunda operación.
Se requiere un prensatela especial para todas las maquinas con aguja impelente.

331-2



DOWNTURN FOR CHAINSTITCH

Compensating foot available for all machines.
El prensatela compensado es disponible para todas las m'aquinas sencillas/corrientas.

Presser foot available for all plain sewers.
El prensatela es disponible para todas las m'aquinas sencillas/corrientes.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



AP-17

ELASTIC METERING DEVICE

The SUDDEN SERVICE Company can supply our AP-17 Upper or AP-18 Lower Metering Device from stock. It can be installed by your maintenance personnel in approximately 30 minutes.

The advantages are:

- Consistent measurements
- Greater production
- Quality garments
- Low cost
- Up to 2½" elastic may be used
- Gear belt drive, no slip



AP-18

- Available for all machines: overlock, cover stitch, multi-needle, etc.
- Quickly installed or moved to other machines
- Zero-max drive eliminates the over-throw and inconsistant measurements found in clutch-type metering devices
- Maximum speed of the machine may be utilized

Call The SUDDEN SERVICE Company for more information and all your folder and attachment needs.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

350
TUNNEL ELASTIC HEMMER





See page156 for lower metering devices.

Ver página 156por el aparato tensor de goma.

Downturn hem allows use of chainstitch machines.
Clean finish eliminates need for overlocking edges.
Adjustable drag tensioner available (No. 1000)
Metering device helps control sizing.
Special Presser Feet available

NOTE: For Elastic Over 1" Wide Specify 350-21

La forma del dobladillo permite el uso de las máquinas de puntada de cadeneta.
El acabado limpio elimina la necesidad de sobre hilar los bordes.
*El regulador de la tensión de arrastre (No. 1000) **es disponsible.***
El aparato tensor de elastico ayuda a regular el tamaño.
*Prensatelas especiales **disponsible.***



For Synchronized Lower Elastic Metering Device See 29486F (Page 209)

350-1
TUNNEL ELASTIC HEMMER
(DOWNTURN)

Downturn hem allows use of chainstitch machines.
Clean finish eliminates need for overlocking edges.
Adjustable drag tensioner available (No. 1000)
Metering device helps control sizing.
Special design allows for heavy seams and bulky fabrics.
Special Presser Feet available



La forma del dobladillo permite el uso de las máquinas de puntada de cadeneta.
El acabado limpio elimina la necesida de sobre hilar los bordes.
*El regulador de ajuste para la tensión de arrastre (1000) **disponsible.***
El aparato tensor de elastico ayuda a regular el tamaño.
El diseño especial del mismo permite los trabajos de ruedo gruesos y materiales abultados.
Prensatelas especiales disponible



NOTE: For Elastic Over 1" Wide Specify 350-21



See page 207 for metering devices.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

350-2
TUNNEL ELASTIC HEMMER

(DOWNTURN)



Downturn hem allows use of chainstitch machines.
Clean finish eliminates need for overlocking edges.
Adjustable drag tensioner available (No. 1000)
Metering device helps control sizing.
Adjustable guides allow operator to control margins and give tighter hems around elastic on heavy materials with seams.
Special presser feet available



El dobladillo volteado en la parte inferior permite el uso de la máquina de puntada de cadeneta.
El acabado limpio elimina la necesidad de sobre-orillar los bordes de las prendas.
El aparato ajustable, regulador de la tensión del arrastre ***es disponsible (No. 1000).***
El aparato tensor de elástico ayuda a regular el tamaño del mismo.
Las guías ajustables permiten a la operaria controlar los margines, permite apretar bien los dobladillos al rededor del elástico a materiales pesados, con costura.
Prensatela especial disponible
Ver página 156 *por el aparato tensor de elástico*

See page 207 for metering devices.

LOWER ELASTIC SYNCHRONIZED METERING DEVICE COMPLETE

For all Union Special 50000 Series Machines

APARATO INFERIOR TENSOR DE ELASTICO

Para todas las máquinas Union Special de las series 50000



No. 29486-F

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

350-3
DOWNTURN TUNNEL ELASTIC FOR PANTY WAIST





Special design allows operator to load light fabrics such as tricot with ease.
Special presser foot available
Folder has uncurling device for fabrics that curl.
Designed for cover stitch or two needle chainstitch.
Adjustable drag tensioner available (No. 1000)

For Synchronized Lower Elastic Metering Device See 29486F
(Page 209)



El diseño especial de este dobladillador permite a la operaria alimentar/cargar las telas livianas tales como tricot, con facilidad
Prensatela especial disponible
Este plegador/Folder tiene un aparato desrizador para ser utilizado en materials que se rizan/encrespan
Este aparato es diseñado para ser usado con máquinas de punto de recubrimiento ó de puntada de cadeneta de dos agujas

TOP & BOTTOM ELASTIC METERING DEVICES



No. AP-17 – TOP



No. AP-18 – BOTTOM

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

350-US
TUNNEL ELASTIC HEMMER
WITH TACKING DEVICE





Downturn hem allows use of chainstitch machines.
Clean finish eliminates need for overlocking edges.
Adjustable drag tensioner available (No. 1000)
Metering device helps control sizing.
Special feature allows operator to tack elastic at each end of seam.
During sewing operation, elastic may be free-floating in seam.

Special presser feet available



El dobladillo voltiado en la pate inferior permite el uso de las máquinas de puntada de cadeneta.
El acabado limpio elimina la necesidad de sobre orillar los bordes.
El aparato ajustable regulador de la tensión de arrastre es ***es disponsible (No. 1000).***
El aparato tensor de elastico ayuda lo regular el tamaño del mismo.
La forma especial de este aparato permite a la operaria rematar el elástico al terminar la costura.
Durante el ciclo de trabajo, el elástico fluctua libremente.
Prensatela especial disponible

For Synchronized Lower Elastic Metering Device
See 29486F (page 209)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

350-T
TACKING ELASTIC ATTACHMENT

(FOR 300W; U. S., Rimoldi; Metropolitan Machines)





Elastic is free during sewing cycle.
Elastic is only tacked at the beginning and end of each seam.
Available manual or air-operated.
Entire hemmer moves for tacking.
Special presser feet available

El elástico está suelto durante el ciclo de trabajo.
El elástico es rematado únicamente al principio y al final de de cada costura.
***Disponsible** en formal manual ó se puede operar con aire.*
El dobladillador se mueve para rematar la prenda de vestir.
Prensatela especial disponible




350-C
DOWNTURN CLEAN FINISH HEMMER

(WITH HEAVY CORD FOR BED SPREADS)

Available for all walking feet machines.
Special feet available

(Para aplicar cordones gruesos a las sobrecamas/coberturas)





Disponsible para todas las maquinas de triple transporte.
Pies especiales disponsible.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Skipping is Fun



But Not In Sewing Operations

Atlanta Attachment's custom designed fluted rollers help reduce skipped stitches by providing a positive, uniform feed. Presser foot tension may be greatly reduced thereby eliminating the feeding stall that causes skipping.





- Reduce rejects & repairs
- Reduce downtime
- Cross heavy seams easily
- Handle all weight fabrics
- Available for most machines
- Positive – uniform feed

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



Synchronized Close-Coupled PULLERS

The *SUDDEN SERVICE* Company can retrofit a close-coupled syncronized puller to your machine. *(AP-34 shown.)*

Pullers may be top drive, bottom drive, or both top and bottom, depending on the machine class and operation.

Special rollers are available: steel, rubber, urethane or fiber. They may be diamond knurled, straight knurled, fluted or smooth.

Zero-max style pullers are available.

Call The SUDDEN SERVICE Company for more information and all your folder and attachment needs.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co. 17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

350-12
CLEAN FINISH ELASTIC WAISTBAND

The unique spiral folder completely deskills the difficult tunnel elastic operation. An operator merely aligns the garment to an edge guide to sew a tight wrapped clean finish waistband





- ELECTRIC EYE START
- MINIMIZES C.T.D. RISK
- IMPROVES QUALITY
- INCREASES PRODUCTION
- ACCURATE SIZING
- REDUCE ELASTIC WASTE
- AUTOMATIC CUT APART
- EASY OPERATION
- MINIMIZE TRAINING
- SEAMS GO THROUGH WITHOUT HANGING

MODEL 350-12



Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

350-25



MODEL 350-25



SPIRAL FOLDER™

- NO MORE TUGGING !!!
- NO MORE TWISTING !!!
- NO MORE C.T.D. PROBLEMS RELATED TO THE OLD WAY OF FORMING CLEAN FINISH WAISTBANDS.
- ELIMINATE COSTLY REPAIRS

YOU GET ELASTIC WAISTBANDS THAT ARE:

CLEAN...
TIGHT.....
UNIFORM.....
EVERY TIME !!!

Ask about our trial plan.

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

351
ELASTIC HEMMER
(SWING-AWAY)

Upturn clean finish hemmer with elastic.
Swings out for finishing operations.

Edge guide foot available for all machines.

Este dobladillador hace un acabado limpio al aplicar elastico.
El dobladillador es movible para terminar el ciclo de trabajo.
Prensatela guia borde disponible para todas las m'aquinas corrientes.

Ver página 207 por el aparato tensar de elásticos superior.





See page 207 for upper metering devices.

See 29486F (Page 209) For Synchronized Lower Elastic Metering Device

352
ELASTIC "C" BINDER







Adjustable tension allows operator to control amount of gathering.
Available for all plain sewers and zig-zag machines.

Edge guide foot available for all machines.

Debido a forma ajustable de la tensi'on de 'este dobladillador la operaria puede controlar la cantidad de material que se frunce/recoje.
Disponsible para todas las m'aquinas sencillas/corrientes y m'aquinas zig zag.
Prensatela guia borde disponsible para todas las m'aquinas corrientes.

Also See No. 251-E

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

353
OPEN ELASTIC ATTACHMENT
(WITH ADJUSTABLE ELASTIC GUIDE)

Top edge of garment is folded and stitched on top of elastic.
Adaptable for multi-needle chain stitch machines.
May be used with metering device or adjustable drag tension.
Adjustable guide for elastic.
Special presser feet available



El borde superior de la prenda es doblado y cosido encima del elástico.
Se puede usar con todas las máquinas de puntada de cadeneta de varias agujas.
Puede ser usado con el aparato tensor de elástico o con el aparato ajustable regulador de la tensión de arrastre.
Guía ajustable para elástico.
Prensatela especial disponible
Ver página **156** *para el aparato tensor de elástico.*





See page 207 for metering devices.

353-1
IMITATION TUNNEL ELASTIC

Top edge of garment is folded over elastic.
Elastic is concealed.
Top edge of garment may be serged or binding may be applied before hemming.
Special presser feet available

Este dobladillador voltea la prenda sobre elástico ya aplicado.
El elástico está oculto/tapado.
El borde superior de la prenda puede estar sobre-hilado o el ribete puede ser aplicado antes de dobladillarse.
Prensatela especial disponible
Ver página **156** *para el aparato tensor de elástico.*

For Synchronized Lower Elastic Metering Device See 29486F (page 209)







See page 208 for metering devices.


No. 353-3 Same type hemmer except shorter model.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

353-23
IMITATION TUNNEL HEMMER
FOR RAW RUBBER





Top edge of garment is folded over rubber strip.

Adaptable to multi-needle chain and coverstitch machines.

For use with bottom metering device or adjustable drag tensioner.

See page 207 for metering devices.

For Synchronized Lower Elastic Metering Device
See 29486F (Page 209)



AUTOMATIC CUT-APART

OUR MODEL 1535 AUTOMATIC CUT-APART SIDE CONVEYOR FOR NARROW ELASTIC AND RAW RUBBER HEMMING WILL PROVIDE THE SAVINGS BY ELIMINATING THE TRIMMING OPERATION AND ASSURES THE HEM QUALITY

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

DRAWSTRINGS



ARE KNOT EASY

BUT THEY CAN BE SIMPLER & FASTER WITH OUR MODEL 3901 THREADING DEVICE

- Easily Adjustable For All Sizes
- Air Operated Expansion
- Sure Grip Surface
- Polished Wire Guide
- No Maintenance
- One Pedal Control



MODEL 3901-N

THE OPERATOR LOADS THE GARMENT OVER THE FORM - DEPRESSES THE AIR FOOT PEDAL TO EXPAND THE WAIST - THREADS THE POLISHED WIRE GUIDE THROUGH THE WAISTBAND — INSERTS THE STRING ON THE HOOK END AND PULLS THE WIRE GUIDE FROM THE GARMENT WHICH DRAWS THE STRING WITH IT THROUGH THE WAISTBAND.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co. 17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

354
DOUBLE NEEDLE ELASTIC HEMMER



UPTURN



See page 207 for upper metering device.

Upturn clean finish elastic hemmer for double needle lockstitch machines.
Special presser feet available

Este adiamento usado para aplicar elastico con un acabado limpio se usa con máquinas de doble pespunte de dos agujas.
El prensatela especial es disponible.

Special presser foot available.
Advise gauge and machine class.

Prensatela especial disponible
Indicar la distancia entre las agujas, "gauge", y la clase de máquina

357
ELASTIC HEMMER
(WITH TACKING DEVICE)





Available for all single needle lockstitch machines.
Edge guide foot available for all machines.
Tacking feature allows operator to sew through elastic at each end of seam.
Elastic free-floating in seam, or sewn.

Este aparato se usa con todas la máquinas de doble pespunte de una aguja.
El prensatela guia de bordes es disponsible.
La caracteristica del refuerzo de este aparato permite a la operaria coser el elástico hasta el final de cada ciclo de costura.
El elástico puede estar suelto ó cosido

See page 207 for upper metering device.

Ver página 207 por el aparato tensor de elástico de arriba

IF YOU HAVE FINALLY WORN OUT THAT SPECIAL FOLDER THAT IS NOT ILLUSTRATED IN ANY CATALOG, SEND IT TO US AND WE WILL MAKE AN EXACT DUPLICATION. "SUDDEN SERVICE" AVAILABLE HERE, TOO!

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

358-2
RAW EDGE ELASTIC WAISTBAND
(Strip Load)





For pre-making waistbands with elastic or raw rubber.

Waistband is sewn to pants in second operation.

Elastic guide is adjustable for different widths.

Cloth puller recommended.

Available for all multi-needle machines.

Special presser feet available.

780U Ball bearing reel recommended.

Para aplicar pretinas hechas con anterioridad con elastico 'o hule.
La pretina es cosida al pantal'on en la segunda operaci'on.
La gula de el'astico se puede regular para diferentes anchos.
La aplicaci'on de las frajas debe hacerse sin interrupci'on.
El transportador auxiliar es recomendado para 'esta operaci'on.
Disponsible para todas las m'aquinas de varias agujas.
Prensatelas especiales son disponsible.
El portacarete con cojinete 780-U es recomendado para 'esta operaci'on.

FOR ROLL FEED SEE 423-7

FLUTED PULLER ROLLERS

Atlanta Attachment's custom designed fluted rollers help reduce skipped stitches by providing a positive, uniform feed. Presser foot tension may be greatly reduced thereby eliminating the feeding stall that causes skipping.



REDUCE SKIPPED STITCHES

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

359
COVERED ELASTIC ATTACHMENT



Elastic is covered for finished look.
Hemmer is separately adjustable.
For bed plate mount.
Special presser feet available

For Synchronized Lower Elastic Metering Device See 29486F (Page 158)

El elástico está cubierto dando así la apariencia de un trabajo acabado.
El dobladillador se ajusta separadamente.
Se utiliza para montura en la placa base.
Prensatela especial disponible

See page 207 for lower metering device.

Ver página 207 por el aparato tensor de elástico inferior





359-1
COVERED ELASTIC ATTACHMENT

(WITH SWING-OUT HEMMER)



See page 207 for lower metering device.





Ver página 207 por el aparato tensor de elástico inferior.

Swing-out hemmer allows operator to finish pants top.
Lower folder is mounted on drop-down bar, for handling ease.
Special presser feet available

Este dobladillador movible permite a la operaria terminar la parte superior de los pantalones.
El folder, dobladora inferior está montado en la barra alimentadora inferior, permitiendo que el trabajo se haga en una forma desahogada.
Prensatela especial disponible

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

359-2
COVERED ELASTIC ATTACHMENT



Right-angle feature is desirable for special applications.

Special presser feet available

For Synchronized Lower Elastic Metering Device See 29486F (Page 209)

Las caracteristicas del dobladillador de la derecha permite realizar trabajos especiales
Prensatela especial disponible







SPECIAL GAUGE SETS FOR OBSOLETE MACHINES AVAILABLE

SPECIFY MACHINE TYPE, CLASS, AND GAUGE OR SEND OLD PART FOR DUPLICATION

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


360
TOP STRIPPER FOOT



Available for all double needle machines.
Overhead Reel No. 780U1 with ball bearing is recommended for stretchy materials.
Presser foot is included,
(Specify Gauge and Class)

Send Your Foot For Modification Or Order Complete

Seam guide available
Disponible para todas las máquinas de dos agujas
El carrete No. 780U1, porta cinta especial, es recomendado para trabajar con telas que se estiran
El prensatela está incluido
(Especificar la distancia entre las agujas, "gauge", y clase de la máquina.)



360-1
TAPING FOLDER FOR FLATLOCK, FLATSEAMER




No. 780U1 ball bearing reel works well on this application.
Used for seam taping in place of top cover thread.
Furnished complete with bracket.

No. 780-U1 Portacarrete cinta especial trabaja bien al hacer este tipo de trabajo
Usado para costuras con cinta en lugar del hilo de recubrimiento, fruncador.
Provisto completo, incluyendo el soporte

Flatlock Presser Feet modified for taping operation.

El prensatela es modificado para aplicar cintas de refuerzo



361
MULTI NEEDLE TAPING ATTACHMENT

For attaching multi-trim in one operation.
Folders are individually adjustable.
Available for all multi-needle machines.
Presser foot furnished at extra charge.
780-U1 Ball Bearing Reel recommended for this operation.

Para aplicar adornos de varios colores en ciclo de trabajo
Los dobladillados se ajustan individualmente
***Disponible** para todas las máquinas de varias agujas*
El prensatela es suministrado, provisto, a un costo adicional
El Portacarrete Con Cojinete de Bolas 780-U1 es recomendado para esta operación





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

363
ELASTIC STRAP FOLDER
(DOWNTURN)

No. 363-1 Same Except Upturn.

A



B



C





Available for all double needle lock and chainstitch machines.
(Specify Gauge and Class)

Presser foot available for all plain sewers.

El No. 363-1 es igual a éste con la excepción de que se volteo hacia arriba
***Disponsible** para todas las máquinas de dos agujas de doble pespunte y puntada de cadeneta.*
(Indicar la distancia entre agujas, "gauge", y la clase de la máquina.)
El pie es disponsible para todas maquinas est'andard y sus gauges.

365
JACKET YOKING FOLDER

Usado en la fabricación de chaquetas.
También para coser los conesú en la parte de atras y en el frente de las prendas.
Disponsible para todas las m'aquinas de varias agujas.

Used on windbreakers.
Front and back yokes.

Available for all multi-needle machines.

Special presser feet available
Prensatela expecial disponsible.

A



WITH CONTRASTING TRIM

B



C



D



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

368
SELF-WELT FOLDER WITH CORD



For boxing or self-welting seat cushions with cord.
Recommend using Walking Foot Machine.
Special presser feet available.



Para aplicar vivos ó para acordonar los forros de los cojines que ya tienen nervadura.
Se recomienda el uso de máquinas de triple transporte.
El prensatela especial es disponsible.

371
DOWNTURN BUTTON STAY HEMMER

Available for all single or double needle chainstitch machines.

The extra long design of this folder allows the most inexperienced operator to sew first quality garments.
Special presser feet available



Suministrado para todas las máquinas de un aguja ó de puntada de cadeneta de dos agujas.
Debido a el tamaño extra largo de éste dispositivo plegador, la operaria sin ser una experta, puede realizar trabajos de calidad.
Prensatela especial disponible



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

375
WAISTBAND CURTAIN ATTACHMENT
(CUSTOM DESIGNS)

Para los dobladillodores hechos a la medida, favor enviar muestras ó un diseño del mismo para así nosotros indicarle el precio y fecha de embarque.
Esta operación requiere el uso de un "Puller".
NOTA: Solamente una muestra que representa el diseño es lo que aparece.
Enviar muestra para así nosotros poderle indicar el precio de los otros adiumentos.
Prensatela especial disponible

Custom designs. Send us a sewn sample or sketch of desired band and we will quote price and delivery.
Puller required.
Special presser feet available

A





NOTE: Only a representative sample is shown.
Send sample for quotes on others.

376
WAISTBAND CURTAIN ATTACHMENT
(CUSTOM DESIGNS)



A

For single pleat waistband curtain.
Custom design. Send us a sewn sample or sketch for price quote.
Special presser feet available

Para hacer pliegues sencillos a los listones de las cortinas.
Aparato hecho a la medida. Favor enviarnos una muestra de la costura ó un diseño del mismo para así nosotros indicarles el precio.
Prensatela especial disponible



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

377
WAISTBAND ATTACHMENT
(ROW-CAP)

Special Row-Cap attachment.
Waistband pleat folds back so stitch will be invisible after sewing.
Special presser feet available



Aparato especial para coser las formas a la pretina
El pliegue de la pretina se dobla, quedando así la costura invisible despues de haber cosido la prenda
Prensatela especial disponible
Ver los graficos 210B, 210C, 210 CS



See 210-B, 210-C, 210-CS


385
DOUBLE NEEDLE SLEEVE HEMMING ATTACHMENT
(WITH ELASTIC)



For dress or blouse sleeves.
Produces a hem and the bloused cuff in one operation.
Available for all double needle lockstitch or chainstitch machines.
Special presser feet available

Para coser las mangas a los vestidos ó a las blusas
Hace dobladillos y cose el puño en un ciclo de trabajo
***Disponible** para todas las máquinas de doble pespunte de dos agujas ó para las máquinas de puntada de cadeneta*
Prensatela especial disponible





385-A FOR UPTURN HEM
385-B FOR DOWNTURN HEM

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

387
COLLAR TAPING FOLDER

For taping and attaching collars in one operation.
Second operation top stitches collar tape.

780-U1 Ball Bearing Reel recommended for this operation.

Este aparato se usa para aplicar cinta y pegar cuellos en un ciclo de trabajo.
En el segundo ciclo de trabajo se le pespuntea la cinta a los cuellos.
El Portacarrete Con Cojinete de Bolas 780-U es recomendado para ésta operación.





CONTACT US AND UTILIZE MORE THAN
100 YEARS OF COMBINED EXPERIENCE
IN THE GARMENT INDUSTRY
TO SOLVE YOUR SPECIAL PROBLEM

PONGASE EN CONTACTO CON NOSOTROS PARA RESOLVER CUALQUIER PROBLEMA. APROVECHE NUESTRA EXPERIENCIA DE MAS DE 100 AÑOS EN LA INDUSTRIA DE LA CONFECCION

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



Complete Automatic Units

For Special Applications

Available.

Send Sewn Sample

For Quote.

395
SHORT PLACKET OR WAISTBAND

(STRIP LOAD)

Designed for easy to load fabrics such as denim, etc.
Available for all single or double needle machines.
Puller required.
Special presser feet available

Diseñado para trabajar con telas de una facil alimentacion, tales como denim, etc.
***Disponsible para todas las m'aquinas de una 'o** dos agujas.*
Se requiere el uso del "Puller", dispositivo de realce, en êste tipo de trabajo.
Prensatela especial disponible





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

395-1
SHORT PLACKET OR WAISTBAND
(EXTRA SHORT)

Designed for small size pants waist.





This attachment is designed for easy-to-load fabrics such as denim, etc.
Available for all single or double needle machines.

Diseñado para coser las cinturas de los pantalones de tallas pequeñas.
Este aditamento está diseñada para trabajar con fabricas/telas fáciles de alimentar, tales como denim, etc.
Disponsible *para todas las máquinas de una ó dos agujas.*

395-2E
STRIP LOAD ELASTIC WAISTBAND FOLDER
(FOR STRETCH WAISTBAND JEANS)

Elastic is pre-stitched to waistband, see 661-Q, then loaded into folder to be sewn to pant.
Special Presser Feet available
Also see 423-E for continuous feed bands.
Breakdown bracket No. 423-15 available for finishing operations
Folder available with collapsible lower margin for finishing operation.
See 423-3C illustration.



El elástico es cosido con anterioridad a la pretina, ver 661-Q, entonces es alimentado/cargado dentro del dobladillador y cosido al pantalon.
El prensatela especial es disponsible
También ver el 423-E utilizado para cargar las cintas en una forma continua.
El soporte neutro No. 423-15 es disponsible para terminar el trabajo
El dobladillador esta desviado en la parte inferior para terminar la operación.
Ver el grabado 423-3C.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

397
COLLAPSIBLE PLACKET OR WAISTBAND

(STRIP LOAD)

Lower portion of band may be deflected and not sawn for finishing operation.
Available as either manual or air operated.
Available for all double needle machines.
Special presser feet available

La parte inferior de la cinta puede estar desviada y no está cosida al terminarse el acabado.
Este aparato es suministrado ya sea en una forma manuable o con aire.
Es disponsible para todas las m'aquinas de dos agujas.
Prensatela especial disponible.





398
CORDING ATTACHMENT

For attaching the finishing cord edge to bedspreads, furniture, soft luggage, etc.
See Attachment No. 368.
Special presser feet available

Para aplicar los cordoncillos a los bordes de los sobrecamas, etc.
Ver aditamento No. 368.
Prensatela especial disponible.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

400
TOP STITCH BINDER

For Roll Feed

Used to add decorative trim to garments.
Available for all single needle machines.
780-U Ball Bearing Reel recommended for this operation.

Este aditamento es usado para hacer costuras decorativas a las prendas de vestir.
Disponible para todas las m'aquinas de una aguja.
Disponible como el aditamento de la izquierda o de la derecha.
El Portacarrete Con Cojinete de Bolas 780-U es recomendado para ésta operación.



Available left or right.




401
SIDE STITCH LOOP FOLDER

For Roll Feed



For making button loops, belt loops, etc.
Available for all plain sewers.
780-U Ball Bearing Reel recommended for this operation.



Izquierdo

LEFT

Usado para hacer pasadores de cinturones, pasadores.
Disponible para todas las m'aquinas *sencillas/corrientes.*
El Portacarrete Con Cojinete de Bolas 780-U es recomendado para hacer ésta operación.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

402
PLACKET FOLDER
(STRIP-LOAD)

Standard strip-load placket folder.
Available for all single and double needle machines.
Available with lining. See 402-L.

Este aparato es usado para alimentar y doblar aplicando tiras a las abertura de las mangas.
Suministrado para todas las máquinas de una y dos agujas.
Suministrado para aplicar forro.
Ver el grabado 402-L.





402-3
PLACKET FOLDER
(UNEVEN TURNBACKS)

Folder has extra turn-back on top to help allow for cutting errors.
Available for all single and double needle machines.
Available with lining.
See 402-L.

Este dobladillador puede voltear la parte superior de la tela en una forma desahogada, para así ayudar a corregir los errores cometidos durante el corte.
Suministrado para todas las máquinas de una y dos agujas.
Suministrado para aplicar forro.
Ver el grabado 402-L.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

402-4
STRIP LOAD WAISTBAND OR PLACKET

(SEMI-FOLD)

(A) For bands with raw or serged edge inside.
(B) For bands with binding on edge to produce finished Row-Cap look inside.
Available for all single or double needle machines.
Available with lining. See 402-4L.



(A) Este plegador se usa para trabajar con fajas sin acabar ó con los bordes sobre hilados.
(B) Se usa para aplicar ribetes a los bordes dando la apariencia de estar formados.
Disponsible para todas las m'aquinas de una 'o dos agujas.
Disponsible para aplicar forro.
Ver grabado 402-4L.

PRE-SEWN BINDING

A 

B 

402-FE
FINISHED END PLACKET/WAISTBAND

For bands with raw or serged edge inside.
Strip-load, individual pieces.
End of strip is folded back before insertion to finish end of belt.
Available in A, B or C finish as shown above.



(A) Este plegador se usa para trabajar con fajas sin acabar ó con los bordes sobre hilados.
Para alimentar/cargar pedazos de tiras individualmente.
El final de la tira es doblado antes de ser insertado para acabar los cinturones.
Suministrado en los diseños A, B, o C, hace el acabado como lo indicado arriba.




PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

402-6
STRIP PLACKET/WAISTBAND
(OFF-SET MARGINS)



Lower margin is recessed to improve appearance.

Off-set margins for full fashion shirt fronts.
Available with lining.
For all single and double needle machines.

El margen inferior es suspendido para mejorar la apariencia del trabajo.
Este apunto se usa para compensar las margenes de la parte delantera de las camisas
Disponible para hacer forros.
Disponible para todas las m´aquinas de una o dos agujas.

402-B
STRIP PLACKET WITH CORD WELTING



For all single and double needle machines.
Available with lining.
Pre-made piping may be used.

Para todas las máquinas de uno y dos agujas.
Suministrado para aplicar forros.
Puede usarse para aplicar rebordes
acordonados ya hechos

402-L
WAISTBAND ATTACHMENT WITH LINING

Standard strip placket with lining.
Available for all single and double needle machines.

No. 402-LB – Available with lining in bottom turnback.

No. 780-U1 Ball Bearing Reel recommended for this operation.

Aditamento estándard para aplicar tiras a la abertura de las mangas con forro.
Disponible para todas las m'aquinas de una y dos agujas.
El aditamento No. 402-LB disponible para forrar la parte inferior al ser volteada.
El Portacarrete con Cojinete de Bolas 780-Ul es recomendado para 'esta operaci'on.






PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

402-4-L
WAISTBAND ATTACHMENT WITH LINING
(CLEAN FINISH TOP – SERGED OR BOUND BOTTOM)






(A) For bands with raw or serged edge inside.
(B) For bands with binding on edge to produce finished Row-Cap look inside.
Available for all single or double needle machines.
780-U1 Ball Bearing Reel recommended for this operation.

(A) Para fajas sin acabar o con el borde sobre hilado.
(B) Se usa para aplicar ribetes a los bordes dando la apariencia de estar forrado.
Disponsible para todas las m'aquinas de una o dos agujas.
El Portacarrete con Cojinete de Bolas 780-U1 es recomendado para 'esta operaci'on.

402-8-L
WAISTBAND ATTACHMENT WITH LINING
With Vacuum And Tensioner





Vacuum tube draws loose strings into waistband for clean finish.


Drag tensioner meters stretch lining.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

403
BELT AND LOOP FOLDER
(STRIP-LOAD)





For making belt loops, tabs, belts, etc.
Strip-load individual pieces.
Available for all single or multi-needle machines.

Este folder, plegador, se usa para hacer los pasadores a las correas, lenguetas, cinturones, etc.
Alimenta pedazos de material individualmente, para la abertura de la manga.
Disponible para todas las m'aquinas de una agujas o de varias agujas.

403-FE
FINISHED END BELT-STRAP FOLDER
(STRIP-LOAD)

For loops, belts or straps.
Strip-load, individual pieces.
End of strip is folded back before insertion to finish end of belt.
Available in A, B or C finish as shown above.




Para hacer ojetes, lazadas, cinturones ó correas.
Para alimentar/cargar pedazos de tiras individualmente.
El final de la tira es doblado antes de ser insertada para acabar los cinturones.
Disponible en los diserios A, B, o C, hace el acabado como lo indicado arriba.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

403-2
FRENCH FACING FOLDER





For French button facing.
Available for all single or double needle machines.
Available with lining.

Parra pegar la tapeta delantera de las camisas.
Disponsible para todas las m'aquinas de una o dos agujas.
Disponsible para hacer ferros.

404
STRAIGHT BELT OR STRAP FOLDER

(ROLL FEED)

A



B



C





For binding on rolls.
Available for all single and double needle machines.
Available with lining.

Para ribetear en rollos.
Disponsible para todas las m'aquinas de una y dos agujas.
Disponsible para hacer forros.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


404-1
STRAIGHT FOLDER
(FOR VINYL OR PLASTIC MATERIAL)



Crinkle-finish metal helps reduce drag.
For vinyl or leather goods.
Available for all single and double needle machines.
780-U Ball Bearing Reel recommended for this operation.

Edge guide presser foot available for all plain sewers

Este Folder, dobladillador, est'a hecho de un metal nudoso, duro, que ayuda a reducir el atraque del material.
Se usa para hacer trabajos en materiales de vinyl o cuero.
Disponsible para todas las m'aquinas de una y dos agujas.
el Portacarrete Con Cojinete de Bolas 780-U es recomendado para hacer 'esta operaci'on.



404-D
STRAIGHT FOLDER


For banding on rolls.
Available for all single and double needle machines.
Available with lining.
780-U Ball Bearing Reel recommended for this operation.

Edge guide presser foot available for all plain sewers

Se usa para ribetear en rollos.
Disponsible para todas las m'aquinas de una y dos agujas.
Disponsible para hacer ferros.
El Portacarrete 780-U es recomendado para hacer 'esta opeaci'on.



A
B
C




Also See No. 254


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

405
CENTER STITCH FOLDER



A



UP

B




DOWN

Presser foot available for all plain sewers.
Produces a finished belt or strap on a single needle machine.
Strip or roll feed.
Special feet available on request.
(A) For lockstitch machines.
(B) For chainstitch machines.
Available with lining.

El prensatela sencillo/corriente es disponible para todas las m'aquinas sencillas/corrientes.
Hace un cinturon o correa con m'aquinas de una sola aguja.
Alimenta/arrastra pedazos de telas o rollos.
Sobre demanda se suministran los pies especiales.
(A) Para m'aquinas de doble pespunte.
(B) Para m'aquinas de puntada de cadeneta.
Disponible con forro, para hacer forros.

406
FRENCH BELT FOLDER



WITH LINING

PARA APLICAR FORROS

Presser foot available for all machines.



For transparent fabrics. Raw edges are double rolled.
Belt may be sewn directly to garment.
Strip load or roll cut.

Para fábricas transparentes. Los bordes sin terminar acabar estan enrollados en forma doble.
El cinturon puede estar cosido directamente a la prenda. Para alimentar/arrastar pedazos de materiales individualmente ó para cortar los rollos.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

406-1
FRENCH BELT OR BELT LOOP FOLDER
(BRA STRAPS)





For fabrics that ravel. Edges are finished and butt together.
For all double needle machines including cover stitches.
Special feet available on request.

Usado para trabajar con materiales que se deshilan/deshacen
Los bordes son terminados y unidos canto a canto.
Usado con todas las máquinas de dos agujas incluyendo las máquinas de puntr de recubrimiento.
Pies especiales son ***disponsible sobre demanda.***

406-2



BELT-BELT LOOP
BRA STRAP

406-2-L



BRA STRAP
BELT-BELT LOOPS



For fabrics that ravel. Edges are finished and butt together.
Available for all double needle lockstitch machines.
Special feet available on request.

Usado para trabajar con fabricas que se deshilan
Los bordes son acabados y unidos canto a canto.
Disponsible para todas las m'aquinas de doble pespunte de dos agujas.
Los pies especiales son disponsible sobre demanda.

For fabrics that ravel. Edges are finished and butt together.
Available for all double needle lockstitch machines.
Special feet available on request.
With lining.

Para fabricas/telas que se deshilan/deshacen
Los bordes son acabados y unidos canto a canto.
Disponsible para todas las m'aquinas de doble pespunte de dos agujas.
Los pies especiales son disponsible sobre demanda.
Tamb'ien son disponsible para hacer forros.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

BLINDSTITCH BELT LOOP





406-3

For blindstitch machines.
Advise if machine has knives

Para máquinas de puntada ciega.
Indicar si la máquina tiene cuchillas

NOTE: Send old folder for duplication.

NOTA. Favor enviar el "folder", doblado para así poder duplicarlo.

406-3L





For use with Galkin or other loop material trimmers.


Para ser usado con m'aquinas de puntada ciega.
Disponsible para hacer ferros.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

407
HANDLE FOLDER





For handles on luggage, garment bags, pocket books, etc.
Available for all single or double needle machines.
Special presser feet available.
780-U Ball Bearing Reel recommended for this operation.

Se utilisa para hacer los mangos/asas del equipaje, de las bolsas para cargar prendas de vestir, carteras, etc.
***Disponible** para todas las máquinas de una ó dos agujas.*
*Los prensatelas especiales **son disponible.***
Se recomienda el portacarrete con cojinete 780-U para realizar esta operación.

408
CORD HANDLE FOLDER



For handles on luggage, garment bags, pocket books, etc.
Available for all single or double needle machines.
Special presser feet available.

Se utilisa para hacer los mangos/asas del equipaje, de las bolsas para cargas las prendas de vestir, etc.
***Disponible** para todas las máquinas de una o dos agujas.*
*Los prensatelas especiales **son disponible.***

DOS AGUJAS

DOUBLE NEEDLE



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

409
ARM-HOLE FACING ATTACHMENT



Arm-hole facing for sleeveless garments.
Available for all double needle machines.
Special presser feet available
778 or 778-1 Under Table Reel recommended for this operation.



Este aditamento se usa para pegar el revestimiento a las sisas de los vestidos sin manga.
***Disponsible** para todas las máquinas de dos agujas*
*Prensatelas especiales **disponsible.***

El portacarrete 778 o 778-1, montado debajo de la mesa, es recomendado para esta operación.

409-1
ARM-HOLE FACING ATTACHMENT

Arm-hole facing for sleeveless garments.
Special design with hemmer on presser foot.
Available for all double needle machines.
778 or 778-1 Under Table Reel recommended for this operation.
Send Foot for Modification Or Order Complete

Aditamento usado para aplicar revestimiento a las prendas de vestir sin mangas
Dobladillador diseñado especialmente con prensatela fijo
***Disponsible** para todas las máquinas de dos agujas*
Los portacarretes, montados debajo de la mesa, 778 o 778-1 son recomendados para este ciclo de trabajo






409-2
ARM-HOLE FACING ATTACHMENT

Special presser feet available
780-U1 Ball Bearing Reel recommended for this operation.



Prensatelas especiales **disponsible**
El portacarrete con cojinete 780-U1 es recomendado para ésta operación



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

410
BUTTON STAY FOLDER



For shirt fronts.
Available for all double needle machines.
Special presser feet available
778 or 778-1 Under Table Reel recommended for this operation.
For underbed stripper order 410-1.



Para hacer la parte delantera de la camisa, la tapeta
Disponsible *para todas las máquinas de dos agujas*
Prensatelas especiales son ***disponsible.***
El portacarrete, debajo de la mesa, 778 o 778-1 es recomendado para ésta operación.

410-2
BUTTON STAY FOLDER
(FOOT-MOUNTED HEMMER)

778 or 778-1 Under Table Reel recommended for this operation.



For shirt fronts.
Hemmer mounted on presser foot.
Available for all double needle machines.
Available with lining.

Para hacer la parte delantera de las camisas, la tapeta
El dobladillador está montado en el prensatela
Disponsible *para todas las máquinas de dos agujas*



Disponsible *para hacer forros*
El portacarrete, debajo de la mesa, 778-778-1 es recomendado para ésta operación

410-7
BUTTON STAY FOLDER
(UNDER-STRIPPER)

For shirt-fronts.
Lower stripper is mounted under bed plate.
Available for all double needle machines.
Available with lining.

Special presser feet available
778 or 778-1 Under Table Reel recommended for this operation.



Para hacer la parte delantera de la camisa, la tapeta
El portacinta está montado debajo de de la placa base
Disponsible *para todas las máquinas de dos agujas*
Disponsible *para hacer forros.*
Prensatelas especiales ***disponsible.***
El portacarrete, debajo de la mesa, 778 o 778-1 es recomendado para ésta operación



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

410-L
BUTTON STAY FOLDER WITH LINING

For shirt fronts.
Interlining needed for certain fabrics.
Available for all double needle machines.
778 or 778-1 Under Table Reel recommended for this operation.

Para coser botones, en forma reforzada a la tapeta.
Ciertas telas necesitan entretelas.
***Disponible** para todas las máquinas de dos agujas.*
El portacarrete, debajo de la mesa, 778 o 778-1 es recomendado para ésta operación.
Los pies prensatelas especiales son disponible.

Special presser feet available





411
TOP CENTER FOLDER ON SWING UP BRACKET

BRACKET ONLY 29481-D



Top center folder for shirt fronts.
Available for all multi-needle machines with swing-up bracket.

Soporte solamente 29481-D
Dobladillador, para coser, para aplicar las tapetas a las camisas.
***Disponible** para todas las máquinas de varias agujas con soporte movible, se levanta hacia arriba.*



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

411-B
TOP CENTER FOLDER
(WITH CORD PIPING)



SIN FORRO

WITHOUT LINING



CON FORRO

WITH LINING



Cord piping applied in one operation.
Available with lining.
Available for all multi-needle machines.
El refuerzo del borde aplicado en un ciclo de trabajo.
Disponible para hacer forro.
Disponible para todas las m'aquinas de varias agujas.

411-L
TOP CENTER FOLDER



(WITH LINING)
(SWING-UP BRACKET AVAILABLE)



Top center pleat with lining.
Swing-up mounting.
Available for all multi-needle machines.
Lining guide is reversable. Left or right.
For Striped material specify 411-L2.

Para aplicar el plisado forrado a la tapeta. Montado en forma movible.

El guia de forro cambia de posición. Hacia la izquierda ó hacia la derecha.

411-2
SHIRT FRONT HEMMER

Used with top center folders.
Available in Left-Hand or Right-Hand.



Usado con el dobladillador que aplica el plisado a la tapeta.
***Disponible** como él modelo de la derecha o él de la izquierda.*



LEFT *IZQUIERDA* **RIGHT** *DERECHA*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

411-4L
TOP CENTER FOLDER
(STRIP LOAD)




Special design for hard to load fabrics.

Allows tight center front around lining.
Reduces drag and stretch on fabric.
Available for all multi-needle machines.
Bracket No. 29481-D separate.

Permite el ajuste de la parte central de la tapeta al rededor del forro.
Ajusta, tensa el material eliminando las arrugas.
***Disponible** para todas las máquinas de varias agujas.*
Se ofrece el soporte No. 29481-D por separado.

See 440 For Roll Feed



412
IMITATION CENTER FOLDER
(AVAILABLE WITH LINING NO. 412-1)


Special design for imitation shirt front.
Left-Hand and Right-Hand models available.
Available for all multi-needle machines.
(For lining, order Model No. 412-1.)



Diseñado especialmente para hacer imitaciones de tapeta.
*Los modelos de la izquierda o de la derecha son **disponible.***
***Disponible** para todas las máquinas de varias agujas.*
(Para aplicar forro, ordene el modelo 412-1)

SPECIFY RIGHT OR LEFT HAND

IZQUIERDA *DERECHA*



LEFT **RIGHT**

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

412-A
IMITATION CENTER FOLDER

(TWO OPERATIONS REQUIRED)





1st OPERATION




2nd OPERATION – TOP STITI

2 operations required to complete front.
Only one stitch shows on top center.
For single needle shirt look.
Edge guide foot available for all machines.
Special presser feet available

Se requieren dos ciclos de trabajo para completar la tapeta.
Solamente una puntada pasa por fuera.
Simula puntadas con una sola aguja, "Shirt Look"
El prensatela con guia de borde es disponible para todas las maquinas de tipo corriente.
El prensatela especiale es disponible.

412-L
IMITATION CENTER FOLDER




LEFT



LEFT

Fold shirt front to produce top center.
Eliminates shading problems.
Eliminates problem of matching stripes or other patterns.
Available for all multi-needle machines.

Este dobladillador dobla la tapeta de la camisa produciendo el efecto del centro de la misma.
Elimina los problemas de sombra o que aparezcan diferentes colores.
Elimina el problema de tener que alinear las rayas y dibujos en las telas.
Disponible *para todas las máquinas de varias agujas.*



RIGHT



RIGHT

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


Sudden Service

412-2
IMITATION DRAPERY SIDE HEMMER



For hemming drapes with different color backs.
Reverse side of fabric is not visible.
Available for all double needle machines.


Para dobladillar las cortinas con forros de diferentes colores
Para que el forro no se haga visible.
Disponible *para todas las máquinas de dos agujas.*



412-3
IMITATION CENTER FRONT FOLDER
(WITH SEPARATE LOWER FACING)

Separate facing for contrasting color.
Produces top center fold-out of shirt front.
Eliminates shading problems.
Eliminates problem of matching stripes or other patterns.
Available for all multi-needle machines.
780-U1 Ball Bearing Reel recommended for this operation.

Separa el revestimiento por contraste de colores.
Hace el centro de la tapeta al doblarla hacia afuera.
Elimina el problema de sombra en las telas, cuando el material tiene distintos colores.
Elimina el problema de tener que alinear las rayas y dibujos de las telas.
Disponible *para todas las máquinas de varias agujas*
El portacarrete con cojinete 780-U1 es recomendado para esta operación.






PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

412-4
IMITATION CENTER-STITCH FOLDER



LEFT
IZQUIERDO





RIGHT
DERECHO

Designed for short pieces to load easily, such as back pockets on jeans, etc.
Available for all multi-needle machines.
Special presser feet available

Diseñado para cargar facilmente piezas pequeñas, tales como los bolsillos traseros de los jeans, etc.
Disponsible *para todas las máquinas de varias agujas.*
Prensatelas especiales son suministrados

412-5
IMITATION BACK POCKET WELTING FOLDER

This folder produces an imitation self welt on pockets. The benefits are:

- **Separate facings do not have to be cut.**
- **Faster production.**
- **No shading problems.**

Special presser feet available

Swing-out available.





Este dobladillador, "Folder" realiza una imitación de vivos en los bolsillos. Las ventajas son:
El revestimiento, separado, no se tiene que cortar.
Mayor produccion.
Elimina los problemas de sombra, cuando el material tiene distintos colores.
Prensatelas especiales son **disponsible**

Disponsible *en forma movible.*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

413
CENTER STITCH BELT FOLDER
(OVERLAP)



Presser foot available for all plain sewers.
For single needle or double needle.
Available with lining.

El prensatela disponsible para todas tipo maquinas.



Para máquinas de una ó dos agujas.
Disponsible *para hacer forro.*

414
BELT AND BELT LOOP FOLDER
(BUTT SEAM)





Presser foot available for all plain sewers.
For cover stitch machine.
Available with lining.

El prensatela disponsible para todas tipo maquinas.
Para máquinas de puntada de recubrimiento.
Disponsible *para hacer forro.*

414-1
BELT LOOP FOLDER



Special presser feet available for all machines
For cover stitch machines.
El prensatela disponsible para todas tipo maquinas.
Para máquinas de puntada de recubrimiento.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

414-A
BLINDSTITCH BELT LOOP FOLDER

(WITH LINING)





For plain sewer, see No. 405.

Para máquinas sencillas/corrientes, ver el No. 405.

Raw-edge — overlap.
Available with lining.
Available for all blindstitch machines.

Sin ribetear. - Sobrepuesto.
Disponsible *para hacer forro.*
Disponsible *para todas las máquinas de puntada invisible.*

PULLERS

SYNCHRONIZED OR VARIABLE SPEED



MODEL AP-35

These close-coupled pullers are custom designed to retro-fit to your existing machines.

Pullers may be top drive, bottom drive, or both top and bottom, depending on machine class and operation.

Special rollers are available: steel, aluminum, rubber, urethane, or fiber. The surface may be diamond knurled, straight knurled, fluted or smooth.

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php


© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

414-B
FUSING MACHINE FOLDERS





Available for all double needle lockstitch machines, or hot roller press.
All models are available with or without lining.
Special presser feet available
778 or 778-1 Under Table Reel recommended for this operation.

Disponsible *para todas las máquinas pespuntadora de dos agujas, o prensa rotativa caliente.*
Todos los modelos son suministrados para hacer forro o sin él.
Prensatelas especiales **disponsible.**
Se recomienda el portacarrete, debajo de la mesa, 778 o 778-1 para ésta operación.



Complete Automatic Units

For Special Applications

Available.

Send Sewn Sample

For Quote.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

414-LRP
ROLLER PRESS FOLDER
(For Fusing Machines)





For folding and bonding belts, straps and other trim to fusible lining.
778 or 778-1 Under Table Reel recommended for this operation.

Para plegar y unir cinturones, correas, tiras o otro recorte al forro fundible.
El porta carrete, situado debajo de la mesa, es recomendado para ésta operación

414-G
BELT LOOP FOLDER
(FOR GALKIN CUTTERS)

Special design helps keep trimmings from being sewn in belt loop.



Este aditamento es diseñado especialmente para evitar que los recortes sean cosidos al ojete del cinturón/correa.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

415
UPHOLSTERY DOUBLE OR TRIPLE CORD HANDLE FOLDER



415



415-A


415-B


Usado con máquinas de triple transporte. Prensatela especiales son **disponsible**

Used with walking foot machine. Special presser feet available.

416
LINED HANDLE AND BELT FOLDER

A


B


C


D


E




Available for all double needle lockstitch and chainstitch machines.
Special presser feet available.
Lower folder usually finishes slightly smaller than top.
Other special configurations available.
780-U Ball Bearing Reel recommended for this operation.
780-U1 Ball Bearing Reel recommended for this operation.


Suministrado para todas las máquinas pespuntadoras de dos agujas y para las máquinas de puntada de cadeneta.
Los prensatelas especiales son **disponsible**
El dobladillador, "Folder", inferior generalmente termina el acabado en forma mas pequeño que el superior
Otras caracteristicas especiales son **disponsible**
El porta carrete con cojinete 780-U es recomendado para esta operación.
El porta carrete con cojinete 780-U1 es recomendado para esta operación.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

419
COLLANDER MACHINE FOLDERS
(FOR STRAP OR OTHER TRIM MAKING)
(HOT ROLLER PRESS)





IZQUIERDO DERECHO

Available for all single needle and double needle machines or hot roller presses.
Available with fusible lining guide.
May be used in pairs.
Presser foot available for all plain sewers.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.


Disponsible *para todas las maquinas de una y dos agujas o con prensa-rueda caliente.*
Disponsible *con guia de forro fundible.*
Puede ser usado en pares.
El prensatela sencillo es suministrado para todas las máquinas sencillas corrientes.
Prensatelas especiales son suministrados.
El portacarrete con cojinete 780-U es recomendado para esta operación.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

420
SLEEVE FACING FOLDER
(STRIP LOAD)





Available for all single needle machines.
5-row feed and plate recommended for finishes over 1/2".
Strip-loading to eliminate shading problems.
Edge guide foot available for all machines.
Special presser feet available

See No. 252 For Roll Feed

Disponsible *para todas las máquinas de una aguja.*
El impelente - de 5 hileras de dientes y la placa son recomendado para acabar trabaja sobre ½".
Para cargar pedazos de tiras para eliminar los problemas de sombras de la de telas de varios colores.
El prensatela guia bordes es **disponsible** *para todas las máquinas sencillas/corrientes.*
Prensatelas especiales son **disponsible**


420-8
SLEEVE FACING FOLDER W/ AIR JET FEED

Air-Jets help to load difficult materials.
Knee-switch No. 192-6 or heel switch No. 192-7 available along with regulator fittings, etc. if needed.
Folder furnished with Flo-control

Edge guide foot available for all machines.



El aire compreso, "Air Jet", ayuda a cargar/alimentar materiales dificiles de alimentar, que se arrugan, etc.
El interruptor de rodilla No. 192-6 o el interruptor de talón No. 192-7 es **disponsible** *junto con el regulador de ajuste.*
Este dobladillador, "Folder", es suministrado con regulador de entrada y prensatela como aparece en el grabado.
El pie prensatela con guia es **disponsible** *para todas las máquinas sencillas/corrientes.*



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

IF YOU HAVE FINALLY WORN OUT THAT SPECIAL FOLDER
THAT IS NOT ILLUSTRATED IN ANY CATALOG,
SEND IT TO US AND WE WILL MAKE AN EXACT DUPLICATION.
"SUDDEN SERVICE" AVAILABLE HERE, TOO!

421
"C" TYPE BANDING FOLDER

A



B





Strips are loaded individually to eliminate shading problems.
May be used with continuous banding.
Special presser feet available

Los pedazos de tela son cargados/alimentados individualmente para eliminar los problemas de sombra, materiales de distintos colores.
Puede aplicar ribetes sin interrupcion
El prensatela especiale es disponible.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

422
IMITATION CUFF FOLDER
(DOWNTURN)



Available for all single needle chainstitch or lockstitch machines.
Presser foot available for all machines.
Special presser feet available

Disponible *para todas las máquinas de puntada de cadeneta o para las máquinas de doble pespunte.*

El prensatela especiale es disponible.





422-A
IMITATION CUFF FOLDER
(UPTURN)





Available for all single needle lockstitch machines.
5-row feed and plate (No. 1434) recommended for finishes over 1/2".

Presser foot available for all plain sewers.



Disponible *para todas las máquinas de doble pespunte de una sola aguja.*
El impelente de 5 hileras y la placa (No. 1434) es recomendado para acabados sobre ½".

El prensatela especiale es disponible.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

423
ELBOW BANDING FOLDER

Available for all multi-needle machines.
Cloth puller recommended.
Banding must be continuous.
Available with lining.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.

Este aditamento es **disponsible** *para todas las máquinas de varias agujas.*
Se recomienda el uso del transportador auxiliar en esta operación.

Para aplicar fajas continuamente, sin interrupción.
Disponsible *para hacer forros.*
El prensatela especiale es disponsible.
El portacarrete con cojinete 780-U es recomendado para esta operación.



SIN FORRO

WITHOUT LINING



WITH LINING

PARA HACER FORRO



423-1
ELBOW BANDING FOR SMALL SIZES





SIN FORRO

WITHOUT LINING



PARA HACER FORRO

WITH LINING

Specially designed for small size pants.
Available for all multi-needle machines.
Cloth puller recommended.
Banding must be continuous.
Available with lining.
Special presser feet available

780-U Ball Bearing Reel recommended for this operation.

Diseñado para trabajar con pantalones de tallas pequeñas.
Disponsible *para todas las máquinas de varias agujas.*
El transportador auxiliar es recomendado.
Para aplicar ribetes continuamente, sin interrupción.
Disponsible *para hacer forros.*
Prensatelas especiales son **disponsible**
El portacarrete con cojinete 780-U es recomendado para esta operación.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

423-3C
COLLAPSIBLE ELBOW BANDER WITH ADJUSTABLE TOP MARGIN



Folder collapses lower portion of band to facilitate end closing operations.
Adjustable edge guide.
Available for all single, double, or multi-needle machines.
Puller recommended.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.

Este aditamento, "Folder", dessa la parte inferior de la faja/cinta facilitando así las operaciones de cierre
Guia de borde ajustable.
Disponible *para todas las máquinas de una, dos o varias agujas.*
Se recomienda el uso del "Puller"

El prensatela especiale es disponible.


El portacarrete con cojinete 780-U es recomendado para este ciclo de trabajo.

Adjustable top margin allows bands which have been cut too narrow to be used in certain cases.

El aditamento ajustador de margenes superiores permite que las cintas fajas que han sido cortadas muy angostas puedan ser usadas para ciertos trabajos.

OPERATED PNEUMATIC OR MECHANICAL, SPECIFY

PARA SER OPERADA CON AIRE O MECANIMENTE FAVOR ESPECIFICARLO



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

PNEUMATIC AIR SCISSORS

(Heavy-Duty)
(Close-Coupled)

AVAILABLE WITH SAFTEY FEATURE



This heavy duty pneumatic scissors mounts *under* the arm of most machines, allowing it to cut approximately 1" behind the presser foot.

AT-201B-2"
AT-301B-3"

Estas tijeras para trabajos fuertes están montadas debajo del brazo de la mayoria de las máquinas, permitiendo un corte de una (1") pulgada aproximadamente detras del prensatela.

AT-200-2
AT-300-3

SEE AT 116 FOR AUTOMATIC KNIFE

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

423-E and 423-E1
Continuous Feed Elastic Waistband Attachment
(FOR JEANS WITH STRETCH WAISTBAND)

423-E

Use this folder when elastic has not been pre-stitched to band.
Waistband and elastic feed from roll.

Use este plegador "Folder" cuando el plástico no ha sido cosido anteriormente a la faja/pretina.
La pretina y el elástico son alimentados/transportados del rollo de material.





Breakdown Bracket No. 423-15 may be used for finishing operation.

Soporte de caida No. 423-15 puede ser usado para terminar el ciclo de trabajo.

423-E1

Elastic may be prestitched to waistband see (No. 661-Q), then loaded into elbow folder above and attached to pants.

Collapsible feature available for finishing band end.

Also see 395-2E

El elastico puede estar cosido previamente a la petina ver (No. 661-Q), entonces transportado dentro del plegador,'folder', arriba y fijado al pantalon. La propiedad que tiene este aditamento de doblarse, es disponsible para terminar el acabado de las faja.

Tambiem ver No. 395-2E

SEE 425-14 FOR AUTOMATIC SPOT ELASTIC

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

423-3
RIGHT ANGLE ELBOW BANDING
(ADJUSTABLE MARGINS)

Designed with adjustable margin controls.
Finish may be made smaller or larger.
Helps eliminate raw edges when banding is cut too narrow.
Enables operator to utilize binding which has been cut too wide.
Available for all multi-needle machines.
Cloth puller recommended.
Banding must be continuous.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.



Diseñado con regulador de control de los margenes
Los acabados pueden ser más pequeños o grandes, largos
Ayuda a eliminar los bordes, sin acabar, cuando la tira, faja se corta muy angosta
Permite a la operaria utilizar el ribete que ha sido cortado muy ancho.
Disponsible *para todas las máquinas de varias agujas*
El transportador auxiliar es recomendado para ésta operación
Para aplicar fajas, tiras en una forma continua, sin interrupción
Prensatelas especiales son **disponsible**
El portacarrete con cojinete 780-U es recomendado para ésta operación



423-4
RIGHT ANGLE ELBOW STRAP OR BELT FOLDER



For continuous belt or strap sewing.
Available for all multi-needle machines.
Puller recommended, see pages 270-274.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.
Available with lining.



Para coser correas/cinturones o tiras en una forma continua, sin interrupción.
Disponsible *para todas las máquinas de varias agujas*
Se recomienda el uso del transportador auxiliar, ver páginas 270-274
Prensatelas especiales son **disponsible**

El portacarrete con cojinete 780-U es recomendado para ésta operación.
para hacer formas

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

423-5
ELBOW BANDING



Uneven turn-backs.
Desirable when cutting of waistband varies.
Helps eliminate raw edges on narrow cut banding.
Available for all multi-needle machines.
Cloth puller recommended.
Banding must be continuous.
Available with lining.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.



Vueltas desiguales.
Usado cuando él corte de la pretina varia.
Ayuda a eliminar los bordes en las fajas angostas.
Disponsible *para todas las máquinas de varias agujas.*
El transportador auxiliar es recomendado.
Las fajas deben aplicar sin interrupción/en forma continua.
Disponsible *para hacer forros.*
Prensatelas especiales son **disponsible**

El porta carrete con cojinete 780-U es recomendado para ésta operación.

423-6
ELBOW BANDING



Top finish is clean, bottom finish raw.
"B" model is available for waistband which has been bound previously.
Available for all multi-needle machines.
Cloth puller recommended.
Banding must be continuous.
Available with lining.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.



El acabado superior es limpio, el inferior es bruto.
El modelo "B" es suministrado para aplicar pretinas que no han sido ribeteadas previamente.
Disponsible *para todas las máquinas de varias agujas.*
El transportador auxiliar es recomendado.
Las fajas deben ser aplicadas sin interrupción.
Disponsible *para hacer forros.*
Prensatelas especiales son **disponsible**

El portacarrete con cojinete 780-U es recomendado éste ciclo de trabajo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

423-7
RIGHT ANGLE ELASTIC WAISTBAND FOLDER

For pre-making waistband with elastic or raw rubber.
Waistband is sewn to pants in second operation.
Elastic guide is adjustable for different widths.
Banding must be continuous.
Cloth puller recommended.
Available for all multi-needle machines.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.

Para aplicar pretinas hechas con anterioridad con elastico ó hule.
La pretina es cosida al pantalón en la segunda operación.
La guia de elástico se puede regular para diferentes anchos.
La aplicación de las frajas debe hacerse sin interrupción.
El transportador auxiliar es recomendado para ésta operación.
Disponible *para todas las máquinas de varias agujas.*
Prensatelas especiales son **disponsible**
El portacarrete con cojinete 780-U es recomendado para ésta operación.



For Strip Load See No. 358-2



MOUNTING BRACKETS



F423-8
(FOR 302)

Converts 302W Singer so that 300 plate and attachments may be used. See 423-9 & 423-10 & 423-16.

Convierte la máquina Singer 302W permitiendo el uso de la placa/plancha 300 y aditamentos puedan sir usados. Ver 423-9, 423-10 y 423-16.

423-9
(FOR 300W)



Standard front slide plate 300W.
423-9S Up To 1-1/2" Gauge
423-9L Over 1-1/2" Gauge

La placa corrediza estándard del frente 300 W.

F423-10
(FOR 300 DROP DOWN)



Allows folders and guides to be recessed for operator ease.

Permite que los dobladilladores, "Folders", y las guias sean interrumpidos para que la operaria descanse.

F423-11
(FOR 212)



Standard front slide plate 212W140.

La placa corrediza estándard del frente 212W140.

423-12
(FOR 62200)




Standard front slide plate 62200US.

La placa corrediza estándard del frente 62200US.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

FOLDER MOUNTING DIMENSIONS



BED PLATE MOUNTING INFORMATION

IN ORDER TO DETERMINE MOUNTING HOLE LOCATION MEASURE FRONT OF BEDPLATE (A) TO TOE OF FOOT (B), FROM CENTER OF NEEDLE BAR (C) TO CENTER OF MOUNTING HOLE (D), AND FROM CENTER OF MOUNTING HOLE (D) TO EDGE OF BEDPLATE (E).

A - B =
C - D =
D - E =

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MOUNTING BRACKETS

423-13
(FOR 442)



Standard front slide plate 442 Pfaff.

La placa estándard corredera del frente 442 Pfaff

F423-15
(BREAK DOWN BRACKET FOR 302W SINGER)



Breakdown bracket allows operator to finish band ends or other operations where the folder would interfere. See attachment No. 424.

F423-15100 For Union Special 54400

El soporte especial permite a la operaria terminar el acabado u otras operaciones donde el dobladillador pueda rozar. Ver aditamento No. 424.

F423-16
(302 ADAPTER)



Special adapter converts 302W Singer so that 300W attachments and front slide plate will fit. See 423-8 & 423-9 & 423-10.

El aditamento especial transforma la máquina Singer 302W permitiendo el uso del aditamento 300W y de la placa corredisa del frente. Ver 423-8, 423-9 y 423-10.

423-14
(FOR UNION SPECIAL 5000 SERIES)

(Para las maquinas Union Special de la serie 5000)



Same as Union Special No. 54264G.
Complete With Screws F423-14006



Same as Union Special No. 54264F.
Complete With Screws F423-14008



Same as Union Special No. 54464.
Complete With Screws F423-14011



Same as Union Special No. 51464.
Complete With Screws F423-14003



Same as Union Special No. 54264H.
Complete With Screws F423-14010



Same as Union Special No. 51864.
Complete With Screws F423-14005

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

424
BLUE JEAN WAISTBAND FOLDER
(AVAILABLE WITH AIR JET)

(BAND ENDS FINISHED IN ONE OPERATION)

Band is inserted with folder in position No.1, band ends are folded by operator around pants. The pants and folder are manually shifted to position No.2, and sewing begins.

When operator is within 3 to 4 inches of finishing band, folder is placed in position No. 1 and band ends are folded around pants, consequently, both ends are finished and ready for tacking.

Folder is mounted on Breakdown Bracket, No. 423-15.

Air jets blow strings into waistband to help eliminate trimming.



Special presser feet available



La faja es insertada mientras el dobladillador, "folder", está en la posicion No. 1.
La operaria dobla los finales, puntas, de las fajas alrededor de la cintura de los pantalones.
Despues que la operaria cose dos o tres puntadas, el dobladillador es colocado en la posicion No. 2 y los pantalones son cosidos.
Cuando a la operaria le faltan tres o cuatro pulgadas para terminar la pretina el dobladillador es puesto en la posicion No. 1 y los finales, puntas, de las fajas son dobladas alrededor de los pantalones, cintura, consecuentemente, ambas puntas son terminadas y lista para ser reformadas.
E dobladillador es montado en el soporte especial, No. 423-15
El aire compreso sopla los cordones/hilos dentro de la pretina ayudando-asi a eliminar el corte de los mismos.
Prensatelas especiales son **disponsible**

Position 1



Position 2



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

425
OVER AND UNDER BANDING SET



For banding pants or skirts.
For overall bibbs, etc.
Lower folder may be mounted under the bed on certain machines.
Available with lining or elastic in top or bottom folder.
Right angle model available.
Special presser feet available


780-U1 Ball Bearing Reel recommended for this operation.

778 or 778BB Under Table Reel recommended for this operation

Se usa para aplicar las fajas/pretinas a los pantalones o faldas.
Para hacer/aplicar pecheras a la ropa de trabajo.
El dobladillador, "Folder", inferior en algunas máquinas puede estar montado debajo de la base.
Disponible *para aplicar forros ó elastico en la parte superior o inferior.*
El modelo de angulo derecho es **disponible.**
Prensatelas especiales son

El portacarrete 780 U1 es recomendado para esta operación.
El portacarrete 778 o 778-1, montado debajo de la mesa, son recomendado para esta operacion.


425



425-1


425-2


425-3


425-4


425-5


425-6


425-7


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

425-14
SPOT ELASTIC WAISTBAND

FOR SIDE SPOT, POCKET TO POCKET, OR ANY PARTIAL ELASTIC WAISTBAND

- ELIMINATE ELASTIC HANDLING
- INSERT & METER AUTOMATICALLY
- CUT & REINSERT ON COMMAND
- 3" SPOT TO FULL BACK CAPABILITY
- ADAPTABLE TO MOST MACHINES
- TOTALLY PNEUMATIC CONTROLS
- ELASTIC WIDTHS UP TO 2 INCHES







FOR COMPLETE SPECS SEE PAGES 44 AND 45

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

426
BIBBING AND BANDING OVERALLS

For attaching bibb to overall body and top stitching in one operation.
Available for all multi-needle machines.
778 Under Table Reel recommended for this operation.
Special presser foot available

Se usa para aplicar pecheras a los pantalones de trabajo y pespuntearlos en un solo ciclo de trabajo
Disponsible *para todas las máquinas de varias agujas*
El portacarrete 778 situado debajo de la base es recomendado para ésta operación.
Prensatelas especiales son **disponsible**





427
UNDER BED STRIPPER

Available for certain multi-needle machines.
Folder is mounted under bed plate.

427-1
Same as Union Special Bracket No. 23436.

427-2
Same as Union Special No. 22293R (22293S).

427-3
Stripper is mounted on top of bed plate.

Special presser feet available
778 Under Table Reel recommended for this operation.
Available with right angle material guides.





para todas las máquinas de varias agujas.
El dobladillador, "Folder"...está montado debajo de la placa base
427-1
Como el soporte No. 23436 usado en la máquina Union Special
427-2
Como el soporte No. 22293R (22293S) usado en la Union Special
427-3
El doblador de tiras está montado encima de la placa base
Prensatelas especiales son **disponsible**
El portacarrete 778 es recomendado para ésta operación
Disponsible *con guias para el angulo derecho*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

WHAT CAN WE DO FOR YOU?



Hemmers of all types and sizes are available for your special needs.



Trim and Bind in one operation. Binders available for special machines. Allows you to eliminate the costly trim before bind operation.



Your machine can be modified to perform your needs exactly. Let our experienced personnel recommend the correct attachment.



Special pressure feet, needle plates and feeds are available through our engineering department within 10-15 working days.



Strip-load folders allow you to better utilize your material. Perfect for color shading and small lots.



Obsolete parts are available. Send in your worn or broken part, we'll replace it in 10-15 working days.



Banding folders produce a uniform seam every time, even with an unskilled operator.



Combination folders combine two or more operations to save you money.



Close-coupled pullers may be retrofitted to your machine.



Cord piping and welting folders are available for all class machines.



Top belt feeds are available for vinyl, foam-backed material or any material or seam that is difficult to sew.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co. 17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

430
CONTOUR WAISTBAND ATTACHMENT
(WITH FINISHED END)




LOADING POSITION

Attachment produces a contour band in one operation.
Band is set, top stitched and end finished.
Available for all multi-needle machines.

Este dobladillador se uso para aplicar las fajas/pretinas de contorno en un ciclo de trabajo.
La pretina es cosida, pespunteada y el final de la misma es terminada.
Disponsible *para todas las maquinas de varias agujas.*



SEWING POSITION



Este dobladillador se usa para aplicar pretinas de contorno, pero hay que terminarla en un segundo ciclo de trabajo.
Pretinatelas especiales son **disponsible**

Tambien ver el No. 430-1

THIS FOLDER MUST BE MOUNTED ON EITHER A SWING-OUT OR BREAKDOWN BRACKET.

The operator inserts the strip waistband through the folder in the loading position. The folder is then closed to the sewing position and moved up to the presser foot. Pressing the center tongue of the folder inserts the folded leading end of the band under the foot and sewing begins.

Minimum 1/2" Turnback Required On All 430 Type Folders

Also see No. 430-1

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

430-1
CONTOUR WAISTBAND ATTACHMENT
(CONTINUOUS FEED)



Waistbands are cut in the lay to the contour desired, sewn together, then loaded into the special folders above and sewn to the pant using a machine with a modified puller.

Machine Head Must Be Sent To Our Factory For Installation And Sew-off.

Las pretinas son cortadas y colocadas al rededor del tamaño de la cintura, se cosen, entonces se cargas/alimentan dentro de los dobladilladores especiales y cosida al pantalon usando una máquina que tenga un "Puller" modificado.



430-2
Tension guide top and bottom.

Guia de tensión superior e inferior.



430-S
CONTOUR WAISTBAND ATTACHMENT
(STATIONARY MOUNT – UNFINISHED END)

Produces a contour waistband, however, end must be finished in later operation.
Special presser feet available

Also see 430

Tambien ver el grabado 430

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

431
FINISHED END BELT & TAB ATTACHMENT





Special presser feet available
Produces tab or belt loop with finished end and top stitched.
Available for all multi-needle machines.
The strip is loaded into upper folder and down to stop in lower guide and then the center folding blade is activated to produce the belt finished end. The sewing operation to produce a finished end belt or strap is now begun.

Los prensatelas especiales son **disponsible**

Para aplicar pasadores a las lenguetas y correas acabandolas y pespuntearandolas.
Disponsible *para todas las máquinas de varias agujas.*
La tira es alimentada en el dobladillador superior, se baja deteniendola en la parte inferior, la cuchilla es activada terminando el cinturon/correa.
La operación de costura que produce el acabado de las correas y lenguetas ha comenzado ahora.

AVAILABLE IN AUTOMATIC AND SEMI-AUTOMATIC MODELS FOR CAM AND ELECTRONIC PATTERN STITCHERS.
SEE MODEL 1956 PAGE 73.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

439
SEMI STRIPPER
(ROLL FEED)



LEFT



RIGHT

For turning one edge of fabric.

Para voltear una orilla/borde de la tela



439-1
SEMI STRIPPER

For turning one edge of fabric.
Presser foot available for all machines.
Special presser feet available

780-U Ball Bearing Reel recommended for this operation.



LEFT



RIGHT

Para voltear una orilla/borde de la tela.
El prensatela sencillo/corriente es **disponsible** *para todas las máquinas sencillas/corrientes.*
Los prensatelas especiales son **disponsible**

El portacarrete de cojinete 780-U es recomendado en éste ciclo de trabajo.

IF YOU HAVE FINALLY WORN OUT THAT SPECIAL FOLDER
THAT IS NOT ILLUSTRATED IN ANY CATALOG,
SEND IT TO US AND WE WILL MAKE AN EXACT DUPLICATION.
"SUDDEN SERVICE" AVAILABLE HERE, TOO!

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

440 UPPER STRIPPERS

(ROLL FEED)



Swing-up Bracket not included. Available separately.

Available with right angle material guides.
Attachment is suspended from machine arm to allow garment to be placed underneath.
For single or multi-stripes.
Trim must be from roll.
780-U Ball Bearing Reel recommended for this operation.
Special presser feet available
Air-jets may be added to help feed some materials.

Suministrado con guia de angulo recto.
Este dobladillador está suspendido, situado en el brazo de la máquina, permitiendo poner la prenda de vestir en la parte inferior.
Para alimentar una o various pedazos de telas, tiras.
El corte debé hacerse desde el rollo.
El portacarrete con colinete 780-U es recomendado para esta operación.
Prensatelas especiales son **disponsible**
Aire compreso, "Air Jet", puede añadirse para facilitar la carga/alimentación de ciertos materiales.
El soporte movible no está incluido.
Es **dispoasible** *separadamente.*

440-1

(WITH RIC-RAC) (CON RIC-RAC)



440-3

Cord piping is made as strip is set.

El refuerzo del borde es hecho cuando la tira es ajustada.



404-4 PIGGY BACK

(2-3 OR MORE STRIPES)



440-5

(WITH ADJUSTABLE TRIM GUIDE)

Adjustable tube allows pre-finished trim to be added underneath.




(CON GUIA DE AJUSTE DE CORTE)

La característica ajustable del tubo permite añadir acabados hechos previamente a la parte inferior.

440 SETS

STRIPPERS MAY BE MOUNTED IN MULTIPLES AND COMBINATIONS FOR THAT SPECIAL LOOK



SEND SAMPLE OR SPECS FOR PROMPT QUOTE AND DELIVERY

FOR CUT-APART KNIFE SEE AT-140 (PAGE 47)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

441
POCKET FACING FOLDER



Separate facing is folded and sewn to pocket in one operation.
Available for all plain sewers.
Special presser feet available
Compensating foot available for all machines.

Las secciones de revestimiento son dobladas y cosida a los bolsillos en un ciclo de trabajo.
La guia de ajuste permite a la operaria coser diferentes tamaños de bolsillos.
Suministrado para todas las máquinas sencillas/corrientes.
Prensatelas especiales son **disponsible**
El pie compensador es **disponsible** *para todas las máquinas sencillas/corrientes.*





441-1
POCKET FACING FOLDER
(ADJUSTABLE)

Adjustable feature allows different width pocket facing to be used.
Available for all plain sewers.
Special presser feet available
Compensating foot available for all machines.

(AJUSTABLE)

La propiedad de ajuste de éste aditamento permite el uso de diferentes anchos en el revestimiento de los bolsillos.
Suministrado para todas las máquinas sencillas/corrientes.
Prensatelas especiales son **disponsible**
El pie compensador es **disponsible** *para todas las máquinas sencillas/corrientes.*







PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

441-2
POCKET FACING FOLDER
(OPEN SIDE)





Open side allows all widths of pocket facing to be sewn.
Separate facing is folded and sewn to pocket in one operation.
Open side allows operator to sew all size pockets without adjustment.
Available for all plain sewers.
Special presser feet available

Compensating foot available for all machines.

La abertura, de un lado, que tiene este aditamento permite la aplicación de distintas anchuras de revestimiento a los bolsillos.
Las secciones de revestimiento son dobladas y cosidas a los bosillos en un ciclo de trabajo.
Esta abertura, de un lado, permite a la operaria coser diferentes tamaños de bolsillos sin ajustar el folder.
Disponsible *para todas las máquinas sencillas/corrientes.*
Prensatelas especiales son **disponsible**
El pie compensador está provisto para todas las máquinas sencillas/corrientes.



442-1
CAP SWEATBAND FOLDER
(ROLL FEED)




Assembles Foam Strip, Lining, And Body Cover.

Special Double Edge Guide Presser Feet Available

Available For All Double Needle Machines.

780U Ball Bearing Reels Recommended



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

447

PRE-MADE CORD PIPING
(SWING OUT)





Available For All Plain Sewers
Grooved Foot Recommended

Disponible *para todas las máquinas sencillas/corrientes.*
El pie acanalado **disponible**



447-2
PRE-MADE RIGHT ANGLE PIPING

For sandwich operation, cuffs, collars, etc.
Available for all plain sewers.
Grooved foot Recommended


Para coser entrepaños, puños, cuellos, etc.
Disponible *para todas las máquinas sencillas/corrientes.*
El pie acanalado **disponible**





780-U Ball Bearing Reel recommended for this operation.

El portacarrete con cojinete 780-U recomendado para éste ciclo de trabajo.



447-3
PRE-MADE RIGHT ANGLE PIPING
(SWING-OUT)

Swing-out for finishing operation.
Available for all plain sewers.
Grooved foot Recommended
For sandwich operation, cuffs, collars, etc.

Montura movible es usada para acabar éste trabajo.
Disponible *para todas las máquinas sencillas/corrientes.*
El pie acanalado **disponible**
Para coser entrepaños, puños, cuellos, etc.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

448
SANDWICH CORD PIPING



Available for all plain sewers.
Grooved foot available for all machines.
For cuffs, collars, yokes, etc.
780-U Ball Bearing Reel recommend for this operation.

Disponible *para todas las máquinas sencillas/corrientes.*

El pie acanalado es disponible.

Para aplicarlos puños de las mangas, cuellos, canesú, etc.
El portacarrete con cojinete 780-U es recomendado para esta operación.



For Swing-Out, see No. 448-2.

Para aditamento en forma movible, ver el grabado No. 448-2.

448-1
SANDWICH PIPER
(NO CORD)



Available for all plain sewers.
For sandwich piping on cuffs, collars, yokes, etc.
Presser foot available for all plain sewers.

Disponible *para todas las máquinas sencillas/corrientes.*
Para aplicarentrepaños con rebordes de acordonado a los puños de las mangas, cuellos, canesú, etc.
El prensatela es **disponible** *para todas las máquinas sencillas/corrientes*



For Swing-Out, see No. 448-3.

Para aditamento en forma movible, Ver el grabado No. 448-3

448-2
SANDWICH CORD PIPER
(SWING-OUT)



Swing-out for finishing operations.
Available for all plain sewers.
Grooved foot available for all machines.
For cuffs, collars, yokes, etc.
780-U Ball Bearing Reel recommended for this operation.

Aditamento en forma movible es usado para terminar ésta operación.
Disponible *para todas las máquinas sencillas/corrientes*

El pie acanalado es disponible.

Para aplicar los puños, cuellos, canesú, etc.
El portacarrete con cojinete 780-U es recomendado para ésta operación.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

448-3
SANDWICH PIPER





Available for all plain sewers.
Grooved foot available for all machines.
780-U Ball Bearing Reel recommended for this operation.

El pie acanalado es disponible.

Disponible *para todas las máquinas sencillas/corrientes*

El portacarrete con cojinete 780-U es recomendado para ésta operación.



448-4
TOPSTITCH CORD PIPER



Attachment may be suspended (as in photo) to allow operator to insert lower ply.
780-U Ball Bearing Reel recommended for this operatior

Este aditamento puede levantarse (como en la foto) permitiendo a la operara insertar el doblez/pliegue inferior.
El portacarrete con cojinete 780-U es recomendado para ésta operación.



RIGHT LEFT

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

449
PIGGY BACK CORD PIPING

Double grooved presser foot available for all plain sewers.

Swing-out available.


Special ball bearing reels available.

El prensatela de doble ranura es disponsible.

El forma movible es disponsible.

Tambien disponsible el porte carrette con cojinete de bolas. Ver No. 780U







451-1
CORD PIPER FOR CURVES & CORNERS

Special design allows operator to position needle down and turn corners on items such as collars, cuff, etc.

780-U Ball Bearing Reel recommended for this operation.

Grooved foot available for all machines.

FOR PRE-MADE CORD PIPING SPECIFY 451-11

El diseño especial de éste aditamento permite a la operaria colocar la aguja en "posicion inferior" y voltear las esquinas de los cuellos, puños, etc.

El prensatela de ranura es disponsible.

Tambien disponsible el porte carrette con cojinete de bolas. Ver No. 780U





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

453
STRAIGHT TYPE CORD WELTER
(SWING-OUT)

Walking foot machine recommended for heavier vinyls.
Special presser feet available.
Crinkle metal for vinyls and leather goods.

Grooved Presser Foot Recommended

780-U Ball Bearing Reel recommended for this operation.



453-A
FOLDER ONLY



La máquina de triple transporte es recomendada para hacer trabajos con material de vinyls más pesados/gruesos.
Los prensatelas especiales son **disponsible**
Este aparato está hecho de un material sinuoso/grueso que permite el trabajo en materiales de vinyls y cueros.

El prensatela de ranura es disponsible.

El porta carrete con cojinete de bolas 780-U es recomendado para ésta operación.

453-1
CORD WELTER SWING OUT



453-2
FOLDER ONLY
DOBLADILLADOR SOLAMENTE

Walking foot machine recommended for heavier vinyls.
Special presser feet available.
Crinkle metal for vinyls and leather goods.
Grooved Presser Foot Recommended
780-U Ball Bearing Reel recommended for this operation.



La máquina de triple transporte es recomendada para hacer trabajos con material de vinyls más pesados/gruesos.
Los prensatelas especiales son **disponsible**
Este aparato está hecho con un material sinuoso/grueso que permite el trabajo en materiales de vinyls y cueros.

El prensatela de ranura es disponsible.

El porta carrete con cojinete de bolas 780-U es recomendado para ésta operación.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

453-4
CORD WELTER

(SWING-OUT – FOR PLAIN SEWER)





Special presser feet available.
Grooved Presser Foot Recommended
780-U Ball Bearing Reel recommended

For Heavy Vinyls and Leather
See No.453 & 453-1




Para trabajos con materiales de vinilos gruesos y cueros. Ver No. 453 y 453-1
El prensatela especiale es disponsible.
El prensatela de ranura es recomendado.
Tambien disponsible el porte carrette con cojinete de bolas. Ver No. 780U

453-6
PIGGY BACK WELTING

Produces two-tone welting in one operation.
Walking foot machine recommended for heavier vinyls.
Special presser feet available.
Crinkle metal for vinyls and leather goods.
Grooved Presser Foot Recommended
Presser foot available for all plain sewers.
Swing-out available.
Special Ball Bearing Reel available for this operation.




A



WITH CORD

B



WITHOUT CORD

Este adiamento puede aplicar dos tonos de vivos en un ciclo de trabajo.
La máquina de triple transporte es recomendado para hacer trabajos con materiales de vinyls mas gruesos/pesados
Prensatelas especiales son **disponsible**
El prensatela de ranura es recomendado.

El prensatela sencillo es suministroes para todas las máquinas sencillas/corrientes.
El forma movible es disponsible
Porta carrete especial con cojinete de bolas es para éste trabajo.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

454
PRE-MADE CORD WELT
(SWING-OUT)

Walking foot machine recommended for heavier vinyls.
Special presser feet available.
Crinkle metal for vinyls and leather goods.
Grooved Presser Foot Recommended


La máquina de triple transporte es recomendada para hacer trabajos con materiales de vinyl mas pesados/gruesos.
Prensatelas especiales son **disponsible**
Este aparato está hecho de un material sinuoso/grueso que
El prensatela de ranura es recomendado.





454-1
PRE-MADE DOUBLE CORD WELT





Produces two-tone pre-made welting in one operation.
Walking foot machine recommended for heavier vinyls.
Special presser feet available.
Crinkle metal for vinyls and leather goods.
Grooved Presser Foot Recommended

Aplica vivos de dos colores, hechos anteriormente, en un ciclo de trabajo.
La máquina de triple transporte es recomendada para hacer trabajos con vinyls más gruesos.
Prensatelas especiales son **disponsible**
El aditamento está hecho de un material sinuoso/grueso que permite él trabajo en materiales de vinyls y cueros.
El prensatela de ranura es recomendado.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

455-2
CORD PIPING FOR OVERLOCK

(ANGLED TYPE – SWING-OUT)

Angle allows operator to sandwich piping between two plies.
Grooved Presser Foot Recommended
Available for all overlock, safety stitch machines.
Special presser feet available
780-Ball Bearing Reel recommended for this operation.



El ángulo de este aparato permite a la operaria aplicar rebordes de acordonado entre dos pedazos de materiales/telas.

El prensatela de ranura es recomendado.

Disponsible *para todas las máquinas de sobre hilado y máquinas de puntada de seguridad.*
Las prensatelas especiales son **disponsible**

El porta carrete con cojinete de bolas 780-U se recomienda para realizar éste trabajo.



455-3
PLAIN PIPING FOR OVERLOCK

(RIGHT ANGLE TYPE – SWING-OUT – NO CORD)



Available for all overlock, safety stitch machines.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.
Adjustable edge guide.

For Cord Piping Specify No. 455-3C

For Trim Over 1-1/2" Wide See No. 468

Disponsible *para todas las máquinas de puntada de sobrehilado y máquinas de puntada de seguridad.*
Prensatelas especiales **disponsible**
El porta carrete con cojinete de bolas 780-U es recomendado para éste tipo de trabajo.
Guia de borde ajustable.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

455
CORD PIPING FOR OVERLOCK MACHINES
(STRAIGHT OR ANGLED - SWING OUT)


Available for all overlock, safety stitch machines.
Grooved Presser Foot Recommended
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.
Adjustable edge guide.



Disponsible para todas las maquinas de sobre hilado y de puntada de seguridad.

El prensatela de ranura es recomendado.

Prensatelas especiales disponsible
El porta carrete con cojinete de bolas 780-U es recomendado para éste tipo de trabajo.
Guia de borde ajustable.



455-1
PLAIN PIPING FOR OVERLOCK MACHINES
(STRAIGHT TYPE – SWING-OUT)
(WITHOUT CORD)



Available for all overlock, safety stitch machines.
Special presser feet available
780-U Ball Bearing Reel recommended for this operation.
Adjustable edge guide.



Suministrado para todas las máquinas de sobre hilado y máquinas de puntada de seguridad.
Prensatelas especiales son disponsible
El porta carrete con cojinete de Bolas es recomendado para éste tipo de trabajo.
Guia de borde ajustable.


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

455-4
PIGGY BACK CORD PIPING FOR OVERLOCK
(SWING-OUT)

Produces two-tone cord piping in one operation.
Available for all overlock, safety stitch machines.
Grooved Presser Foot Recommended
Special presser feet available
Special ball bearing reels available for this operation. See No. 780U

Hace refuerzos de bordes de dos colores en un ciclo de trabajo
Disponsible *para todas las máquinas de sobre hilado y máquinas de puntada de seguridad*
El prensatela de ranura es recomendado.
Prensatelas especiales disponsible
Porta carrete especial con cojinete de bolas es suministrado para ésta operacion.





455-5
PIGGY-BACK PLAIN PIPING FOR OVERLOCK
(SWING-OUT – NO CORD)





Available for all overlock, safety stitch machines.
Produces two-tone welting in one operation.
Special presser feet available
Special ball bearing reels available for this operation. See No. 780U

Disponsible *para todas las máquinas de sobre hilado y máquinas de puntada de seguridad*
Hace ribetes de dos colores en un ciclo de trabajo
Prensatelas especiales son disponsible
Porta carrete especial con cojinete de bolas es suministrados para éste tipo de trabajo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

455-6
PRE-MADE PIPING FOR OVERLOCK

Available for all overlock, safety stitch machines.
Grooved Presser Foot Recommended
780-U Ball Bearing Reel recommended for this operation.
Special presser feet available



Disponsible *para todas las máquinas de sobre hilado y máquinas de puntada de seguridad.*

El prensatela de ranura es recomendado.

El Porta Carrete con cojinete de bolas 780-U es recomendado para este tipo de trabajo.
Los prensatelas especiales son **disponsible**



455-7
PRE-MADE PIGGY BACK PIPING FOR OVERLOCK





Available for all overlock, safety stitch machines.
Grooved Presser Foot Recommended
Produces two-tone cord piping in one operation.
780-U Ball Bearing Reel recommended for this operation.
Special presser feet available

Disponsible *para todas las máquinas de sobre hilado y máquinas de puntada de seguridad.*

El prensatela de ranura es recomendado.

Hace refuertzos de bordes de dos colores en un ciclo de trabajo.
El porta carrete con cojinete de bolas 780-U es recomendada para éste tipo de trabajo.
Prensatelas especiales son **disponsible**

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

468
RIGHT ANGLE BOOK FOLDER

(FOR SANDWICH OPERATION—SWING-OUT)





Available for all overlocks.
Swing-out for easy threading of machine.
Fully adjustable right-angle extension helps eliminate feeding problems on certain fabrics.
Table Mount Bracket Available For Larger Sizes
780-U Ball Bearing Reel recommended for this operation.

Este aditamento es **disponsible** *para todas las máquinas de sobre hilado*
Disponsible *en forma movible para facilitar el enhebrado de la máquina.*
La entrada prolongada del angulo derecho, la cual es completamente ajustable ayuda a eliminar los problemas de transporte en cierto tipo de telas

El portá carrete con cojinete de bolas 780-U es recomendado para este tipo de trabajo.

IF YOU HAVE FINALLY WORN OUT THAT SPECIAL FOLDER
THAT IS NOT ILLUSTRATED IN ANY CATALOG,
SEND IT TO US AND WE WILL MAKE AN EXACT DUPLICATION.
"SUDDEN SERVICE" AVAILABLE HERE, TOO!

SI SU DOBLADILLADOR ESPECIAL SE HA GASTADO/DETERIORADO Y NO
APARECE EN NINGUN CATALOGO, SI UD NO LOS ENVIA NOSOTROS PODEMOS
DUPLICARSELO EN UNA FORMA EXACTA
NUESTRA COMPAÑIA ESTA ORGULLOSA DE SERVIRLE
EN UNA FORMA INMEDIATA

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php


© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

500
DOWNTURN ZIPPER ATTACHMENT

(GARMENT BAG, POCKET BOOK PANELS, etc.)





Available for all multi-needle chainstitch machines.
Special zipper organization available.
Generally used on garments when starting and finishing at open end.
Zippers have to be from continuous roll.
778 or 778-1 Under Table Reel recommended for this operation.

Este aditamento es **disponsible** *para todas las máquinas de puntada de cadeneta de multiples (varias) agujas.*
Un aparato usado para organizar las cremallers/cierras es disponsible.
Este aparato es generalmente usado cuando se comienza y termina una prenda con aberturas al final de la costura.
Las cremalleras pueden ser aplicados enforma de rollo en una forma continua o.
Los porta carretes 778 o 778-1, situados debajo de la mesa, se recomiendan en éste tipo de trabajo.

501
UPTURN ZIPPER ATTACHMENT

(DOUBLE NEEDLE)


Available for all double needle lockstitch machines.
Generally used on garments such as skirts, blouses and dress backs which have been partially closed.
Special zipper organization available.
780U-1 Ball Bearing Reel recommended for this operation.

Suministrado para todas las maquinas de doble pespunte de dos agujas.
Este aparato es generalmente usado en prendas de vestir tales como faldas, blouses y la parte trazera de los vestidos que han sido cerradas parcialmente.
Suministramos un aparato usado para organizar las cremalleras cierres.
El porta carrete con cojinete de bolas es recomendado para éste tipo de trabajos.



501-1 Bracket With Zipper Guide Only.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

501-2
ZIPPER ATTACHMENT
(DOUBLE NEEDLE)





Individual zippers are loaded into tension device on hemmers, latch is closed when operation is near completion, zipper slide automatically opens tension and allows operator to complete seam
For roll feed zippers, see attachment No.501.

La cremallera son cargadas individualmente en el aparato tensor de elástico fijo en el dobladillador, la aldabilla se cierra cuando la operación está casi terminada.
La cremallera se desliza automaticamente, el aparato tensor se abre permitiendo a la operaria completar la costura.
Para aplicar las cremalleras desde el rollo, ver aditamento No. 501.

CUSTOM MADE
ZIPPER GAUGE SETS

FOR ALL INDUSTRIAL MACHINES

Specify Machine Type, Class, And Gauge

"SUDDEN SERVICE"

SHIPMENT IN TEN WORKING DAYS FROM RECEIPT OF SAMPLES

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

502
ZIPPER ATTACHMENT

(GARMENT BAG, POCKET BOOK PANELS, etc. FOR 300W)



Special zipper organization available.
Used on garments that are open at both ends of the seam.
Zippers may be from a roll or individually loaded.

778 or 778BB under table reel recommended for this operation.

502Z Zipper Tension Box Only.

Disponible *un aparato usado para organizar las cremalleras/cierres.*
Usado en prendas de vestir abiertas en ambos lados de la costura (al final de la costura).
Las cremalleras/cierres pueden ser aplicada en forma de rollo o cargadas individualmente.
Los porta carretes 778 o 778-1, situados debajo de la mesa, se recomiendan para éste tipo de trabajo.

503
DOWNTURN ZIPPER ATTACHMENT

(GARMENT BAG, POCKET BOOK PANELS, etc.)





778 or 778BB under table reel recommended for this operation.

Special zipper organization available.
Used on garments that are open at both ends of the seam.
Zippers may be from a roll or individually loaded.

Disponible *un aparato usado para organizar las cremalleras/cierres.*
Usado en prendas de vestir abiertas en ambos lados de la costura (al final de la costura).
Las cremalleras/cierres pueden ser aplicadas en forma de rollo o cargadas individualmente.
Los porta carretes 778 o 778-1, situado debajo de la mesa, se recomiendan para éste tipo de trabajo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

504
ZIPPER ATTACHMENT WITH BOUND EDGE
(GARMENT BAG PANELS, etc.)



780-U1 Ball Bearing Reel Recommended for this operation.
Contrasting color binding may be applied in one operation.
Zipper may be from a continuous roll or individually loaded. (Specify)
Special presser foot, feed and needle plate available.

El porta carrete con cojinete de bolas es recomendado para éste tipo de trabajos
Ribetes de colores constrastantes pueden ser aplicados en un ciclo de trabajo
La cremallera/cierre puede ser aplicado desde el rollo en forma continua o cargadas individualmente.
Pie prensatela especial, impelente y la plancha de aguja son disponsible


A


B


C

506
SINGLE NEEDLE ZIPPER ATTACHMENT


LEFT *IZQUIERDO*


RIGHT *DERECHO*





Available for all single needle machines.
Compensating Foot Recommended

Disponsible paratodas las maquinas de una aguja.
El pie compensado es disponsible.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service
509

GUN CASE ZIPPER
(ROLL FEED)



Set And Bind In One Operation

Available For All Industrial Sewing Machines

Custom Built To Your Specification

Special Machine Fittings Available

780U Ball Bearing Reels Recommended



HIDDEN ZIPPER ATTACHMENT
(ROLL Or STRIP FEED)

Sew Both Sides Of Zipper At Once

Zipper Is Turned And Closed Showing No Top Stitches

Available For Most Industrial Double Needle Machines

Send Your Sewing Head With Samples For Complete Installation





Website: www.atlatt.com email: sales@atlatt.com

The *Sudden Service*™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

518
ADJUSTABLE TRIM SETTING ATTACHMENT





Available for all machines.
Special feet available on request.

Este adittamento es **disponsible** *para todos los tipos de máquinas.*
El pie especial suministrado sobre demanda.

AT-301B

Pneumatic Air Scissors



Heavy Duty
AT-201B-2" Blade
AT-301B-3" Blade

This unit mounts under the arm of most machines and cuts approximately 1" behind presser foot.
Available for all machines.
Shipped complete with all accessories.

FOR AUTOMATIC KNIFE SEE AT-116 (PAGE 45)


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service
519
IMITATION LAP SEAM ATTACHMENT




519



519-1



519-A2



519-A3



Produces an imitation lap seam for special effects.
Available for single or double needle, lockstitch or chainstitch machines.
Left or Right Hand.

Este aditamento hace una imitación de costura de sobrecarga en trabajos especiales.
Este aparato es **disponsible** *para las máquinas de una o dos agujas, de doble pespunte y de puntada de cadeneta.*
Podemos **disponsible** *el modelo de la mano derecha o el de la mano izquierda.*

(WITH CORD PIPING)



519-A2-CP



519-A3-CP

(WITH CORD WELT)

Cord is added to produce self-welt.
PF Model allows tabs or pocket flaps to be inserted in fake yoke seam.
Advise machine class and gauge.
Special presser feet available

El acordonado es añadido para producir efectos de enrivado/sivos.
El modelo P F permite insertar la lengueta, o parte ancha del bolsillo, en las costuras simuladas del canesu.
Indicar la clase de la máquina y la distancia entre las agujas (gauge).
Prensatelas especiales **disponsible**



519-A2-C



519-A3-C



519-A2-PF



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

519-4
TWO-TONE TUCKING ATTACHMENT





519-4

Available for all multi-needle machines.
Contrasting may be added to any model.
Produces a bellows effect on pockets, yokes, etc.

para todas las máquinas de multiples agujas
Este aditamento se usa para aplicar alforzas de colores contrastantes, pudiendo ser adaptado a cualquier modelo de máquina.
Produce efectos de los adornos deseados en diferentes piezas, bolsillos, canesú, etc.

519-4L





519-5
TWO-TONE TUCKING ATTACHMENT



519-5
UPTURN
Usado para doblar



519-6
UPTURN
WITH CONTRASTING STRIP
Usado para doblar
Usado para aplicar tiras de colores contrastantes/diferentes colores



Special presser feet available
Available for all multi-needle machines.
Contrasting tape may be added to any model.
Produces a bellows effect on pockets, yokes, etc.

Los prensatelas especiales son **disponsible** **Disponsible** *para todas las máquinas de multiples agujas. Este aditamento se usa para aplicar cintas de colores contrastantes/diferentes colores y puede ser adaptado a cualquier modelo de máquina. Se usa para producir efectos de adornos a diferenes piezas, bolsillos, canesú, etc.*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

519-SE
SHELL EDGE STITCH FOLDER





Produces decorative edge.
Zig-zag machine used.
Special presser feet available
778 or 778-1 Under Table Reel recommended for this operation.

Produce bordes de adorno
Las máquinas Zig Zag son usadas en esta operación
Prensatelas especiales **disponsible**
Porta carretes 778 o 778-1, situado debajo de la mesa, son recomendados para ésta operación

520
SPAGHETTI ATTACHMENT





Produces a spaghetti tube, turned with no visible stitching.
Available for all single needle machines, lockstitch or chainstitch.
May be used in pairs on multi-needle machines.
Recommend use of 3-roller Spaghetti Puller No. AP-14,
Double groove handwheels available for all machines.
Automatic components available.
Left or right hand models available.
780-U Ball Bearing Reel recommended for this operation.



520-F With Filler

Para confeccionar galones tubulares, con puntada invisible
Disponsible *para todas las máquinas de una sola aguja, de doble pespunte o puntada de cadeneta.*
Puede ser usado en pares con maquinas de multiples agujas
Se recomienda el uso del puller de galones tubulares de tres rodillos No. AP-14,
Disponsible *el volante de doble ranura para todas las clases de máquinas*
Disponsible *partes automáticas*
Los modelos de la derecha o de la izquierda son
El porta carrete con cojinete de bolas 780-U es recomendado para éste trabajo

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


520-1
RIGHT ANGLE SPAGHETTI ATTACHMENT



LEFT

Recommended for larger size spaghetti.
Available in left-hand or right-hand models.
Left-hand model recommended for chainstitch machines to aid in threading looper without removing folder.
Automatic components available.
Double groove handwheels available for all machines.

3-roller Spaghetti Puller available.
780-U Ball Bearing Reel recommended for this operation.



(ALSO AVAILABLE IN A RIGHT HAND MODEL)

Recomendado para aplicar galones tubulares de tamaño grandes.
Es disponsible *los modelos de la mano derecha o de la mano izquierda.*
Se recomienda el uso de las máquinas de puntada de cadeneta para el modelo de la izquierda, se enhebra la maquina sin remover el dobladillador.
Es disponsible *las partes automáticas.*
Es disponsible *el volante de doble ranura para todas las máquinas.*
Es disponsible *el puller de galones tubulares de tres rodillos.*
El porta carrete con cojinete de bolas 780-U se recomienda para éste trabajo.

520-2
IMITATION SPAGHETTI ATTACHMENT



Produces imitation spaghetti on fabrics such as fleece or other heavy fabrics that cannot be sewn successfully on No. 520.
Zig-zag machine recommended.
Invisible type thread necessary to produce desired effect.
780-U Ball Bearing Reel recommended for this operation.



Produce imitación de galones tubulares en telas tales como Vellon, lanas y otros materiales pesados/gruesos que no pueden coserse con el aditamento No. 520.
Se recomienda el uso de las máquinas Zig-Zag.
Hay que usarse el hilo de tipo invisible para este tipo de operaciones.

El porta carrete con cojinete de bolas se recomiendado para esta trabajo.
(Ver 780-U)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

520-3
AUTOMATIC SPAGHETTI UNIT


(HIGH SPEED OVERLOCK MACHINE MAY BE USED FOR SOME SIZES)

Complete automatic unit available including sewing head, high-boy stand, motor, thread monitors, etc.
Customer's sewing head may be used.
Available in 110 Volt or 220 Volt models.
780-U Ball Bearing Reel recommended for this operation.

Esta unidad completamente automática es **disponible** *incluyendo el cabezal, pedestal (high-boy-stand), motor y monitores de hilo, etc.*
El cabezal del cliente puede ser usado.
Disponible *en los tipos de corriente: 110V o 220V.*
El portá carrete con coijnete de bolas 780-U se recomienda para este tipo de trabajo.



(FILLER MAY BE USED)



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL (MERCURY)
2.	4007	MATERIAL CONTROL (UP TO 3" WIDTH)
3.	780-U	UNIVERSIAL BINDING REEL, BALL BEARING WITH BRAKE
4.	4003	THREAD CONTROL (MERCURY)
5.	AP-14	SPAGHETTI PULLER
6.	4048	TABLE TOP (SPECIFY MACHINE CLASS)
7.	4000E	MOTOR CLUTCH CONTROL
8.	4005	STOP BUTTON
9.	520	SPAGHETTI FOLDER
10.	4002	TRANSFORMER (NOT SHOWN)
11.	4004	TWIST-LOCK PLUG (NOT SHOWN)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

520-4
HIGH SPEED SPAGHETTI UNIT




This unit operates at speeds up to 7,000 R.P.M.'s.
The 401 needle of a safety stitch machine is being used above. In some cases a standard 3 thread overlock is applicable.
For high volume users this unit is unsurpassed.
780-U Ball Bearing Reel recommended for this operation.

Esta unidad tiene una velocidad maxima de 7,000 R.P.M.'s.
En este modelo se usa el tipo de puntada 401, máquina de puntada de seguridad. En algunos casos también se puede usar el mismo tipo de puntada de las máquinas de sobrehilado de tres agujas.
Esta unidad es insuperable cuando esta operación envuelve un gran volumen de trabajo.
El porta carrete con cojinete de bolas 780-U se recomienda en este tipo de trabajos.

550
ADJUSTABLE LACE OR TRIM GUIDE
(RIGHT ANGLE)

Right angle design allows operator to perform sandwich operation. (See illustration "B".)
Available for all plain sewers or overlock machines.
May be used with hemmer foot. (See illustration "A".)
780-U Ball Bearing Reel recommended for this operation.





A



B

El diseño del aditamento de la derecha permite a la operaria aplicar vivos entre dos telas (sandwich operation). (Ver el grabado B.)
Disponsible *para todas las máquinas sencillas corrientes o con las máquinas de puntada de sobrehilado.*
También se puede usar con el pie dobladillador. (Ver grabado A.)
El porta carrete con cojinete de bolas 780-U se recomienda para éste tipo de trabajo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

575
ADJUSTABLE RIC-RAC GUIDE

Available for 281 Singer and other machines with the same needle plate design.

778 or 778BB under table reel recommended for this operation.

Los portacarrete 778 o 778DB, Situado debajo de la mesa, son recomendados para este trabajo.

Este aditamento es **disponsible** *para la maquina Singer 281 y para otras máquinas que usen el mismo tipo de plancha de aguja.*



600
SANDWICH PIPING SET

Right angle piper allows operator to perform sandwich operation.
Recommended for making cuffs or collars.
Available for all plain sewers.
780-U Ball Bearing Reel recommended for this operation.

Este aditamento permite a la operaria intercalar rebordes de acordonas (sandwich operation)
Se recomienda para hacer los puños de las mangas o cuellos.
Disponsible *para todas las máquinas sencillas/corrientes.*
El Portacarrete con cojinete de bolas 780-U se recomienda para este tipo de trabajos.





A B

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

601
TOP STITCH & PIPING SET



To add piping to the bottom of garments such as skirts, etc., and top stitch in one operation.

776 or 778BB under table reel recommended for this operation.

Este aditamento es usado para aplicar rebordes de acordonado a la parte inferior de las prendas tales como faldas etc., y pespuntearlas en un ciclo de trabajo.

Los portacarrete 778 o 778BB, Situado debajo de la mesa, son recomendados para este trabajo.



601



601-F

TOP STITCH FEET

650

Downturn design works best on straight seams or outside curves.
Available for all single needle, chainstitch or lockstitch machines.
Available in sizes: 3/16", 1/4", 5/16" or 3/8".

Este tipo de aditamento trabaja mejor cuando hace costuras rectas o curvas.
Disponsible *para todas las máquinas de una aguja, puntada de cadenetas de doble pespunte.*

Disponsible en los siguientes tamanos:
3/16", 1/4", 5/16" o 3/8"





650-1
SINGLE FOLD DOWNTURN HEMMER FOOT FOR COVER STITCH MACHINE

For hemming operations on knits, terry cloth, velour, etc., where the edge must be covered.

Para hacer dobladillos a telas de punto, de paño, terciopelo, en trabajos donde el borde debe estar recubierto.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

651
TOP STITCH FOOT
(DOWNTURN)

Downturn design works best on straight seams or outside curves.
Available for all single needle, chainstitch machines.

Available in sizes: 3/16", 1/4", 5/16" or 3/8".

El diseño de éste aditamento permite un buen trabajo cuando se hace costuras rectas o curvas.
Disponsible *para todas las máquinas de una aguja, puntada de cadeneta.*

Disponsible en los siguientes tamanos:
3/16", 1/4", 5/16" o 3/8"





652
COLLAR BAND HEMMER
(UPTURN)

Upturn design recommended for inside curves or straight runs.
Available for all single needle lockstitch machines.

Este tipo de aditamento es recomendado para hacer trabajos tales como curvas dobladas hacia adentro o costuras rectas.
Disponsible *para todas las máquinas de doble pespunte de una aguja.*





653-A
BALL FOOT HEMMER
(UPTURN)





Recommended for small hems on light-weight materials without seams.
Available for all plain sewers.
Sizes 1/16", 1/8" or 3/16".

Este aditamento se recomienda para hacer dobladillos pequeños en materiales livianos sin costura.
Disponsible *para todas las máquinas sencillas/corrientes.*
Disponsible *en los siguientes tamaños: 1/16", 1/8" o 3/16".*

653-S
SPRING FOOT HEMMER
(UPTURN WITH SPRING)

Recommended for hems on heavier fabrics with seams.
Available for all plain sewers.
Sizes: 1/4", 5/16", 3/8".





Se recomienda éste aditamento para hacer dobladillos a materiales más pesados/gruesos con costura.
Disponsible *para todas las máquinas sencillas/corrientes.*
Disponsible *en los siguientes tamaños: 1/4", 5/16" o 3/8".*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

655
TUBE FOOT



Available for all single needle, chainstitch or lockstitch machines.
Specify tube size.

For Adjustable Foot See No. S533

Disponsible *para todas las máquinas de una aguja, puntada de cadena o máquinas de doble pespunte.*
Especificar el tamaño del tubo.

Specify Machine Class and Model



656
TOP STITCH JOINER FOOT

Available for all single needle, lockstitch or chainstitch machines.
For setting yokes, etc. Specify Machine Class and Model

Este pie disponible para todas las maquina de una aguja.

Se usa para aplicar canesú, etc.





656-A 656-B
TOP STITCH JOINER

For yoking and other top stitch joining operations.
Available for single or double needle, lockstitch or chainstitch machines.
Folders are adjustable.





Edge guide foot available for all machines.

Este aditamento se usa para acollarar y otros trabajos donde se unen materiales al pespuntearlos.

Disponsible para todas las maquina de una o dos agujas.

Los dobladillodores son ajustables.

Specify Machine Class and Model



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

656-C
SEMI JOINER

Available for all single or double needle, lockstitch or chainstitch machines.

Presser Foot Available for All Plain Sewers

Specify Machine Model and Class

Disponsible *para todas las máquinas de una o dos agujas, de doble pespunte o puntada de cadeneta.*



LEFT



656-D
SEMI JOINER

Available for all single or double needle, lockstitch or chainstitch machines.

Presser Foot Available for All Plain Sewers

Specify Machine Model and Class

Disponsible *para todas las máquinas de una o dos agujas, doble pespunte o puntada de cadeneta.*

El prensatela sencillo es **disponsible** *para todas las máquinas sencillas/contentes.*



RIGHT



656-E
SIDE SEAM AND SEAM BUST
(ONE OPERATION)

After both front and rear leg panels are serged, they are side seam and top stitched down to bust the seam in one operation. Available for all machines.

Specify Machine Model and Class

Despues que los paños traseros y delanteros se han sobrehilado, se cosen y pespuntean al busto en un ciclo de trabajo. Se suministra para todas las máquinas



656-E1

Folder available mounted to machine bed plate. Plain presser foot supplied. Advise machine class.

656-E1

Este "Folder" **disponsible** *montado en la placa base de la máquina. El Prensatela sencillo es* **disponsible** *Indicar la clase de máquina*



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

657-A and 657-B
TOP STITCH JOINER LEFT

For yoking and other top stitch joining operations. Folders are adjustable.



A



B

Available for single or double needle, lockstitch or chain-stitch machines.

Este aditamento se usa para acollarar y para otros trabajo para unir, pespunteando, los materiales/telas
Los dobladilladores son ajustables
Disponsible *para máquinas de una aguja o dos agujas máquinas de doble pespunte o puntada de cadeneta*



659
CAP SWEATBAND AND VISOR

(ROLL FEED)



Upper Guide For Premade Sweatband

Visor Is Guided Automatically

Available For Most Cylinder Bed Machines

Edge Guide Presser Foot Required

Specify Machine Class and Model

FOR AUTOMATIC CUT APART SEE MODEL AT 116 (PAGE 45)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



Complete Automatic Units For Special Applications Available.

Send Sewn Sample For Quote.

Specify Machine Model Class And Gauge

661-A ADJUSTABLE GUIDE



Available For All Machines.
Right or Left Hand Available.
For Lace, Ribbon, and Other Trim.
Available With Edge Guide Foot.

Suministrado para todas las màquinas.
Los modelos de la mano derecha o de la mano izquierda son suministrados.
Par trabajar con encajes, listones de raso/cintas elastico y otros materiales de adorno.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

661-B
RIGHT ANGLE ADJUSTABLE GUIDE



Available for all machines.
Left hand or right hand available.
780-U Ball Bearing Reel recommended for this operation.

Disponible *para todas las máquinas.*
El modelo de la derecha o de la izquierda se pueden suministrar.
El Portacarrete con cojinetes de bolas 780-U se recomienda para éste tipo de trabajos.

661-C
ADJUSTABLE GUIDE
(UPPER)

Available for all machines.
Swing-up bracket available.
780-U1 Ball Bearing Reel recommended for this operation.

Disponible *para todas las máquinas*
El soporte plegable se puede suministrar
El Portacarrete con Cojinej de bolas 780-U1 se recomienda para éste tipo de trabajos



661-Q
STRETCH WAISTBAND ELASTIC ATTACHMENT

Unique design compensates automatically for variation in width of elastic.
Guide is adjustable for different width waistbands.
Advise minimum and maximum.
Also see 395-2E and 423-E.

El diseño único de éste aditamento compensa automáticamente por la variación que sufre el ancho del elástico.
La guia se puede ajustar para los diferentes anchos de las pretinas.
Favor indicar los tamaños mínimos y máximos de las pretinas.
Tambien ver los grabados 395-2E y 423-E.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


746
RAW EDGE LAP SEAM GUIDE



Available for all multi-needle machines.
Specify needle gauge and machine class.


Suministrado para todas las máquinas de multiples/varias agujas.
Favor especificar la distancia entre la agujas (gauge) y la clase de máquina.

RIGHT OVER LEFT



A

LEFT OVER RIGHT



B

747
DOUBLE LAP SEAM FOLDER

Special design for hot air balloon or parachute operations.
Specify needle gauge and machine class.

Diseños especial para trabajos de "Hot air balloon o Parachute"
Especificar la distancia entre las agujas (gauge) y la clase de máquina

A



B





748
SEMI-FOLD LAP SEAM FOLDER

Specify needle gauge and machine class.

Especificar la distancia entre las agujas y la clase de máquina.



A



B



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

750
LAP SEAM FOLDER
(WITH SPRING)
(W & G FELDLOCK OR DUAL FEED)



Double lap seam folder for W & G Feldlock.
Replaces W & G FD-69-FD85-FD50.
Specify needle gauge and machine class.

Dobladillador para costuras de sobre carga doble usado con las máquinas W&G Feldlock (máquina de puntada de cadeneta de dos agujas)
Reemplaza la W&G FD-69-FD85-FD-50.
Especificar la distancia entre las agujas (gauge) y la clase de máquina.

A



Estándard **STANDARD**

B



Reverso/Contrario **REVERSE**

751
LAP SEAM FOLDER
(WITHOUT SPRING)
(FOR 231 and 261 CLASS MACHINES)



751-1
(WITH SPRING)

Specify machine class and needle gauge.


Especificar la clase de máquina y la distancia entre las agujas (gauge).

A
STANDARD
Estándard



B
REVERSE
Reverso/Contrario





51420 GA-8

Label may be set on back yoke seam or on back pocket all in one operation.
Also see No. 295 Back Pocket Hemmer.

La etiqueta puede ser aplicada en la costura del canesú trasero o en el bolsillo trasero, los dos en un ciclo de trabajo.
Tambien ver el grabado 295, Dobladillador para aplicar los bolsillos traseros.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

752
LAP SEAM FOLDER

(WITHOUT SPRING)
(FOR U.S. 56400–56500)

Specify machine class and needle gauge.


Especificar la clase de máquina y la distancia entre las agujas (gauge)





752-1
LAP SEAM FOLDER

(WITH SPRING)
(FOR U.S. 56400–56500)





Spring action allows seams to pass through freely.
Specify machine class and needle gauge.

La acción del resorte permite que las costuras sean alimentadas libremente.
Especificar la clase de máquina y la distancia entre las agujas.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

752-D
LAP SEAM FOLDER
(FOR U.S. 35800)
(WITH SPRING)

Specify machine class and needle gauge.

Especificar la clase de máquina y distancia entre las agujas (gauge).



STANDARD *Standard*



REVERSE *Reverso*



Special foot required for reverse.

Se requiere un pie especial para trabajar en reversa.

752-K
LAP SEAM FOLDER
(U.S. 35800)

Also See No. 752-D with spring, above.

Tambien Ver el grabado 752-D con resorte





NO SPRING

Sin resorte

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

752-V
LAP SEAM FOLDER

(SLEEVING)
(FOR U.S. 56400–56500)


Folder has margin controls for sewing curved arm holes and sleeves.
Specify machine class and needle gauge.

Este dobladillador tiene control de los márgenes para coser las sisas y mangas.
Especificar la clase de máquina y distancia entre las agujas.





A



B

753
LAP SEAM FOLDER


(WITHOUT SPRING)
(FOR 300W MACHINES)

Specify machine class and needle gauge.

Indicar la clase de máquina y la distancia entre las agujas.



A



B



753-1
(WITH SPRING)

Spring action allows seams to pass through freely.
Specify machine class and needle gauge.

La acción del resorte permite que las costuras pasen libremente.
Especificar la clase de máquina y distancia entre las agujas.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

778
BOTTOM REEL



Attaches to underside of table board.
Holds up to 6" wide.
Available for rolls over 6" on request.

Supplied With 785-A9 Stationary Discs.
For Ball Bearing Discs Order 778BB.

Este aditamento se puede adherir debajo de un lado de la mesa.
Hasta 6" de ancho.
Suministrado sobre demanda para rollos de un ancho mayor de 6".

780-U
UNIVERSAL BINDING REEL



(BALL BEARING WITH BRAKE)

Reel tilts to any angle.
Reel can be used in any position, vertically or horizontally.
Ball bearings help eliminate drag.
Special brake eliminates binding over-run when machine stops.
Recommended for use with No. 192 Knit Collarette Folder.

El carrete se desvia a cualquier ángulo.
El carrete puede ser usado en cualquiera posición, vertical u horizontal.
El cojinete de bolas ayuda a eliminar el arrastre.
El freno especial de este aditamento evita que el ribete se sobrepase al detenerse la máquina.
Se recomienda para ser usado con el dobladillador 192.

780-U1
UNIVERSAL TAPE AND BINDING REEL

(WITH BALL BEARING)

Reel may be positioned overhead, under table, or any other position on the table
Reel also tilts to any angle.



El carrete puede adherirse/colocarse encima, debajo de la mesa, o en cualquiera otra parte de la mesa.
El carrete también se desvia a cualquier ángulo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

781
CLAMP ON BINDING STAND
(NON ROTATING)




Clamps to any table top in seconds.

Se puede empalmar a cualquiera mesa en obra de segundos

Supplied With 785-A9 Stationary Disc.
For Ball Bearing Disc Order 781BB.

782
OVERHEAD TAPE STAND



Clamps to any table top in seconds.

Se empalma a cualquiera mesa en obra de segundos.

Supplied With 785-A9 Stationary Disc.
For Ball Bearing Disc Order 782BB.

Suministrado con Disco Estacionario 785-A9 Para el disco del portaearrete con cojinete de bolas ordena 781BB.

785
TOP AND BOTTOM BINDING REEL



Clamps to any table top in seconds.

El Cojinete de Bolas se puede empalmar a cualquiera mesa en obra de segundos.

Supplied With 785-A9 Stationary Disc.
For Ball Bearing Disc Order 785BB.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

785-A9-08

**ALUMINUM HUB with 8"
Disc attached.
Available in 1/4", 5/16", 3/8",
or 1/2" bores.
(Specify size when ordering.)**

*MANGO DE ALUMINIO
adaptado a un disco de 8".
Se suministran "bores"
(Indicar el tamaño al
hacer su orden.)*

**785-A9-08 is available in all sizes —
8", 10", 12" and 16".**





**PLAIN DISC
Aluminum**

No. 785-06-032	6"
No. 785-08-032	8"
No. 785-10-032	10"
No. 785-12-032	12"
No. 785-16-032	16"

(Specify Bore)

*DISCOS SENCILLOS
de Aluminio*

(Indicar el "Bore")

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Part No. 783 ELASTIC STAND, CONE BEARING

Used on any type machine. Has adjustable tension guide arm.

Parte No. 783 ESTANTE PARA COLOCAR ELASTICO. Este aditamento se puede usar en cualquier tipo de máquina. Tiene un brazo guia con tension ajustado.



Illus. No.	Part No.	Description
1.	787-1A	¼" CONE BEARINGS, SPECIFY BORE
2.	A–U	ROD CONECTOR, 3/8 X 1/2 BORE
3.	1000-1	TENSION ARM, SPECIFY LENGTH
4.	W-12	BASE TABLE MOUNT



781-3
PIPING STAND—Holds roll of piping on 1" cores for delivery to machine.

Perche/Estante para Rebordes de Acordonado/Vivos. Este Estante sostiene rollos de Vivos de, uno. 1" para ser llevados a la máquina.

781-4
PIPING STAND, BALL BEARING—Same as 781-3 with Ball Bearings.

Estante Para Ribetes/Vivos, Porta Carrete de Cojinete de Bolas-Lo mismo que el 781-3 pero con el Cojinete de Bolas.



781-2
BALL BEARING BINDING STAND WITH BRAKE, TABLE MOUNT—Used on any binding machine. Ball bearing delivers binding freely and brake prevents spinning. Easy adjustment for height of roll.

ESTANTE CON FRENO PARA PORTACARRETE DE CINTA, MONTADO EN LA MESA. Usado en cualquiera máquina ribeteadora. El cojinete de bolas propecta el ribete libremente el freno evita que el ribete gire. Se ajusta facilmente al tamaño del rollo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

BALL BEARING STAND, DOUBLE


Holds two rolls of goods and guides to front of machine.

ESTANTE PARA PORTACARRETES CON COJINETE DE BOLAS, DOBLE

Este estante sostiene dos rollos de estos artículos, va dirigido hacia el frente de la máquina.



Illus. No.	Part No.	Description
1.	786B	DISC WITH CONE BEARING, SPECIFY BORE OF DISC AND CONE SIZE
2.	A–U	ROD CONNECTOR, 3/8 X 1/2 BORE
3.	780-D1	LACE GUIDE ARM
4.	780-D2	DOUBLE ADJUSTABLE GUIDE ARM



787

SELF-CENTERING CONE BEARINGS, (Specify Size). Allows free unrolling action of goods being delivered to sewing machine. Eliminates uneven pulling of material.

Illus. No.	Part No.	Description
1.	786B	DISC WITH CONE BEARING, SPECIFY BORE OF DISC AND CONE SIZE
2.	787-4	3 1/8" CONE BEARINGS, SPECIFY BORE
3.	787-3	2 1/4" CONE BEARINGS, SPECIFY BORE
4.	787-1	1/2" CONE BEARINGS, SPECIFY BORE
5.	787-1A	3/4" CONE BEARINGS, SPECIFY BORE
6.	787-2	1" CONE BEARINGS, SPECIFY BORE
7.	787–2A	1 1/2 CONE BEARINGS, SPECIFY BORE


Cojinte de cono (Indicar el tamaño)
Permite que éstos artículos se desenrollen facilmente al ser llevados a la máquina. Evita que el material sea tirado en una forma desigual.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

792
BRA UNDERWIRE SUPPORT ATTACHMENT



This attachment is especially designed to bind and insert bra underwires in strapless type.
Furnished complete with all fittings.
Specify machine class and gauge.
778 or 778-1 Under Table Reel recommended for this operation.

Este aditamento es diseñado especialmente para ribetear e insertar alambre a los sostenes sin tiros
Suministrado con todas sus partes.
Indicar la clase de máquina y la distancia entre las agujas, guage.
Los Portacarretes 778 o 778-1, colocados debajo de la mesa, son recomendados para éste tipo de trabajo.

Presser foot	792-1
Feed dog	792-2
Needle plate	792-3
Wire guide	792-4
Slide plate	792-5



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

794

BRA UNDERWIRE SUPPORT FOLDER





For Single Needle Operations.

Bind Bra Cup And Insert Wire.

Wire Turns to the left of the foot.

Foot, Feed, and Plate Must Be Ordered As Part Of This Unit.

795

BRA UNDERWIRE SUPPORT FOLDER





For Single Needle Operations.

Bind Bra Cup And Insert Wire.

Wire Turns to the right of the foot.

Foot, Feed, and Plate Must Be Ordered As Part Of This Unit.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

795-G
BRA UNDERWIRE SUPPORT FOLDER





For Single Needle Operations.

Bind Bra Cup And Insert Wire.

Wire Turns to the left of the foot.

Foot, Feed, and Plate Must Be Ordered As Part Of This Unit.

797
BRA UNDERWIRE FOLDER





For Double Needle Operations

Over and Under Facing Folders.

Wire Inserted Between Facings.

Wire Turns To The Left Of Foot.

Foot, Feed, and Plate Must Be Ordered as Part of This Unit.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co. 17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

800
BRA UNDERWIRE ATTACHMENT




For Single Needle Operations

Double Fold Clean Finish Binding.

Support Wire Insertion.

Wire Turns To The Left of Foot.

Foot, Feed, and Plate Must Be Ordered As Part Of This Unit.



805
BRA UNDERWIRE ATTACHMENT



For Single Needle Operations.

Double Fold Clean Finish Binding With Lining.

Support wire Insertion.

Wire Turns To The Left of Foot.

Foot, Feed, and Plate Must Be Ordered As Part Of This Unit.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

848
TWO-PIECE BLANKET BINDER SET





For binding the top of blankets.
Recommended for zig-zag machines.
780-U Ball Bearing Reel recommended for this operation.

Usado ribetear a la parte superior de las cogijas
Recomendado para ser usado con las máquinas zig-zag
El Porta Carrete Con cojinete de Bolas es recomendado para ser usado en éste tipo de trabajo

849
BLANKET BINDERS
(FOR MITERED CORNERS)





Binder set is mounted on a slide-out bracket to allow operator to produce a mitered corner on blankets.
Machine must be equipped with puller.

Available for all zig-zag and multi-needle machines.
780-U Ball Bearing Reel recommended for this operation.
Special pneumatic lift available for foot and puller.
Slide-out mounting bracket available

Este aditamento está montado en un soporte que se desliza hacia afuera, permitiendo así a la operaria hacer esquinas de union sesgada.
Las máquinas deben estar equipadas con el "Puller"

Disponsible para todas las m'aquinas zig-zag y máquinas de multiples agujas.
El Portacarrete Con Cojinete de Bola es recomendado para éste tipo de trabajo.
El elesador neumático, especial para el pie, y el ***"Puller" son disponsible.***

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

849–1
BLANKET & SHEET BORDER BINDER

(ON SWING ARM)

A



B



C



For binding borders on sheets and blankets.
Available for all zig-zag and plain sewers.
Puller must be used.
780-U Ball Bearing Reel recommended for this operation.

Ribeteador usado para para hacer ribetes a las orillas de las sabadas y de las cobijas.
***Disponsible** para todas las maquinas zig-zag y para las máquinas corrientes/sencillas.*
El "Puller" debe ser usado en éste tipo de trabajo.
El Portacarrete Con Cojinete de Bola es recomendado para éste tipo de trabajo.




854–P
SHEET & BLANKET BORDER BINDER


For binding borders on sheets and blankets.
Contrasting piping is added in one operation.
Available for all zig-zag and plain sewers.
Puller must be used.
780-U Ball Bearing Reel recommended for this operation.
780-UI Ball Bearing Reel recommended for this operation.




A



B



C



Para hacer los ribetes a las orillas de las sabanas y cobijas.
Vivos de dos colores son aplicados en un ciclo de trabajo.
***Disponsible** para todas las máquinas zig-zag Y las máquinas corrientes/sencillas.*
El "Puller" debe userse en éste tipo de trabajos.
El Portacarrete Con Cojinete de Bola 780-U es recomendado para éste tipo de trabajo.
El Portacarrete Con Cojinete de Bola es recomendado para éste tipo trabajo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

890
DOUBLE BINDERS
(WITH ADJUSTABLE GUIDES)



For automatic set-ups.
Automatic components available.
Available for all multi-needle machines.
780-U Ball Bearing Reel recommended for this operation.

Para dobladillar en una forma automática.
Las partes autom'aticus son disponsible.
Dispoinsible para todas las m'aquinas de multiples agujas.
Se recomienda el Portacarrete con Cojinete de Bolas 780 U para éste tipo de trabajo.

1190
FRENCH PIPING ATTACHMENT

Produces a bound edge with no visible stitching on top side of binding.
Available for most single needle machines.
Sizes: 1"–5/32"
Tamaños: 1-1/8"–3/16"
1-1/4"–1/4"
1-1/2"–5/16"
1-5/8"–3/8"
2"–1/2"
780-U Ball Bearing Reel recommended for this operation.



Hace bordes con cobertura, con puntada invisible.
Disponsible *para casi todas las máquinas de una aguja.*
El Portacarrete con Cojinete de Bolas es recomendado para éste tipo de trabajo.





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



Please visit our website for the latest in sewing technology:


Click on link...

http://www.atlatt.com

WORKSTATIONS

Please visit our website for the latest in Automated Sewing Workstations and Sewing Attachments.

http://www.atlatt.com



Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

This equipment is protected by one or more of the following patents: US patents: 4,038,933; 4,280,421; 4,432,294; 4,466,367; 4,644,883; 4,886,005; 5,134,947; 5,159,889; 5,203,270; 5,307,750; 5,373,798; 5,437,238; 5,522,332; 5,524,563; 5,562,060; 5,634,418; 5,647,293; 5,657,711; 5,743,202; 5,865,135; 5,899,159; 5,915,319; 5,918,560; 5,924,376; 5,979,345; 6,035,794. Foreign patents: 2,084,055; 2,076,379; 2,177,389; 2,210,569; 4-504,742; 8-511,916; 9-520,472; 0,537,323; 92,905,522.6; 95,935,082.8; 96,936,922.2. Other U.S. and Foreign Patents Pending. © 1981 & 2005 Atlanta Attachment Company 05025080205

Atlanta Attachment Company
401 Industrial Park Drive
Lawrenceville, GA 30045
(770) 963-7369 • FAX (770) 963-7641

Sudden Service

AAC-011

AUTOMATIC TWO NEEDLE COVERSTITCH HEMMER


SLEEVES - POCKETS



400 DOZEN PAIR HEMMED SLEEVES OR POCKETS IN 8 HOURS

AN OPERATOR LAYS THE PART TO AN EDGE GUIDE ON THE CONVEYOR. THE MODEL AAC-011 AUTOMATICALLY TRIMS THE EDGE, FORMS THE HEM, SEWS IT, CUTS THE THREAD CHAIN, FOLDS THE SLEEVE IN HALF AND STACKS THE FINISHED PARTS.

- ELECTRIC MOTOR & CONTROLS
- RELIABLE EDGE TRIMMER
- FOLD & STACK OR STACK ONLY
- STACKER AVAILABLE FOR BOTTOM HEMMING (SEE AAC-013)
- REINFORCING TAPE OR LINING IN HEM ALSO AVAILABLE



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL AAC-011

AUTOMATIC TWO NEEDLE SLEEVE HEMMER

DESCRIPTION: An electronically controlled workstation consisting of a conveyorized downturn hemming apparatus with two or three needle bottom coverstitch sewing head, electronic motor, automatic edge trim and cut apart, and self contained waste disposal.

OPERATION: The operator places parts to an edge guide and initiates sewing. The unit will continue sewing as long as parts are placed on the conveyor within a specific distance. The sew cycle will stop if the operator fails to position the next part, thereby reducing thread waste. Average production on sleeves is 350-400 Dozen pair per 8 hour day. Optional elements include stacker fold in half and stack, and bottom hem stacking modules.

MACHINE CLASS: W & G 664

OPTIONS: Stacker, Fold in half and stack, and bottom hem stacking





406



*Video tape available **FREE** upon request*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

AAC-013
AUTOMATIC TWO NEEDLE COVERSTITCH HEMMER

SLEEVES - BODIES

- High speed convorized hemmer
- Reduces operator training
- Increase production & quality
- Automatic cut-apart
- Automatic stack & bundle return
- Modular construction for versatility
- Electronic motor & controls







Model AAC013

Choose our basic Model AAC010 pocket/sleeve hemmer, add our picker stacker, fold in half stacker, return conveyor, or any combination. For more versatility, choose our Model AAC013 (shown) for sleeves/pockets/bodies complete with combination picker stacker, add our fold in half stacker with return conveyor. Our Modular design allows you the flexibility to pick and combine components, giving you a custom system that best meets your requirements without paying a custom price.


Video tape available *FREE* upon request.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php


© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641




OPTION #1
BASIC TWO NEEDLE COVERSTITCH HEMMER FOR SLEEVES AND POCKETS. NO STACKER.




OPTION #2
TWO NEEDLE COVERSTITCH HEMMER W/FOLD IN HALF STACKING ONTO EXISTING CONVEYOR.




OPTION #3
TWO NEEDLE COVERSTITCH HEMMER W/FOLD IN HALF STACKING ONTO RETURN CONVEYOR.




OPTION #4
TWO NEEDLE COVERSTITCH HEMMER W/PICK AND STACK WITH RETURN CONVEYOR.




OPTION #5
TWO NEEDLE COVER STITCH HEMMER W/FOLD IN HALF, PICK AND STACK WITH RETURN CONVEYOR. EITHER STACKER MAY BE USED AS NEEDED.



OPTION #6
COMBINATION TWO NEEDLE COVERSTITCH HEMMER FOR SLEEVES, POCKETS AND BODIES W/PICK AND STACK AND RETURN CONVEYOR



OPTION #7
COMBINATION UNIT W/PICK AND STACK WITH RETURN CONVEYOR AND FOLD IN HALF. EITHER STACKER MAY BE USED AS NEEDED.



OPTION #8
COMBINATION UNIT W/PICK AND STACK WITH RETURN CONVEYOR AND FOLD IN HALF WITH RETURN CONVEYOR. EITHER STACKER MAY BE USED AS NEEDED.

CHOOSE THE SYSTEM THAT MEETS YOUR REQUIREMENTS AND PUT OUR TECHNOLOGY TO WORK FOR YOU.

Sudden Service

AP-22

RIB KNIT COLLAR AND CUFF SETTING

V-NECKS, ROUND COLLARS, BOTTOM BANDS, CUFFS, ETC., CAN BE ATTACHED WITH THIS VARIABLE SPEED METERING DEVICE

- Dispenses rib knit tape to an overlock machine from a roll with the desired tension, or without any tension at all.
- Set V-neck and sweetheart collars with both shoulders closed.
- Set round collars with one shoulder open.
- Reduces training time and improves quality.
- Easily installed on any overlock machine.
- Swing away mount allows easy machine access.
- Adjustable folder accepts tape up to 10" wide.



SEE MODELS 273-4 AND 273-34 FOR SIMILAR OPERATIONS

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

AP-22E

RIB KNIT COLLAR AND CUFF SETTING

V-NECKS, ROUND COLLARS, BOTTOM BANDS, CUFFS, ETC., CAN BE ATTACHED WITH THIS ELECTRONIC METERING DEVICE

- Dispenses rib knit tape to an overlock machine from a roll with the desired tension, or without any tension at all.
- Set V-neck and sweetheart collars with both shoulders closed.
- Set round collars with one shoulder open.
- Reduces training time and improves quality.
- Easily installed on any overlock machine.
- Swing away mount allows easy machine access.
- Adjustable folder accepts tape up to 10" wide.
- Electronic control allows easy and accurate size control.



SEE MODELS 273-4, 273-34 AND AP-22 FOR SIMILAR OPERATIONS

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service


AP–23

AUTOMATIC RIB KNIT CUFF SETTING




THIS ELECTRONICALLY CONTROLLED, CONVEYORIZED STATION WILL DESKILL RIB KNIT CUFF SETTING WHILE INCREASING PRODUCTION

- Automatic Material Saver
- Automatic Cut Apart
- Automatic Stacker
- Automatic Bundle Return





Sweatpants



Sportswear

Thermal Wear

AVAILABLE FOR ALL SERGERS AND COVERSTITCH MACHINES

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


MODEL AP-23

AUTOMATIC RIB KNIT CUFF SETTING STATION


DESCRIPTION: An electronically controlled cuff setting station, this unit is designed to form rib knit tape up to 8 inches wide into a cuff band and sew the band onto the sleeves. The station consists of an interchangeable sewing head and power console, tape feeding device, automatic cut apart knife, conveyor with automatic stacker, and a bundle return conveyor. An optional air lift table is available.

OPERATION: The operator places the sleeve at the presser foot and the material is sensed, sewing is then automatically started. The trailing edge of the sleeve is sensed and the cuff is cut apart. The finished sleeve is carried to the stacker by the upper conveyor. The operator loads sleeves continuously. If for any reason another piece is not loaded, the sewing will automatically stop, saving material. At the completion of a bundle, a manual switch may be pressed to return the bundle to the operator.

MACHINE CLASS: All industrial safety, overlock or coverstitch machines.













Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

MODEL AP-24
AUTOMATIC RIB KNIT CUFF SETTING


(FOR LEGS)



MODEL AP-24

Reduce labor and save fabric in your leg cuffing operation with Atlanta Attachment's Model AP-24. The Model AP-24 is a precision built workstation that consistently delivers top quality cuffs on pant legs.


- **Sews more than 350 dozen garments per 8 hour day**
- **Indexes bundles automatically**
- **Requires minimal operator training**
- **Available for overlock and coverstitch machines**



Sweatpants



Sportswear



Thermal Wear

The workstation features a variable speed tape feeder that ensures correct gathering and minimum side tape trim of 1/8".
Tandem variable speed pullers and precise automatic cut apart saves tape between pieces.

Call us today for "SUDDEN SERVICE" ® on the Model AP-24

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


MODEL AP-24

AUTOMATIC RIB KNIT LEG CUFF SETTING STATION


DESCRIPTION: An electronically controlled cuff setting station. This unit is designed to form rib knit tape up to 8 inches wide into a cuff band and sew the band onto the legs. The station consists of a sewing head and power console, tape feeding device, automatic cut apart knife, tandem variable speed pullers and ergonomic tabling with pneumatic bundle clamp.

OPERATION: The operator places the leg at the presser foot and the material is sensed, sewing is then automatically started. The trailing edge of the leg is sensed and the cuff is cut apart. The finished leg then falls from the rear of the unit. The operator loads legs continuously. if for any reason another piece is not loaded, the sewing will automatically stop, saving material.


OTHER MODELS: AP-23, 1535E, 1536



Sweatpants



Sportswear



Thermal Wear








Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

QUALITY BACKLATCHING STILL A PUZZLE TO YOU ???



MODEL AP–26S
THE SIMPLEST, MOST CONSISTENT, AND HIGHEST QUALITY BACKLATCH AVAILABLE, IS NOW AVAILABLE FOR TRIAL

*Available as a retrofit for **every** brand of overlock.*

NO IFS - - NO ANDS - - NO KNOTS

WE GUARANTEE IT ! ! ! ! !

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL AP26S


AUTOMATIC BACKLATCH SYSTEM

DESCRIPTION: A pneumatically controlled and operated system consisting of a custom patented throat plate, chain cutting knife, vacuum generator and control package. This unit draws the overlock chain into and through the patented hollow chaining tongue and allows it to be sewn into a seam as the seam is sewn. The chain cutting knife is activated by a knee or heel switch at the completion of sew.

OPERATION: The operator folds and places the part to be sewn at or under the presser foot in normal fashion. As the sew threadle is depressed, the automatically controlled vacuum generator draws the chain from the previous piece toward the operator and the chain is sewn into the seam. Upon completion of sew, the operator draws the piece to the rear of the unit and cuts the chain by depressing a knee or heel switch. The amount of chain which remains is automatically drawn into the chaining tongue to form the backlatch for the next piece.

MACHINE CLASS: Most industrial overlocks.

OTHER MODELS: AP26, AP261, AP26Q







Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATIC BACKTACK
AND SLEEVE CLOSING STATION

MODEL AP-26

OUR COMPACT SLEEVE CLOSING STATION FEATURES A FULLY AUTOMATIC PATENTED BACK-LATCH SYSTEM THAT INSURES THE HIGHEST QUALITY, MOST DEPENDABLE BACK TACK EVER MADE. THE MODEL AP-26 WILL INCREASE PRODUCTION , REDUCE OPERATOR TRAINING, AND VIR-TUALLY ELIMINATE REPAIRS DUE TO KNOTS OR TAILS ON THE BACKTACK.







- ELECTRONIC CONTROLS
- UNITIZED FRAME
- AUTOMATIC CHAIN CUTTER
- AUTOMATIC STACKER
- AUTOMATIC BUNDLE RETURN
- WASTE DISPOSAL SYSTEM
- LOW MAINTENANCE
- NO METHOD CHANGE
- AVERAGE PRODUCTION 175 DOZENPAIR OF SLEEVES IN 8 HOURS

VIDEO TAPE AVAILABLE UPON REQUEST

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL AP-26

AUTOMATIC SLEEVE CLOSING STATION

DESCRIPTION: AN ELECTRONICALLY CONTROLLED SLEEVE CLOSING STATION CONSISTING OF AN INTEGRATED STAND, ELECTRONIC MOTOR, AND OVERLOCK SEWING HEAD WITH AUTOMATIC BACKLATCH, CHAIN-CUTTER, TAKE-AWAY CONVEYOR, PNEUMATIC STACKER , WITH PNEUMATICALLY OPERATED BUNDLE RETURN. THIS UNIT IS DESIGNED TO HANDLE SLEEVES IN A WIDE RANGE OF SIZES AND MATERIAL WITHOUT CHANGING CURRENT METHODS.

OPERATION: THE SLEEVE IS FOLDED AND PRESENTED TO THE PRESSER FOOT AS NORMAL. THE BACKLATCH IS FORMED AUTOMATICALLY AS SEWING BEGINS. SEWING SPEED IS CONTROLLED BY THE OPERATOR UNTIL THE END OF THE SLEEVE NEARS THE PRESSER FOOT, AT WHICH TIME THE MACHINE GOES INTO AUTOMATIC MODE; THE CHAIN IS CUT, THE SLEEVE IS TAKEN AWAY AND STACKED, WHILE THE OPERATOR IS PICKING AND PREPARING THE NEXT SLEEVE FOR CLOSING. OVERALL CYCLE TIME IS REDUCE BY APPROXIMATELY ONE-THIRD.

MACHINE CLASS: UNION SPECIAL 39500, W&G 504, YAMATO 8003

AIR REQUIRED: 1.2 S.C.F.M. AT 60 PSI

ELECTRICAL: 220 VOLTS, 3 PHASE , 60 CYCLE

U.S. PATENT NO. 4,038,933







VIDEO TAPE AVAILABLE UPON REQUEST

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SLEEVE CLOSING STATION WITH AUTOMATIC BACKLATCH DOUBLES PRODUCTION !!!

100%

Production increase compared to manual backlatch reported by major installations

The operator takes a hemmed or cuffed sleeve from a stack and folds in half lengthwise. As the sleeve is positioned under the presser foot, an electric eye detects the leading edge and the automatic cycle is initiated. The sleeve is closed with automatic backlatch, the trailing edge is sensed and the thread chain is cut as the part is carried rearward and stacked. The sleeve is released as soon as sewing begins which allows the operator to pick up the next part in preparation for the next cycle.



Model AP261



- Automatic Backlatch (Patented)
- Automatic Ply Alignment and guiding
- Automatic Cycle
- Automatic Chain Cutter
- Automatic Thread saver
- Automatic Takeaway and Stack
- Minimal Operator Training

Video tape available FREE upon request

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL AP261

AUTOMATIC BACKLATCH SLEEVE CLOSING STATION
US & Foreign Patents Apply

DESCRIPTION: An electronically controlled sleeve closing station consisting of an integrated stand, stand up work table, pneumatic edge guide system, electronic controls, and overlock sewing head with automatic backlatch (patented), chain cutter, take away conveyor and stacker. This unit is designed to handle sleeves in a wide range of sizes and materials without adjustment.


OPERATION: The operator takes a hemmed or cuffed sleeve from a stack and folds the part in half lengthwise to roughly align the edges. She then aligns the cuff ends and loads the two plys into the pneumatic edge guide. As the sleeve is positioned under the pressed foot, an electric eye detects the leading edge and the automatic cycle is initiated. The sleeve is closed with automatic backlatch, the trailing edge is sensed and the thread chain is cut as the part is carried rearward and stacked. The sleeve may be released as soon as sew begins allowing the preparation of the next part during the sew cycle.

MACHINE CLASS: Most Industrial Overlocks.

OTHER MODELS: AP26, AP26SB, AP261T







Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sleeves

Back-Tack Sew

-TURN-

And Stack AUTOMATICALLY !!

MODEL AP-261-T





Patented US - Foreign Patents Pending

- Auto Start
- Auto Back- tack
- Auto Edge Guide
- Auto Thread Saver
- Auto Sleeve Turning
- Auto Stack

Video tape available FREE upon request

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL AP261T

AUTOMATIC BACKLATCH SLEEVE CLOSING STATION
US & Foreign Patents Pending

DESCRIPTION: An electronically controlled sleeve closing station consisting of an integrated stand, stand up work table, pneumatic edge guide system, electronic controls, and overlock sewing head with automatic backlatch (patented), chain cutter, takeaway conveyor, vacuum sleeve turner and stacker. This unit is designed to handle sleeves in a wide range of sizes and materials without adjustment.


OPERATION: The operator takes a hemmed or cuffed sleeve from a stack and folds the part in half lengthwise to roughly align the edges. She then aligns the cuff ends and loads the two plys into the pneumatic edge guide. As the sleeve is positioned under the presser foot, an electric eye detects the leading edge and the automatic cycle is initiated. The sleeve is closed with automatic backlatch, the trailing edge is sensed and the thread chain is cut as the part is carried rearward, vacuum turned and stacked. The sleeve may be released as soon as sew begins allowing the preparation of the next part during the sew cycle.

MACHINE CLASS: Most Industrial Overlocks.

OTHER MODELS: AP26, AP26S, AP26Q







Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

MODEL AT-116K

PROGRAMMABLE FAST ACTION KNIFE

The model AT116 will cut continuous sewn material such as binding, tape, etc. without stopping the sewing machine. The unit may be programmed to provide flush cuts on either or both ends of a garment, leave tails for turn back and tack, form tie and apron strings, cut and sort belt loops, or any of six other operations or combinations. The multi-function feature allows an operator to perform up to four separate operations on a garment without having to reprogram between operations as program switching occurs automatically. Automatic stop is included to minimize material waste. Sequences, stitch count, and cut values are easily changed and stored on the keypad control with LCD digital readout.



APRON TIE STRINGS
BELT LOOP CUT AND COUNT
BINDING CUT APART
POCKET TAPING



LABEL INSERTION
BINDING SAVER
CAP SWEATBANDS
CONTINUOUS CUTS



ELIMINATES MANUAL PULL BACK AND CUT
AVAILABLE FOR FLAT OR CYLINDER BED MACHINES
IN PLANT INSTALLATION (2 HOURS)
SWITCH TO DIFFERENT MACHINES
DOES NOT REQUIRE ELECTRONIC MOTOR



Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL AT116

PROGRAMMABLE FAST ACTION KNIFE

DESCRIPTION: An electronically controlled pneumatic scissor type knife designed to cut apart and/or trim continuous sewn material such as binding, belt loops, waistbands, etc., up to 1 1/2 inches wide. This unit consists of a fast action toggle link knife, a keypad programmable control box with LCD read-out, edge sensing and stitch count capability, and automatic stop to prevent material waste.

OPERATION: The operator selects any programmed function by pressing numbers on the keypad (the stitch count and cut functions are clearly visible on the LCD read-out). Each sequence may be inspected or altered by following the program sequence. For example, program one, cut leading and trailing edge with automatic binding saver: Material is inserted into a binder and depressing the sew treadle initiates sewing, a reflective eye senses the leading edge and the binding is cut after a preset number of stitches without stopping. Sewing continues until the trailing edge is sensed and after counting the preset number of stitches the binding is cut and sewing is automatically stopped to prevent material waste. Any number of cut and trim values may be entered and retained for different styles and sizes or may be combined in the multi function feature of Function 10.

MACHINE CLASS: Most industrial machines

APPLICATIONS: Binding, Taping, Belt loops, Apron strings, Cap sweat bands, collarettes, etc.





Video tape available FREE upon request


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

MODEL AT-140
CENTER CUT-APART KNIFE



OUR MODEL AT-140 CENTER CUT-APART KNIFE FOR SEPARATING PIECES WHERE STRIPES OR BANDS ARE SEWN IN THE MIDDLE OF THE FABRIC

- Pneumatic operation with safety device
- Controls may be pneumatic, electric or automatic
- Long lasting, low cost round blades
- Effective cutting width to suit your operation
- Custom designed to fit most industrial machines



Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

MODEL ATK-1
CLOSE COUPLED CUT-APART KNIFE



OUR MODEL ATK-1 CLOSE COUPLED PNEUMATIC KNIFE CAN BE ACTUATED BY KNEE, FOOT OR ELECTRIC EYE.

THIS KNIFE CUTS BINDING TAPE, PIPING OR ANY CONTINUOUS TRIM.

THE CLOSE PROXIMITY OF THE KNIFE TO THE NEEDLE MEANS LESS WASTE OF TRIM AND THE GARMENT CAN BE CUT APART AND HANDLED ONLY ONCE.

- PNEUMATIC KNIFE
- KNEE, FOOT OR ELECTRIC EYE ACTUATION
- EASY RETRO FIT IN-PLANT
- NO MACHINING REQUIRED
- LONG LIFE HARDENED STEEL BLADES
- LOW MAINTENANCE
- AVAILABLE FOR ALL CYLINDER ARM OVERLOCKS



CYLINDER ARM

VIDEO TAPE AVAILABLE UPON REQUEST

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


273-4
COLLAR SETTING AND TAPING FOR PLACKET FRONT SHIRTS

Our 273-4 attachment tapes the collar seam as the collar is being set.
The operator touches the knee control to activate the taping folder just after beginning. It is deactivated before reaching the end.
As it moves to the right, the edge trimming knife of the overlock severs the binding. No additional time is required for this operation.
The shirt facings are turned afterwards and, as the tape is stitched down, the label is set.

SPECIAL TOPSTITCH FEET AVAILABLE FOR SINGLE NEEDLE MACHINES

Nuestro aditamento 273-4 se usa para aplicar cintas a la costura del cuello.
La operaria activa el control de rodilla justamente despues que la operación ha sido comenzada. El control de rodilla es desactivada antes de terminar el ciclo de trabajo.
Cuando el aditamento se desliza hacia la derecha, la cuchilla usada para recortar los bordes del deshilado separa el ribete.
No se necesita ningún tiempo adicional para realizar esta operación.
Se voltean los revestimientos, se fija la cinta y se pega la etiqueta en una sola operación.





Fits all overlocks universally.

A special presser foot for all overlocks is available

The 273-4 adds that finished look to your shirt.

Este aditamento puede ser adaptado universalmente a todas las máquinas de sobrehilado, overlock.
El pie prensatela es **disponsible**
El aditamento 273-4 añade un acabao a su camisa a un costo mínimo.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 273-4

COLLAR SETTING AND TAPING

DESCRIPTION: A pneumatically controlled collar taping folder designed to shift to the left to insert the tape under the presser foot. Upon signal, the folder shifts to the right to allow the tape to be cut by the edge trimming knife. The tape does not extend to the edge of the corners of the placket on either end, there for, when the placket is turned, there is no bulk or additional thickness. This improves the overall appearance and reduces problems in the button hole and button sew operations.


OPERATION: The collar is aligned to the shirt body. The placket is folded over the leading edge of the collar and placed under the foot. The pieces are sewn approximately 1/2 inch and a touch of the knee switch shifts the folder to the left and taping starts. As the trailing edge of the collar nears the machine, the operator folds the placket over the collar and touches the knee switch. At this point the folder shifts to the right and the tape is cut by the edge trimming knife. (See illustration below)

MACHINE CLASS: Most industrial overlocks

OPTIONS: Patented roller presser foot, Automatic foot lift







Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

273-34

SET AND TAPE CIRCULAR KNIT COLLAR



The combination of setting and taping circular collars in one operation reduces handling, in-process inventory, and provides the opportunity to custom label goods from stock prior to shipment. An important step for time critical delivery!

- TAPE SHOULDER SEAM TO SHOULDER SEAM ONLY
- NO PRODUCTION LOSS AT COLLAR SETTING
- TOPSTITCH AT FINAL OPERATION ALLOWS SHIRT TO BE FINISHED, FOLDED & WAREHOUSED LABELED AS SOLD
- PNEUMATIC OPERATION
- SIMPLE IN-HOUSE INSTALLATION

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 273-34


DESCRIPTION: A pneumatically controlled and operated taping folder designed to apply tape to a circular knit collar while the collar is being sewn to the shirt.

OPERATION: A touch of the kneeswitch shifts the folder to the left, bringingthe tape in line with the presser foot — heel the treadle to raise the presser foot — load the circular collar over the rollers and under the foot — load the shirt over the rollers and under the foot — drop the foot and sew — approximately 1" from the shoulder seam the folder is shifted to the right by depressing the kneeswitch — continuation of sew will allow the tape to be cut by the edge trimming knife — this produces a neat rounded finish on the tape. The tape may be inserted or retracted at any point in the operation.

MACHINE CLASS: All industrial overedge machines

AIR REQUIRED: .05 SCFM at 50 PSI

SPECIFICATION:



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

THE LIGHT AT THE END OF YOUR
TUNNEL ELASTIC
IS OUR MODEL 350-12 CLEAN FINISH ELASTIC WAISTBAND STATION.

QUALITY - PRODUCTION - SAFETY

The unique spiral folder completely deskills the difficult tunnel elastic operation. An operator merely aligns the garment to an edge guide to sew a tight wrapped clean finish waistband





- ELECTRIC EYE START
- MINIMIZES C.T.D. RISK
- IMPROVES QUALITY
- INCREASES PRODUCTION
- ACCURATE SIZING
- REDUCE ELASTIC WASTE
- AUTOMATIC CUT APART
- EASY OPERATION
- MINIMIZE TRAINING
- SEAMS GO THROUGH WITHOUT HANGING

MODEL 350-12



FOR MANUAL OPERATION SEE 350-25
(FOLDER SECTION PAGE 216)

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co. 17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 350-12
CLEAN FINISH ELASTIC WAISTBAND STATION

DESCRIPTION: An electro-pneumatic clean finish waistband station consisting of a multi needle sewing machine*, motor, stand, spiral elastic guide (350-12), three blade rotary knife (for cut apart) and variable speed conveyor and metering device.
(* = Provided by customer)

OPERATION: The operator presents the flat garment to the edge guide and into the spiral folder. An electric eye senses the leading edge and starts the sew cycle. The operator holds the garment against the edge guide until completely into the folder. The electric eye senses the trailing edge and stops the sew cycle leaving the proper spacing for the next garment to eliminate waste. The operator then picks up the next garment and repeats, the conveyor will carry pieces to the knife for automatic cut apart and then to the disposal area.

MACHINE CLASS: All industrial multi needle chainstitch machines. (Special gauge parts are available)

OPTIONS: Components may be purchased separately
(A) Spiral elastic guide and folder
(B) Variable speed metering device
(C) Three blade knife (cut apart)
(D) Conveyor stand length 40" (60" available)
(E) Thread break detectors
(F) Elastic detectors







Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


Sudden Service


425-14

SPOT ELASTIC WAISTBAND

FOR SIDE SPOT, POCKET TO POCKET, OR ANY PARTIAL ELASTIC WAISTBAND

- ELIMINATES ELASTIC HANDLING
- INSERT AND METER AUTOMATICALLY
- CUT AND REINSERT ON COMMAND
- 3" SPOT TO FULL BACK CAPABILITY
- ADAPTABLE TO MOST MACHINES
- TOTALLY PNEUMATIC CONTROLS
- ELASTIC WIDTH UP TO 2 INCHES







*Video tape available **FREE** upon request*

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 425-14


SPOT ELASTIC ATTACHMENT

DESCRIPTION: A semi-automatic device designed to produce a spot or partial elastic waistband. The unit consist of upper and lower folders, or upper downturn hemmer and lower cover band folder, elastic feed and tension mechanism, and elastic cutting knife. Elastic may be inserted between two piece waistband or top downturn hemmer and bottom band.


OPERATION: The operator heels the treadle to lift the presser foot, presents the garment under the foot and sews to a predetermined point (notch, mark, pocket hem, etc.), pressing the knee switch activates the feed cycle which momentarily lifts the presser foot and tension bar for elastic insertion. As sewing continues the elastic is automatically metered. As the point where gathering is to end is neared (approximately 2 inches), touching the toe switch cuts the elastic, continuation of sew draws the elastic from the metering device as the flat band is completed.

MACHINE CLASS: Most industrial multi needle machines.

OPTIONS: Garment cut apart knife, partial or fully automated with electronic motor and controls.







Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

1276
CYLINDER ARM CONVERSION
(UNION SPECIAL 39500)

COLLARS, CUFFS, BANDS, SLEEVE SETTING





- **THE CYLINDER ARM MACHINE ALLOWS AN OPERATOR TO SEW SMALL CIRCULAR PARTS AND KEEP HER HANDS IN A RELAXED POSITION.**
- **SEW CHILDREN'S CIRCULAR SLEEVE & LEG CUFFS, COLLARS AND BOTTOM BANDS ON THE SAME MACHINE.**
- **INSTALL CONVERSION KIT IN PLANT IN 1 HOUR**
- **NO MODIFICATION TO HEAD REQUIRED. (MAY BE CONVERTED BACK TO STANDARD MACHINE)**

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1276U70

CYLINDER ARM CONVERSION KIT FOR UNION SPECIAL 39500

---------- RELATED ACCESSORIES ----------

-1276U70C4 PNEUMATIC FRONT TENSION ROLLER ASSEMBLY



USES:

CUFFS AND COLLARS

BENEFITS

- Faster
- Lowers skill requirements
- The pneumatic roller stretches the cuff and relieves stress on the operators wrist thereby addressing C.T.D. problems associated with small circular setting

-1279HD CIRCULAR ROLLER ASSMEBLY



USES:

CUFFS, COLLARS AND BOTTOM BANDS

BENEFITS

- Faster
- Easier alignment
- Evenly distributes gather around the waist of the garment
- Relieves stress relating to C.T.D.

-1276U70B5 HEAVY DUTY ROLLERS FOR LARGE BANDS



USES:

LARGE ELASTIC WAISTBANDS OR SWEATSHIRT BOTTOM BANDS

BENEFITS

- Faster
- Easier alignment
- Evenly distributes gather around the waist of the garment
- Relieves stress relating to C.T.D.

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

1278-3
SEMI-AUTOMATIC WAISTBAND DEVICE FOR CIRCULAR GARMENTS



1278-3 SERGER

The device is pneumatically operated to collapse the rollers and raise the presser foot while loading. It may be operated manually or automatically depending on type of operation.

THESE UNITS PROVIDE CONSISTANT STRETCH FOR ACCURATE WAISTBAND MEASUREMENT WHILE REDUCING OPERATOR FATIGUE AND INCREASING PRODUCTION

Bathing Suits, Uniform Pants, etc.

Also See No. 1279 for attaching elastic to jock.


Para Trajes de Baño

Para Pantalones, Uniforme, etc.

Tambien ver el No. 1279 para aplicar elástico el canesú.



1278-3 TOPSTITCH



TOPSTITCH SERGED ELASTIC

MODEL 1278-3

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1278-3

CIRCULAR ELASTIC WAISTBAND STATION

DESCRIPTION:	A pneumatically operated device consisting of knee switch actuated expansion rollers, offset pedestal type table, footlift and edge guides for setting pre-closed elastic loops with an overlock head, or topstitching the waistband on a multi-needle machine.
OPERATION 1: (Set elastic serger)	A preclosed elastic loop is loaded over the collapsed rollers and under the presser foot. The operator depresses the knee switch to expand the rollers and then loads the circular garment over the rollers & elastic loop. She then depresses the treadle to drop the presser foot and begin serging. The operator guides the garment to the point or oversew & presses the knee switch to collapse the rollers. Heeling the treadle lifts the presser foot to remove the garment.
OPERATION 2: (Topstitch multi-needle)	The elastic band on the garment is turned down & loaded over the rollers and under the presser foot. Pressing the knee switch causes the rollers to expand. The operator then aligns the garment to the edge guide and depresses the treadle to drop the presser foot and begin sewing. The operator manually assists guiding until the point of oversew is reached. Heeling the treadle allows the presser foot to lift and a touch of the knee-switch colapses the rollers for unloading. A positioning motor with under trimmer is recommended for this operation.
OPTIONS:	Model 1535 Thread Cutter Model 1904 Multi-Needle Undertrimmer

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617
Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

1278-4


CIRCULAR ELASTIC WAISTBAND

Electro-pneumatic attachment for sewing pre-closed elastic loops to circular garments with power feed to start the clean finish fold or topstitching circular panels with serged elastic.






- Simple controls
- Low Maintenance
- Ease of operation
- Eliminate bulky seat seam
- Adapts to existing machine
- Reduces operator fatigue
- Reduces skill factor
- Reduces training
- Available with Model 1904 multi needle undertrimmer



CLEAN FINISH

MODEL 1278-4





TOPSTITCH SERGED ELASTIC

MODEL 1278-3

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1278-4
CIRCULAR CLEAN FINISH WAISTBAND STATION

DESCRIPTION: An electro-pneumatic device consisting of expansion roller guides, two position folder, power feed package and air control package designed to sew preclosed elastic loops inside a closed garment to produce a clean finish circular elastic waistband.

OPERATION: The pre-sewn elastic loop is inserted inside the closed circular panel to a depth equal to the width of the elastic plus 3/8" to 1/2" for fold under. The operator touches the air foot switch to collapse the guide rollers, heels the sew treadle to lift the presser foot. The garment is inserted over the rear roller, under the foot and over the front roller. Depress the air foot pedal to expand the roller. A touch of the knee switch shifts the clean finish folder to the right and the operator tucks the fold under material with the fingers of the right hand. A touch of the toe switch draws the garment through the folder 5 to 7 inches to assure a clean fold. The garment is sewn to the point where stitching began. A press of the knee switch opens the folder and allows sew over of the starting stitches. Heeling the treadle actuates the undertrimmer and footlift*. A touch of the air foot pedal collapses the rollers for unloading.

*Machines without undertrimmer will have foot lift and position only. Optional thread chopper or multi needle undertrimmer available.

AIR REQUIRED: .05 SCFM @ 60 PSI





Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

1279
CIRCULAR GUIDING ATTACHMENT



THESE DEVICES PROVIDE CONSISTANT SIZING AND EDGE CONTROL.

For Rib Knit Collars, Cuffs, Etc.

Cast Steel Base for Pedestal Mount.

Easy Size Adjustment.

Adjustable Guides for Edge Control.

PNEUMATIC FOOT LIFT RECOMMENDED
(see page 455)

1279HD
CIRCULAR GUIDING ATTACHMENT



For Serging Elastic Waistbands To Top of Skirts, Pants, or Other Circular Goods.

Heavy Duty Tandem Adjusting Rods for Stability on Larger Circumference Items.

Features Same As Above.

PNEUMATIC FOOT LIFT RECOMMENDED *(see page 455)*


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

ATLANTA ATTACHMENT COMPANY

Circular Collar Setter

If you set collars in the round...



...the Circular Collar Setter was built for your operation.

- Easy adjustability
- Unlimited neck sizes
- Consistent edge guide
- All cylinder arm overlocks

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Atlanta Attachment Company

RUFFLERS



- Constant Rufflers
- Intermittent Rufflers
- Sandwich Rufflers
- Top Rufflers
- Bottom Rufflers
- Double Blade Rufflers
- Top and Bottom Rufflers
- Edge-To-Edge Rufflers
- Top Stitch Rufflers

- For -
Almost Any Machine



- Single Needle
- Double Needle
- Multi-Needle
- Lockstitch
- Chainstitch
- Overlock
- Safety Stitch
- Zig-Zag, etc.

SEND SEWN SAMPLE OR SKETCH OF SEAM TO RECEIVE A QUOTE ON PRICE AND DELIVERY.

ADVISE MACHINE CLASS.

Walker Tape Feeder Recommended For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

1325
RUFFLERS



Rufflers may be mounted on almost any style or type sewing machine. If you do not see your operation illustrated, send a sewn sample or sketch, advising the class machine you will be using and we will promptly quote price and delivery.

Estos adiamentos fruncidores se pueden montar en casi todos los estilos o tipos de máquinas de coser. Si Ud. no ve el grabado del trabajo que desea hacer, favor indíquenolo enviandonos al mismotiempo una muestra de la costura del trabajo que desea realizar o una ilustración del mismo. Indicar la clase de máquina en la cual montara este adiamento. Nosotros inmediatamente le indicaremos el precio y fecha de embarque del mismo.

All Rufflers are available with Intermittent Feature. Sewing head must be shipped to our factory for installation.

Todos los adiamentos para hacer fruncidos están disponibles con un caracter intermitente. El cabezal debe ser enviado a nuestra fábrica para nosotros hacer la instalación del fruncidor.



Illustration No. 1325-101

Seaming 2 plies of material.
Top ply ruffled.
Bottom ply flat.
Top ply is fed between the stripper blade and the ruffling blade.
Bottom ply is fed under the stripper blade.

Cosiendo dos piezas de material. La pieza de arriba está fruncida.
La pieza de abajo es plana. La pieza de arriba es alimentada entre la hoja separadora y la hoja fruncidora.
La pieza de abajo es alimentada debajo de la hoja separadora.



Illustration No. 1325-102

Seaming 3 plies of material.
Top ply is flat.
Center ply is ruffled.
Bottom ply is flat.
Top ply is fed over the top of the ruffling blade.
Center ply is fed between the stripper blade and the ruffling blade.
Bottom ply is fed under the stripper blade.

Cosiendo tres piezas de material. La pieza de arriba es plana.
La pieza del centro está fruncida. La pieza de abajo es plana.
La pieza superior es alimentada por encima de la parte superior de la hoja separadora.
La pieza del centro es alimentada entre la hoja separadora y la hoja fruncidora.
La pieza de abajo es alimentada por debajo de la hoja separadora.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

1325 RUFFLERS





Illustration No. 1325-103

Seaming 2 plies of material with cording and piping, a strip of ruffled lace, and the bottom ply shirred. Top ply is flat.
Center ply is ruffled. Bottom ply is shirred.
The top ply is fed in over the ruffling blade. Cording and piping is fed in under the top ply and above the ruffling blade.
Lace is sandwiched between the cording and piping and between the bottom ply; the lace is ruffled.
Bottom ply is fed in under a shirring blade that rests on the differential feed in the machine.
Operator activates the differential mechanism and shirring is obtained on the bottom ply.

Cosiendo dos piezas de material con acordonado y vivo, un pedazo de encaje fruncido, y la pieza inferior rizada. La parte superior es plana. La pieza del centro está fruncida. La pieza inferior está rizada.
La pieza superior es alimentada por encima de la hoja fruncidora. El acordonado y el vivo son alimentados por debajo de la pieza superior y encima de la hoja fruncidora.
El encaje es colocado entre el acordonado el vivo y la pieza inferior; el encaje está fruncido.
La pieza inferior es alimentada por debajo de la hoja fruncidora que descansa en el sistema de alimentación diferencial de la máquina. Y a operario activa este sistema de alimentación diferencial obteniendo el fruncido en la pieza inferior.




Illustration No. 1325-104

Applying ⅛" elastic on the top of thew top ply.
Cording and piping cannot be used with this operation.
It is recommended that the elastic be applied under tension since it will add elasticity to the seam.

Aplicando una pieza de elástico de ⅛" a la pieza superior.
No se pueden usar ni cordones ni vivos con este tipo de trabajo.
Se recomienda aplicar el elástico bajo tensión ya que esto añadirá elasticidad a la costura.

Walker Tape Feeder Recommended For Use With Rufflers (See Page 407)



Illustration No. 1325-105

Applying ¼" elastic on the top of the ruffled ply.
Cording and piping cannot be used with this operation.
It is recommended that the elastic be applied under tension since it will add elasticity to the seam.

Aplicando una pieza de elástico de ¼" en la parte superior de la pieza fruncida.
Se recomienda aplicar el elástico bajo tensión ya que esto añadirá elasticidad a la costura.



Illustration No. 1325-106

Seaming 2 plies of material with cording and piping.
Top ply is ruffled. Bottom ply is flat.
Cording and piping is fed between the top and bottom plies.
Top ply is fed between the stripper blade and the ruffeling blade.
Cording and piping is fed under the stripper blade.
Bottom ply is fed under the cording and piping.

Cosiendo dos piezas de material con acordonados y vivos.
La pieza superior está fruncida. La pieza inferior es plana.
El cordón y el vivo son alimentados entre las piezas superiores e inferiores.
La pieza superior es alimentada entre la hoja separadora y la hoja fruncidora.
El cordón y el vivo son alimentados debajo de la hoja separadora.
La pieza inferior es alimentada debajo del acordonado y vivo.




Illustration No. 1325-107

Seaming 2 plies of material. Top ply is flat. Bottom ply is ruffled.
Top ply is fed over the top of the ruffling blade.
Bottom ply is fed between the stripper blade and the ruffling blade.

Cosiendo dos piezas de material. La pieza superior es plana. La pieza inferior está fruncida.
La pieza superior es alimentada por encima de la parte superior de la hoja fruncidora.
La pieza inferior es alimentada entre la hoja separadora y la hoja fruncidora.

All Rufflers are available with Intermittent Feature. Sewing head must be shipped to our factory for installation.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

INTERMITTENT RUFFLER



ILLUSTRATION NO. 1325-108

This attachment ruffles one ply of material and joins it to another ply of material – in *ONE SEWING OPERATION.*

The Intermittent Ruffler Attachment performs at high-speed producing "quality" garments, all of which means greater sales – bigger profits.

Widely used for:

Este aditamento hace fruncidos a una pieza de material y la une a otra pieza de material en UN CICLO DE TRABAJO

Este Aditamento Fruncidor Intermitente hace prendas de vestir de de alta calidad en una forma rapida, lo cual significa un aumento en la producción, mayores ventas -grandes ganacias

Se usa extensivamente para:

- **RUFFLING AND SETTING IN SLEEVES**
- **RUFFLING AND JOINING WAISTS TO SKIRTS**
- **RUFFLING FRONT OR BACK YOKES**

- *PARA FRUNCIR Y APLICAR MANGAS*
- *PARA FRUNCIR Y UNIR LAS CINTURAS A LAS FALDAS*
- *PARA FRUNCIR LA PARTES DEL FRENTE Y DE ATRAS DEL CANESU*




Also used for many other ruffling operations on:

LADIES & CHILDREN'S DRESSES • BLOUSES
SPORTSWEAR • SPORTSWEAR • GOWNS
PAJAMAS • APRONS • SLIPS
SKIRTS • HOUSECOATS

También es usado para muchas otros trabajos donde se necesiten fruncidos en:

VETIDOS DE SEÑORAS / SEÑORITAS Y DE NIÑOS BLUSAS ROPA DEPORTIVA DE SPORT DORMILONAS PIJAMAS DELANTALES FALDAS BATAS DE CASA



Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co. 17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

BLINDSTITCH PIPING AND RUFFLING ATTACHMENTS ON ZIG ZAG MACHINE



ILLUSTRATION NO. 1325-109

This attachment is a combination of the Zig Zag Ruffler and the Invisible Piping Attachment.

- **Ruffles lace or material**
- **Forms the Piping and**
- **Sews them on top of the garment in one operation**

The ideal attachment for setting row upon row of ruffles – with beautiful invisible piping.
Adds beauty and style to the garment.
Can be used for ruffling only, piping only, – or both.

Can be easily installed on any one of the following machines:

Este aditamento es una combinación del Dispositivo Fruncidor Zig Zag y el Aditamento para hacer Vivos Rebordes de acordonado en una forma invisible.

Fruncidos de encaje o de tela

Los de Rebordes de acordonado Vivos y

Los cose y la parte superior de la prenda de vestir en un ciclo de trabajo.

Este aditamento es ideal para fijar hileras sobre hileras de fruncidos . . . con costura invisible.
Añade belleza y estilo a la prenda de vestir.
Puede ser usado solamente para hacer fruncidos, cosa solamente . . . o ambos.
Puede colocarse fácilmente en cualquiera de las máquinas siguientes.

SINGER	PFAFF
107 W1 Zig-Zag	438 Zig Zag
143 W1 Zig-Zag	142 Two-Needle
143 W2 Zig Zag	442 Two-Needle
457 Zig-Zag	UNION SPECIAL
112 W Two-Needle	62200 Two-Needle
212 W Two-Needle	

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

COLLAR RUFFLERS (Sandwich)



Available for all Single Needle machines. Lock or Chainstitch.
Ruffles lace between two plies of material.

Suministrado para todas las Máquinas de una Aguja, Máquinas de Doble Pespunte o Puntada de Cadeneta.

The Collar Ruffler ruffles lace, schiffli edging or other material–sets it in between the two ply material (collar, front or lapel) and joins them together all in *one sewing operation*.
It will also trim the edges leaving a clean finished seam when installed on an Edge-Cutter machine.

Este aditamento frunce el encaje u otro tipo de material entre dos pistas (cuello, parte del frente o solapa) las une a todos en un ciclo de trabajo.
Al ser instalado en la máquina Corta Borde (Edge Cutter Machine) cortará los bordes dejando la costura con un acabado limpio.



RECOMMENDED FOR:

LAPELS · PINAFORE FRONTS · PETER PAN COLLARS
BABY HATS · PILLOW CASES · TIERS OF RUFFLING on SKIRTS
TIERS OF RUFFLING on WAISTS

This attachment will prove to be a definite time saver by combining several sewing operation into one.

RECOMENDADO PARA

SOLAPAS PARA HACER EL FRENTE DE LOS DELANTALES DE NIÑAS
CUELLOS PETER PAN SOMBREROS DE RECIEN NACIDOS
FUNDAS DE ALMOHADA ATADORES O FRUNCIDOS A LOS FALDAS
ATADORES O FRUNCIDOS A LAS CINTURAS DE LOS VESTIDOS

Este aditamento probará ser de una gran economía al realizar diferentes trabajos en una sola de costura.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co. 17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



ILLUSTRATION NO. 1325-111
Lace ruffled between two ply collar in one operation.

El encaje es fruncido entre las dos piezas del cuello en un ciclo de trabajo.



ILLUSTRATION NO. 1325-112
Piping inserted automatically and lace ruffled between two ply collar in one operation.

El reborde de acordonado es insertado automáticamente y el encaje es fruncido entre las dos piezas de material del cuello en un ciclo de trabajo.



ILLUSTRATION NO. 1325-113
Ric Rac inserted automatically and lace ruffled between two ply collar in one operation.

El Ric Rac es insertado automáticamente y el encaje es fruncido entre las dos piezas de material del cuello en un ciclo de trabajo.



ILLUSTRATION NO. 1325-114
Cord and Piping inserted automatically and lace ruffled between two ply collar in one operation.

El Cordón y el Vivo Reborde de Acordonado es insertado automáticamente y el encaje es fruncido entre las dos piezas de materiales del cuello en un ciclo de trabajo.



Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

BAND AND RUFFLE



ILLUSTRATION NO. 1325-115

For joining cuffs to sleeves, and waistbands to the skirts, etc.

The Ruffling attachment is designed to reduce production costs when joining cuffs to sleeves or waistbands to skirts. One operation is all that's needed to ruffle and set in sleeves to cuffs (or skirt to band). The special placket folder folds under both edges of the cuff (or band) and topstitches the seam on both sides of the cuff or band.

Usado para unir los puños a las blusas, las pretinas a las faldas, etc.
El adiramiento para fruncir está diseñado para reducir el costo de la producción cuando une los puños mangas o las cinturas a las faldas en la forma que lo hace.
Una sola ción de trabajo es todo lo que se necesita para hacer el fruncido y unir las mangas a los puños (o las faldas a la banda). El especial placket folder dobla ambos orillos del puño (o banda) y pespuntea la costura del puño (o banda) en ambos lados.


Available for all Single, Double or Multi-Needle machines. In most cases a walking foot machine or a machine with puller is required.
See pages 270-274 for special pullers.

Suministrado para todas las maquinas de una aguja, maquinas de dos o multiples agujas. En la mayoria de los casos se necesita una maquina de triple arrastre o una maquina con un puller.
Para los puller especiales ver las paginas 270-274.

AIDS PRODUCTION BY ELIMINATING EXTRA SEWING OPERATIONS

AUMENTA LA PRODUCCION AL ELIMINAR TRABAJOS DE COSTURA INNECESARIOS.





All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.

Walker Tape Feeder Recommended For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

BINDER-RUFFLER



ILLUSTRATION NO. 1325-110

For ruffling and binding in one operation.

This attachment is widely used by manufacturers of ladies and children's dresses, nightwear, pajamas, aprons, housecoats, etc. to ruffle and, at the same time, sew bias binding on:

ARMHOLES OF SLEEVES · BOTTOMS OF SLEEVES

NECKLINES · APRONS · TRIMMINGS · UNIFORMS

Para fruncir y ribetear en un ciclo de trabajo.

Este aditamento es ampliamente usado por los fabricantes de vestidos de señoras y niños, dormilonas, pijamas, delantales, batas de casa, etc. para fruncir, al mismo tiempo, coser ribetes con cinta al sesgo a:

LAS SISAS DE LAS MANGAS · PARTE INFERIOR DE LAS MANGAS

ESCOTES · DELANTALES · ADORNOS · UNIFORMES



An adjustable lace tube can be furnished to automatically feed lace, edging or schiffli – for ease of operation. Especially ideal on necklines, pockets and bottoms of sleeves.

Please submit sample of bias binding with order as size of Binder is determined by thickness and width of binding used.

Se puede suministrar un aditamento, "Lace Tube", para alimentar automáticamente encaje, bordes u otros materiales - Para facilitar el trabajo.

Especialmente ideal para escotes, bolsillos y la parte inferior de las mangas.

Favor suministrar una muestra del ribete de cinta al sesgo al ordenar su orden, ya que el tamaño del ribeteador es determinado por el espesor y las anchuras del ribete usado.



Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

Available for all Single or Two-Needle machines. Lock or Chainstitch.

Suministrado para todas las máquinas de Una o Dos Agujas, Doble puntada o puntada de cadeneta.

All Rufflers are available with Intermittent Feature.

Sewing head must be shipped to our factory for installation.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

HEM AND RUFFLE



ILLUSTRATION NO. 1325-116

Ruffles bottoms of petticoats, slips, gowns, etc. The Ruffler Attachment is primarily designed to ruffle one ply of material with a ½" to 1½" heading, neatly hem a second ply and join the two pieces of material in one simple operation.

Here is attractive styling – easily sewn and profitably produced.

Utilizado para hacer fruncidos a la parte de abajo de las petticoats, fondos, dormilonas, etc. Este aditamento está primariamente diseñado para fruncir una pieza de material comenzando con ½" a 1½", nitidamente hace el ruedo a una segunda pieza uniendo las dos piezas en un ciclo de trabajo.


Tenemos un estilo atractivo - Hecho fácilmente, aumentando la producción.

GOWNS • APRONS • PETTICOATS • SLIPS • CHILDREN'S DRESSES

DORMILONAS DELANTALES PETTICOATS FONDOS ROPA DE NIÑOS

All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.





Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

EDGE TO EDGE RUFFLER



ILLUSTRATION NO. 1325-117

For ruffling edgings on tops and bottoms of ladies and childrens garments.

Available for all Single, Double and Multi-Needle machines.

Usado para hacer fruncidos a los orillas/bordes de los partes superiores e inferiores de las prendas de vestir de mujeres y niños.
Suministrado para todas las maquinas de una aguja, dos agujas y multiples agujas.

Production is greatly increased with this efficient, easy to use attachment. You can ruffle one ply of material and join it to the edge of the other ply all in one sewing operation.

The Edge-to-Edge Ruffler produces a better job – faster for less.


Ideal for applying ruffles to the following garments:

SLIPS - BLOUSES - PETTICOATS
GOWNS - CHILDREN'S DRESSES


La producion aumenta notablemente al usar este aditamento, facil de operar.
Ud puede fruncir una pieza de material y unirla a la orilla de otra pieza en una sola operación de costura.

Este "Edge to Edge Ruffler" realiza un mejor trabajo a un menor costo.
Es ideal para aplicar fruncidos a las siguientes prendas de vestir:

FONDOS BLUSAS PETTICOATS
DORMILONAS ROPA DE NIÑO







All Rufflers are available with Intermittent Feature.

Sewing head must be shipped to our factory for installation.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

EDGE TO EDGE ZIG ZAG RUFFLERS



ILLUSTRATION NO. 1325-118

These attachments are fast, easy to operate and may be safely used for positive ruffling on fine nets and laces.

Estos aditamentos realizan un trabajo rápido y son fácil de operar, y pueden ser usados sin peligro alguno para hacer fruncidos en mallas y encajes.


Available for all Zig Zag machines.

Suministrados para todas las máquinas Zig Zag

RECOMENDADO PARA:

FONDOS BLUSAS ADORNOS A LOS PETTICOATS

DORMILONAS/TUNICAS VESTIDOS DE NIÑOS






RECOMMENDED FOR:

SLIPS • BLOUSES • TRIMMINGS
PETTICOATS • GOWNS
CHILDREN'S DRESSES

ILLUSTRATION NO. 1325-119



All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

ZIG ZAG LACE RUFFLER



ILLUSTRATION NO. 1325-120


This practical attachment ruffles lace or similar material and sets it to the face of the garment – all in one operation.
The lace to be ruffled is fed through a suspended adjustable lace tube permitting less handling and effort on the part of the operator.

Este práctico aditamento, de hacer fruncidos de encaje o de materiales similares fabricados en la tapeta de las prendas de vestir - todo en un ciclo de trabajo.
El encaje que se va a fruncir es alimentado através del "lace tube", este tubo está suspendido y es ajustable, permite a la operaria más libertad y menos esfuerzo para usar sus manos al trabajar.

Adjustment for controlling the fullness of the ruffles is easily accomplished by simply turning the adjusting screw.
Available for all Zig Zag machines.
This highly popular attachment is especially designed for setting rows of ruffled lace to fronts of:
BLOUSES • SLIPS • GOWNS • PETTICOATS



El ajuste para controlar la amplitud del fruncido se realiza sencillamente al girar el tornillo de ajuste.
Suministrado para todas las máquinas Zig Zag.
Este popular aditamento está especialmente diseñado para fijar hileras de fruncidos o de encaje a la parte del frente de:
BLUSAS FONDOS DORMILONAS PETTICOATS



Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

All Ruffers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TWO NEEDLE RUFFLER

ILLUSTRATION NO. 1325-121

For decorative ruffles on slips, gowns, etc. Designed for use on Two Needle machines. Special Gauge Parts available for all Lock or Chainstitch machines. See pages 237-244.

Para aplicar fruncido de adorno a los fondos, dormilonas etc. Diseñado para usarse en máquinas de Dos Agujas. Juego Especial de las parte que forman el "Gauge de las máquinas de doble pespunte o máquinas de puntada de cadeneta son suministrados. Ver las paginas 237-244.





The Two Needle Ruffler automatically joins three strips of material – ruffling the middle strip (lace or net) – in one sewing operation. This attachment may be safely used on fine nets or laces.


Here's a time and labor saving device which produces a very desirable decorative trim.

Available for all Two Needle or Multi-Needle Lock or Chainstitch machines.

BOTTOMS OF SLIPS OR GOWNS • TOPS OF SLIPS OR GOWNS
BODICES • BED JACKETS • PAJAMAS • CHILDREN'S DRESSES

El aditamento Fruncidor de Dos Agujas automáticamente une tres franjas de tela – Frunciendo la franja del medio (encaje o malla) – en un ciclo de trabajo.
Este aditamento puede usarse sin ningun problema con mallas o encaje.
Este es un dispositivo que economiza tiempo y obra de mano y hace un adorno decorativo de calidad.
Suministrado para todas las máquinas de Dos Agujas o máquinas de de doble pespunte o puntada de cadeneta de multiples agujas.

LA PARTE DE ABAJO DE LOS FONDOS O DORMILONAS PIJAMAS
LA PARTE DE ARRIBA DE LOS FONDOS O LOS CUERPOS DE LAS DORMILONAS
CHAQUETAS DE CAMA VESTIDOS DE NIÑOS



Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

All Rufflers are available with Intermittent Feature.

Sewing head must be shipped to our factory for installation.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co. 17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

INTERMITTENT (Sandwich) CORD PIPER RUFFLER

ILLUSTRATION NO. 1325-122

This easy to use attachment produces a decorative trim effect at very low operating cost. This attachment is designed to ruffle one ply of material and join it to another ply while inserting cord and piping between these two plies. All these operations are performed in one easy, time-saving step.

Available for all Single Needle and Overlock machines.

A colorful effect is achieved when the color of the piping differs from the body of the garment. Manufacturers find the attachment to be a real production saver.



Este aditamento es muy facil de manejar, usado para hacer efectos decorativo a un costo bastante bajo. Esta diseñado para fruncir una pieza de material uniendola a otra pieza mientras inserta el cordón y el sesgo entre las dos piezas. Estos trabajos son hecho de una vez, economizando, así, tiempo al realizar el trabajo.


Suministrado para todas las máquinas de Una Aguja y máquinas de hacer sobrehilado.

Un efecto Visualleno de colorido se obtiene cuando el color del reborde de acordonado es diferente al color de la prenda de vestir. Los fabricantes encuentran éste aditamento de gran economía en la producción de prendas de vestir.

IDEAL FOR: CHILDREN'S DRESSES · PAJAMAS · LADIES WEAR · SPORTSWEAR INFANT'S WEAR · APRONS · PINAFORES · LINGERIE

IDEAL PARA: VESTIDOS DE NIÑOS · PIJAMAS · ROPA DE MUJERES · ROPA DEPORTIVA · ROPA INFANTIL · DELANTES · DEÑINAS · ROPA INTERIOR





Seaming 2 plies of material with cording and piping.
Top ply is flat; bottom ply is ruffled.
Cording and piping fed between the top and bottom plies.
Top ply is fed over the ruffling blade.
Cording and piping is fed over the top of the ruffling blade.
Bottom ply is fed between the stripper blade and the ruffling blade.
Cording and piping run continuously from their supply.
***Note:* Attachment will only handle one width of piping and one size or cord.**

Cosiendo dos piezas de material con cordón y rebordes de acordonadoversos.
La Pieza superior es plana; la pieza inferior está fruncida.
Los cordones y los sesgos son alimentados entre la piezas superior e inferior.
La pieza superior es alimentada por encima de la hoja fruncidora.
Los cordones y los rebordes de acordonado/sesgo son alimentados por encima de la hoja fruncidora.
La pieza inferior es alimentada entre la hoja separadora y la hoja fruncidora.
El cordón y el reborde de acordonado/sesgo son suplidos en una forma continua.
NOTA: Este aditamento podrá trabajar solamente con una anchura de rebordes de acordonado/sesgo y un tamaño de cordón.

All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.

Walker Tape Feeder Recommended For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

THREE PIECE (Sandwich) TOPSTITCH RUFFLER



ILLUSTRATION NO. 1325-123

For ruffling lace on yokes, pockets, etc.

This dependable attachment ruffles lace, schiffli or other edging and automatically sets it in between 2 ply material, topstitching the top ply – *all in one sewing operation*. The lace is fed through an adjustable tube for ease of handling.

With this Ruffler, operators can produce better quality workmanship with less handling and effort, in one easy operation.

Available for all Single Needle Lock or Chainstitch machines.

Ideal for inserting lace in the following operations:

- **Front yokes**
- **Back yokes**
- **Pockets**

Para hacer fruncidos de encaje al canesú, bolsillos, etc.

Este aditamento es usado para hacer fruncidos de encaje, schiffli u otras bordas ajustándolas automáticamente entre las dos pieces, pespunteandolos en un solo ciclo de trabajo. El encaje es alimentado atraves de un tubo ajustable el cual facilita el manejo del mismo.

Con este aditamento, las operarias pueden producir facilmente un trabajo de una mejor calidad sin gran esfuerzo en un ciclo de trabajo.

Surtimiento para todas las máquinas de Doble Pespunte y Puntada de Cadeneta de Una Aguja.

Ideal para insertar encajes a las siguientes operaciones:


- *La parte de adelante del Canesú*
- *La parte de atras del Canesú*
- *Bolsillos*



Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

All Rufflers are available with Intermittent Feature.

Sewing head must be shipped to our factory for installation.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TOPSTITCH RUFFLERS

For Ruffling Yokes, Waistlines, etc.

Available for all Single or Double Needle Lock or Chainstitch machines.

These attachments ruffle one ply of material, fold the edge of the other material and join the two plies with a strong, topstitched seam *in one operation*. They pay for themselves by eliminating extra handling and additional sewing operations. At the same time, the garments are sewn with sure, positive ruffling.



Para hacer fruncidos al Cuerpo, cinturas, etc.
Suministrados para todas la máquinas de Doble Pespunte o Puntada de Cadeneta de Una o Dos Agujas.
Estos aditamentos hacen fruncidos a una pieza de material, doblan el bordecillo de la otra pieza uniéndolas con costura pespuntevada fuerte en un ciclo de trabajo. Estos aditamentos se pagan por si solos al eliminar el cuidado y operaciones extras de costura. Al mismo tiempo las prendas de vestir son cosidas con un fruncido estable y perfecto.





Topstitch Rufflers are widely used by garment manufacturers for the following operations on Ladies Gowns, Dresses, Blouses, Sportswear, Uniforms, Housecoats, etc.

- **For sewing ruffles to bottoms of slips or gowns.**
- **For ruffling front yokes**
- **For ruffling back yokes**

Este aditamento, "Topstitch Ruffler," es usado extensivamente por los fabricantes de ropa para las siguientes operaciones: Vestidos de Fiesta de Señoras/Señoritas, Vestidos, Blusas, Ropa Deportiva, Uniformes, Batas de Casa, etc.

- *Para Coser fruncidos/plisado a los Fondos, Trajes de Mujeres/Túnicas.*
- *Para hacer fruncidos a la parte del frente del Cuerpo.*
- *Para hacer fruncidos a la parte de atrás del Cuerpo.*

All Rufflers are available with intermittent feature. Sewing head must be shipped to our factory for installation.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TOPSTITCH RUFFLERS




ILLUSTRATION NO. 1325-124

Intermittent Ruffling and Topstitching in one operation.

Usado para hacer fruncidos en una forma intermitente y pespuntear en un ciclo de trabajo.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)




ILLUSTRATION NO. 1325-125

Piping inserted automatically while ruffling and topstitching in one operation.

Usado para insertar el reborde de acordonado automáticamente mientras hace el fruncido y pespuntea en un ciclo de trabajo.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)




ILLUSTRATION NO. 1325-126

Cord and Piping inserted automatically while ruffling and topstitching in one operation.

El cordón y el reborde de acordonado/piping es insertado automáticamente cuando hace el fruncido y pespuntea en un ciclo de trabajo.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)




ILLUSTRATION NO. 1325-127

Ric Rac inserted automatically while ruffling and topstitching in one operation.

El Ric Rac es insertado automáticamente mientras hace el fruncido y pespuntea en un ciclo de trabajo.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SUSPENDED LACE RUFFLER

ILLUSTRATION NO. 1325-128
For ruffling lace to face of garment.
This attachment ruffles lace, edging or shiffli and sets it to any part of the garment.
The attachment is designed so that the body of the garment can be moved freely across the bed of the machine.

Para coser fruncidos a las tapetas de las prendas de vestir.
Este aditamento frunce el encaje, hace bordes o shiffli fabricados a cualquiera parte de la prenda de vestir.
Este aditamento está diseñado de tal forma que el cuerpo de la prenda de vestir se pueda mover libremente através de la cama de la máquina.

Available for all Single Needle Lock or Chainstitch machines.


Suministrado para todas las máquinas de Doble puntada o Puntada de Cadeneta de Una Aguja.

A popular production time saver with manufacturers of the following lines:
CHILDREN'S DRESSES • BLOUSES • APRONS • SLIPS • GOWNS • PETTICOATS

Este dispositivo es muy popular como fabricantes al economizar tiempo durante la fabricación de:
VESTIDOS DE NIÑOS BLUSAS DELANTALES FONDOS DORMILONAS/TUNICAS PETTICOATS



All Rufflers are available with Intermittent Feature.
Sewing head must be shipped to our factory for installation.



Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

INTERMITTENT 3-PIECE YOKE RUFFLER



ILLUSTRATION NO. 1325-129

For shirt or blouse yoking.


Ruffles the middle ply (from notch to notch), sets it in between the top and bottom yoke – and joins the three pieces with a strong topstitched seam – *all in one sewing operation.*

Now operators can produce better quality workmanship with less handling and effort in one easy operation.

Available for all Single Needle Lock or Chainstitch machines.

Para hacer el fruncido del Canesú de las camisas o blusas
Hace fruncidos a la pieza del medio (de un extremo a otro) Lo fija entre el Canesú de la parte de arriba y el de la parte de abajo - uniendo las tres piezas con una costura pespuntéada fuerte - Todo esto en un ciclo de trabajo.
Ahora, las operarias pueden producir un trabajo de mejor calidad, con muchos esfuerzos, en un ciclo de trabajo.
Suministrado para todas las máquinas de Doble Pespunte o Puntada de Cadeneta de Una aguja





Ideal for the following operations:

- **Yoke ruffling on shirts**
- **Ruffling on pinafore styles**
- **Ruffling back yokes on blouses**

It can be used for intermittent or continuous ruffling.

Ideal para hacer los siguientes trabajos:

- *Para hacer el fruncido al Canesú de las camisas*
- *Para hacer el fruncido estilo pinafore*
- *Para hacer fruncidos en la parte de atras del Canesu de las blusas*

Puede ser usado hacer fruncidos a interpolos o en una forma continua.

All Rufflers are available with Intermittent Feature.


Sewing head must be shipped to our factory for installation.

Walker Tape Feeder Recommended
For Use With Rufflers (See Page 407)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



TYPICAL PARTS FOR OVERLOCK RUFFLERS

TYPICAL RUFFLER FOR FLATBED MACHINES

Specify Machine Type, Model, and Class When Ordering Parts




1375
VIBRATING BINDER

A mechanical device driven from the machine handwheel designed to provide an oscillating movement.

- AVAILABLE FOR ALL FLATBED OR CYLINDER BED MACHINES.
- EASILY INSTALLED
- FOR RIGHT ANGLE BINDERS.
- MAXIMUM SPEED 4250 RPM



When sewing bias or stretch type binding the unit is adjusted to move the folder in synchronization with the feed dog. The distance of movement is greater than the stitch length. This movement allows the binder to draw additional material from the roll and relieves the tension created by the binding turning the 90 degree corner. This reduces the pucker and roping.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1375
VIBRATING BINDER

DESCRIPTION: A mechanically operated device designed to provide an oscillating movement to a right angle binder.


OPERATION: When sewing stretch binding the unit is adjusted to move the folder in snychronization with the feed dog. The distance of movement should be greater than the stitch length. This movement allows the binder to draw additional material from the roll and feed fullness under the foot. This relieves the tension created by the binding turning the 90 degree corner, and reduces the pucker and waving resulting from that tension.

MACHINE CLASS: All industrial flat and cylinder bed machines.

MAXIMUM SPEED: 4250 RPM

CONFIGURATIONS:









PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

1510

INTERMITTANT TOP SHIRRING

(OVERLOCKS)



This variable ratio shirring device is adaptable to most overlock machines and is easily installed by your mechanic. The 1510 swings out for machine threading and repair and detaches quickly when not needed. No machine modification is required and the sewing speed is not reduced in any way.

- VARIABLE SHIRRING RATIO
- FULL SEWING SPEED
- SIMPLE INSTALLATION
- INCREASED PRODUCTION
- ADAPTS TO EXISTING MACHINES

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Skipping is Fun



But Not In Sewing Operations

Atlanta Attachment's custom designed fluted rollers help reduce skipped stitches by providing a positive, uniform feed. Presser foot tension may be greatly reduced thereby eliminating the feeding stall that causes skipping.





- Reduce rejects & repairs
- Reduce downtime
- Cross heavy seams easily
- Handle all weight fabrics
- Available for most machines
- Positive – uniform feed

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SEWING ELASTIC IN SWEAT PANT LEGS ?? AUTOMATIC CUT APART

Our Model 1535E/1536 is ergonomically designed for either stand up or sit down operation with pneumatic bundle clamp so bundles may be tied or loose. Automatic cut apart eliminates costly pull back and manual cut apart. Model 1536 features automatic start / stop eliminating waste.







- DOCUMENTED PRODUCTION OVER 250 DOZEN PAIR IN 8 HOURS
- MODEL 1536 OFFERS AUTOMATIC START/STOP ENSURING CONSISTENT ELASTIC TRIM ELIMINATING WASTE
- SAVE ELASTIC
- SIMPLE ELECTRIC EYE CONTROL

Video tape available FREE upon request

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


MODEL 1535E / 1536

AUTOMATIC CUT APART ATTACHMENT

DESCRIPTION: An electro-pneumatic device consisting of a variable speed puller, an impact type cutter controlled by a single retro reflective eye, and a belt conveyor positioned to the side of the presser foot. Designed to automatically cut raw rubber or narrow elastic between garment parts such as sweat pant legs.

OPERATION: The operator presents the material through a downturn hemmer and under the presser foot and depresses the machine treadle to sew. Each successive part is sewn with minimal gap to reduce elastic or rubber waste. The variable speed puller runs faster than the sewing speed and creates a larger gap. The retro reflective eye senses the leading edge of each part and automatically cycles the impact cutter to separate the parts. The side conveyor carries the leading edge to the puller and prevents the gathered material from jamming.

MACHINE CLASS: Most industrial machines









Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Set - In Pockets making you sweat?



- Hooded Sweat shirts
- Tubular knit shorts
- Sweat Pants
- Placket Front Shirts
- Back pocket on wovens with welt



Pat. Pend.- US & Foreign

Programmable Center Knife Gauge Set retrofits to all two needle Lockstitch machines in about one hour.

Completely Automatic when machine is equipped with electronic motor, Back Tack, and stitch count. Welt Guides may be added as required.

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1800P

Center Knife Gauge Set

DESCRIPTION: A retrofit Gauge Set with movable center knife to facilitate the cutting of pocket opening in panel and pocketing material. Knife begins to cut in front of sewing stitches and ends cut before sewing ceases. This differential in sew length versus cut length may be changed as desired.

OPERATION: The Operator places and pocketing material under presser foot, presses sewing treadle to begin sew cycle, the knife automatically shifts to the rear position after the beginning back tack is completed. The knife is reset to the front position upon completion of the finish back tack thread trim and footlift. A machine equipped with stitch count capability will allow the operator to press the treadle once to complete the cycle automatically.

MACHINE CLASS:
Juki - 1152 & 1178
Brother - LT2B832 & LT2B842
Mitsubishi - LT2-230 & LT2-2230
Pfaff - 442 & 1442
Durkopp - 244

1/4" - 5/16" - 3/8" - Specials on request



WOVEN SHORT PANTS BACK POCKET



PLACKET FRONT KNIT SHIRT



1/4 GA. w/ 3/32 Differential
Illustrated Seam and Cut Diagram.
Differential between seam and cut as desired.



SWEAT PANTS



KNIT OR WOVEN JACKETS



KNIT SHORTS

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TRIM YOUR COST WITH OUR
MULTI NEEDLE UNDERTRIMMER
RETROFITS TO MOST CHAINSTITCH MACHINES UP TO 25 NEEDLES





The Model 1904 Undertrimmer can be adapted to machines with almost any type folder, such as hemmers, banders, etc. The unit is particularly effective on circular operations.



Model 1904

This electronically controlled pneumatic operated knife includes an automatic footlift, an electronic motor for needle positioning and will not effect the normal operation of the sewing machine.



Video tape available FREE upon request

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1904

MULTI NEEDLE UNDERTRIMMER

US AND FOREIGN PATENTS APPLY

DESCRIPTION: An electronically controlled pneumatic operated knife which includes an automatic footlift and an electronic motor for needle positioning. This unit is designed to cut both needle and looper threads and is available for retrofit to most industrial 401 chainstitch machines up to 25 needles and any gauge.

OPERATION: At the end of each sewing cycle, the operator heels the sew treadle to position the needle up, lift the presser foot and puller, and actuate the trimmer to cut the threads. The sewn piece can then be removed. The Model 1904 undertrimmer will not effect the normal operation of the sewing machine.

MACHINE CLASS: Most industrial multi needle machines.



CIRCULAR BANDS



TOPSTITCHING



Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Our Solutions To Sewing Problems Mean Bigger Profits For Our Customers.



Recently a major manufacturer of jeans apparel faced a sewing problem that required hours of operator training and time-consuming handwork. No automated process for producing jacket tabs was available on the market. The manufacturer turned to Atlanta Attachment Company for research, development and production of a workstation that would quickly and consistently produce a quality tab.

The result? The Automatic Tab Unit.

The manufacturer now saves time and money on every tab produced. Bigger profits are the real pay-off.

The Automatic Tab Unit is just one example of Atlanta Attachment Company's ability to solve problems for customers. If an existing machine doesn't meet a customer's needs, we can make one that will.



MODEL # 1955

Video tape available upon request

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1956

AUTOMATIC EPAULET SEWING STATION

DESCRIPTION: A electro-pnuematic controlled tab formation unit for use with cam or electronic pattern stitchers. This unit consists of folder, insertion device, presser foot and nest area, and control package to sew a rectangular tab for jeans type jacket shoulder and waist tabs.

OPERATION: A rectangular patch is loaded downward into the vertical folder causing the long edges on both sides to be folded under. When the part covers the bottom sensor the unit swings away from the operator and into position at the presser foot. The insert tongue the pushes the part from the center into the nest area causing the patch to fold over on itself. The presser foot drops and the insertion tongue retracts which initiates the sew cycle. The mechanism simultaneously swings toward the operator for loading the next piece. As each piece is inserted, the previously sewn tab is automatically ejected.

MACHINE CLASS: Most industrial cam or electronic tackers

OPTIONS: Available as manual, semi automatic or fully automatic as described

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


Sudden Service

1987

AUTOMATIC WAISTBAND SETTING

(JEANS, CASUAL SLACKS)

JEANS BAND





THIS UNIT PRODUCES FINISHED WAISTBANDS WITH THE ENDS UNSEWN AND CUT TO PRECISE LENGTH. THE WAISTBAND IS AUTOMATICALLY MEASURED AS IT IS SEWN AND THE OPERATOR IS ALERTED IF THE FINISHED SIZE IS INCORRECT.


- INCREASED PRODUCTION
- LOWER OPERATOR SKILL
- CONSISTANT HIGH QUALITY
- AUTOMATIC WAISTBAND MEASUREMENT
- PRECISE BAND END TRIM
- NO STITCH RIPPING AT CLOSING BAND ENDS

DOWNTURN HEM



WITH BOTTOM BAND

TOP & BOTTOM



TWO PIECE BAND

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1987
AUTOMATIC WAISTBAND STATION

DESCRIPTION: An electronically controlled, electro-pneumatic operated device designed to produce finished waistbands with the band ends unsewn and cut to precise length. This station consists of a multi-needle sewing machine*, an auxilliary power feed package, pneumatic saftey knife, and control package including electronic motor and automatic waistband measuring capability.

OPERATION: The operator inserts the garment into the folded band and up to a mark on the throat plate which closes the leading edge sensor. Depressing the sew treadle begins the sewing and the stitch count. When the preset number of stitches are sewn the machine is automatically stopped while the safe y knife trims the band. Sewing then continues under operator control until the trailing edge of the garment is sensed. The trailing edge sensor automatically stops the sewing, actuates the undertrimmer (lockstitch machines), lifts the presser foot and engages the auxilliary power feed to draw the garment and banding to the precise point of end trim. A three digit counter may be set for the desired waistband size and a digital readout is illuminated during sew. This will energize indicator lights if the finished garment is not in tolerance.

MACHINE CLASS: Most industrial multi-needle machines.

*Sewing head supplied by customer

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617
Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

WALKER TAPE FEEDER



Shown With Top Metering Device

(Walker Fabric Controls is a wholly owned subsidiary of ATLANTA ATTACHMENT COMPANY)

No. 2110-110 Volt AC
No. 2220-220 Volt AC

AVAILABLE WITH SPECIAL ROLLER FOR ZIPPER OR OTHER TRIM.

The Walker Tape Feeder is a dispensing device for all types of zipper chain, lace, elastic or other trim.

The tape feeder unit keeps slack in trim and delivers it to the sewing machine in a relaxed condition.

- Quality is greatly improved.
- Sizing can be maintained.
- Eliminates wasted trim.
- Increases production.


SUMINISTRADO CON UN RODILLO ESPECIAL PARA APLICAR CREMALLERAS U OTRO ADORNOS

El Alimentador de Cinta Walker es un aparato que permite usar cadeneta para las cremalleras, encaje, elástico y otros adornos.
Esta unidad permite que flojedad en el adorno y lo lleva a la máquina en una forma relajada.
La calidad es mejorada grandemente.
Puede mantener el tamaño.
Elimina el desperdicio del adorno.
Aumenta la producción.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



Illus. No.	Part No.	Description
1	W11	Master Idler Guide
2	W17	Side Guide Adjustment Block Set
3	W1001A	Knurled Idler Roller
4	W1001B	Knurled Idler Roller
5	W1002	Roller
6	W1003	Roller
7	W1004	Roller Assembly
8	W1005	Roller Guide
9	W1006	Roller Guide Complete (Upper)
10	W1011	Tension Spring
11	W1012	Idler Guide Complete (Lower)
12	W1013	Upper Arm
13	W1014	Idler Mounting Bracket
14	W1015	Tension Assembly
15	W1016	Tension Assembly
15A	W1017	Tension Assembly
15B	W1018	Tension Assembly
16	W1019	Lower Arm
17	W1020	Idler Mounting Bracket
18	W1021	Tension Assembly
18A	W1022	Tension Assembly
19	W1023	Tension Assembly
20	W1024	Roller Guide
20A	W1025	Roller Guide
21	W1026	Roller Guide
22	W1027	Roller Guide
23	W1028	Roller Guide
24	W1029	Roller Guide
25	W1030	Roller Guide
26	W1031	Roller Guide
27	W1032	Roller Guide
28	W1033	Roller Guide
29	W1034	Roller Guide
30	W1035	Roller Guide
31	W1036	Roller Guide

Illus. No.	Part No.	Description
1A	W110	Motor 110 Volt
1B	W111	Motor 220 Volt
2	W1071	Terminal Board
2A	W15	Power Cord 110 Volt
2B	W16	Power Cord 220 Volt
3	W17	Power Cord Clamp
4	W1018	Mercury Tube (110)
5	W1031	Mercury Switch Complete
6A	W1032	Rotor Bushing
6B	W1018	Mercury Switch Stud
7	W1017	Variable Knob
8	W1002A-1	1" Grooved Aluminum Roller
9	W1001-A	2" Grooved Aluminum Roller
10	W1031	1" Hardened Dowel Roller (Left)
11	W1031	2" Hardened Dowel Roller (Left)
12	W1003	Steel Mounting

Parts Not Illustrated

W10	110 Volt Motor Assembly
W11	220 Volt Motor Assembly
W12	Base Table Mount
W15A	Motor Bushing
W1001-C	Mounting Stud
W1002	Wing Nut

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

WALKER BACK TACKER

(Walker Fabric Controls is a wholly owned subsidiary of ATLANTA ATTACHMENT COMPANY)



Overlock chain is cut and held by back tacker at the end of each seam.

When operator starts the next seam the chain is sewn into the stitch eliminating trimming and the need for tacking

An operator can be trained in hours. The back tacker is a recognized work aid. Presser foot must be grooved to guide chain. Presser foot lift and tension opener recommended for best operation.



No. 2025 – 2500 Juki No. 2027 – 227 Rimoldi

No. 2037 – 327 Rimoldi No. 2039 – 39500 Union Special

No. 2043 – A3 or M3 Merrow No. 2045 – 832/551 Brother

No. 2047 – 504E W&G No. 2057 – 527 Rimoldi

No. 2088 – 880 Juki No. 2027Y – Yamato

No. 2067 – Rimoldi 627

3037
LOWER BACK TACKER

This type Back Tacker can be installed into the lower bed plates of most overlocks.

It may be preferred on certain operations or operator preference, however, it performs the same as the upper type above.

Needle positioning motor, foot lift, and tension opener available for most machines.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

PARTS LIST FOR AUTOMATIC EQUIPMENT ON FOLLOWING PAGES

Part No.	Description
A-2	ROD CONNECTOR, 3/8 x 1/2 BORE
A-20	BACK WINDER
A-20-1	TENSION RACK FOR BACKWINDERS
AC-1	STRIP CUTTER WITH COUNTER
AP-10	ZERO MAX STANDARD PULLER
AP-11	ZERO MAX PULLER, SHORT ARM MODEL
AP-12	PULLER, TOP SUPPORT MODEL
AP-13	ZERO MAX PULLER, SHIRTMAKER MODEL
AP-14	SPAGHETTI PULLER
AP-16-C	ZERO MAX PULLER WITH EXTENSION (Specify width required measuring from the needle line to the end support)
AP-16 C1	PULLER END SUPPORT
G-100-8	GEARED PULLER, 300W (Specify Stitch Gear Desired)
K-1	HIGH STAND
W-12	BASE TABLE MOUNT
520	SPAGHETTI FOLDER
778	ROLL HOLDER WITH CLAMP, LOWER
778-1	DOUBLE MATERIAL ROLL HOLDER,LOWER
778-2	MATERIAL ROLL HOLDER (LONG) SINGLE
778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
778-4	HEAVY DUTY BALL BEARING ROLL HOLDER
780-D1	LACE GUIDE ARM
780-D2	DOUBLE ADJUSTABLE GUIDE ARM
780-U	UNIVERSAL BINDING REEL, BALL BEARING WITH BRAKE
781	MATERIAL ROLL HOLDER, CLAMP ON BINDING STAND, NON-ROTATING DISC
781-1	MATERIAL ROLL HOLDER WITH BALL BEARING DISC, CLAMP ON STAND
781-3	PIPING STAND
782	SINGLE OVERHEAD TAPE STAND
782-1	DOUBLE MATERIAL ROLL HOLDER, UPPER
786	DISC WITH CONE BEARING, SPECIFY BORE OF DISC AND CONE SIZE
787-1	½" CONE BEARINGS, SPECIFY BORE
787-1A	½" CONE BEARINGS, SPECIFY BORE
787-2	1" CONE BEARINGS,SPECIFY BORE
787-3	2¼" CONE BEARINGS, SPECIFY BORE
787-4	3 1/8" CONE BEARINGS, SPECIFY BORE
1000-1	TENSION ARM, SPECIFY LENGTH
4000	MOTOR CLUTCH CONTROL
4001	TRANSFORMER-110V
4002	TRANSFORMER-220V
4003	THREAD CONTROL
4005	STOP BUTTON
4007	MATERIAL CONTROL (Up to 3" width)
4008	TABLE TOP (Specify Machine Class)
4009	DISC CONTROL AND MOUNT COMPLETE
4009-1	DISC CONTROL ONLY
4011	ROLL HOLDER, HEAVY DUTY
4012	TENSION RACK (Specify width desired)
4014	SHAFT END SUPPORT WITH BEARING FOR A-20
4048	TABLE TOP (Specify Machine Class)
4049	MOTOR-110V
4050	MOTOR-220V
4113	CONTROLS FOR THREE THREADS

No. de la Parte	Descripción
A-2	Varilla de conexion. Bore de 3/8 x 1/2
A-20	Aparato para enrrollar materiales, cintas, etc.
A-20-1	Perchero para controlar la tensión del aparato usado para enrrollar materiales, cintas.
AC-1	Portacinta y mostrador.
AP-10	Dispositivo estándard Puller Zero-Max
AP-11	Zero-Max Puller, de brazo corto.
AP-12	Puller, modelo colocado en la parte superior.
AP-13	Zero-Max Puller, modelo usado en la fabricación de camisas.
AP-14	Puller para galones tubulares.
AP-16-C	Puller al final del soporte.
G-100-8	Puller de engranaje, 300W (indicar el engranaje deseado)
K-1	Estante elevado alto.
W-12	Base de la montura de la mesa.
520	Dobladillador para confeccionar galones tubulares.
778	Aparato inferior para sujetar rollos.
778-1	Dispositivo colocado en la parte inferior, usado para sujetar rollos de materiales dobles.
778-2	Dispositivo sencillo, largo, usado para sujetar rollos de materiales
778-3	Sujetador sencillo con aparato para sostener los rollos, con cojinete de bolas.
778-4	Aparato para sujetar rollos de materia con cojinete de bolas, fuerte, pesado.
780-D1	Brazo Guia de Encaje.
780-D2	Brazo Guia de Encaje.
780-U	Portacinta Universal, cojinete de bolas con freno.
781	Dispositivo para sujetar rollos, fijo en el estante del ribeteado con disco fijo.
781-1	Sujetador de rollos de materiales con disco de cojinete de bolas, adaptado al estante.
781-3	Estante para colocar reborde de acordonados/vivos.
782	Estante sencillo para colocar cintas.
782-1	Sujetar superior para rollos de materiales dobles.
786	Disco con cojinete de cono, indicar el (Bore del disco) y el tamaño del cono.
787-1	Cojinete de cono de ½", indicar el "Bore"
787-1A	Cojinete de cono de ½", indicar el "Bore".
787-2	Cojinete de cono de (una pulgada) 1", indicar el "Bore"
787-3	Cojinete de cono de 2¼", indicar el "Bore".
787-4	Cojinete de cono de 3 1/8M, indicar el "Bore".
1000-1	Brazo de Tensión, indicar el largo.
4000	Controlador del motor de embrague.
4001	Transformador de 110V.
4002	Transformador de 220V.
4003	Controlador del hilo.
4005	Botun de parada.
4007	Controlador del material (Hasta 3" de ancho)
4008	Tablero (indicar la clase de máquina)
4009	Disco controlador y montura completa.
4009-1	Disco controlador solamente.
4011	Sujetador de Rollos para materiales pesados.
4012	Perchero controlador de tension (indicar el ancho).
4014	Eje/Arbol y Soporte con Cojinete para la A-20
4048	Tablero (indicar la clase de maquina)
4049	Motor de 110V.
4050	Motor de 220V.
4113	Controlador de tres (3) hilos.


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

TYPICAL WIRING DIAGRAM FOR AUTOMATICS







INSTRUCTIONS

FILLING PANELS WITH MERCURY

1. Remove Screw "A".
2. Slowly remove side of Panels "B".
3. Fill with Mercury–⅛ Full–on each side of Panel "C".
4. Drop Wires "D" back to bottom of panel, reset sides and set screw "A" back into original position and tighten.

USE SAME PROCEDURE FOR ALL MERCURY PANELS.

INSTRUCCIONES PARA LLENAR LOS TABLEROS (PANELS) CON MERCURIO

1. *Remover el tornillo "A".*
2. *Remover lentamente el lado "B" del tablero.*
3. *Llenar con ⅛ de Mercurio cada lado del tablero "C".*
4. *Meter los alambres "D" hasta el fondo del tablero, poner, arreglar los lados y colocar y poner el tornillo "A" en su posición original. Bien apretado.*

Use el mismo procedimiento para todos los tableros de mercurio.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php


© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING MATERIAL FOR HANDBAG HANDLES.

SINGER 300
SINGER 302
METROPOLITAN
PFAFF 5642




Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
5.	K-1	HIGH STAND
	4049	MOTOR–110V
	4050	MOTOR–220V
	4048	TABLE TOP (Specify Machine Class)
6.	778-1	DOUBLE MATERIAL ROLL HOLDER, LOWER
7.	4008	ROPE GUIDE AND MATERIAL CONTROL
8.	4008	ROPE GUIDE AND MATERIAL CONTROL
9.	4009	DISC CONTROL AND MOUNT, COMPLETE
10.		FOLDERS
11.		DOUBLE GROOVE PULLEY
13.	4011	ROLL HOLDER, HEAVY DUTY
14.	4011	ROLL HOLDER, HEAVY DUTY
15.	4011	ROLL HOLDER, HEAVY DUTY
16.	4011	ROLL HOLDER, HEAVY DUTY

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING MATERIAL FOR HANDBAG HANDLES.

PFAFF 5642
SINGER 300W
UNION SPECIAL 51700
RIMOLDI 264



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
5.	K-1	HIGH STAND
	4049	MOTOR–110V
	4050	MOTOR–220V
	4048	TABLE TOP (Specify Machine Class)
6.	781	MATERIAL ROLL HOLDER, CLAMP ON BINDING STAND, NON-ROTATING DISC
7.	4007	MATERIAL CONTROL (Up to 3" Width)
8.	781	MATERIAL ROLL HOLDER, CLAMP ON BINDING STAND, NON-ROTATING DISC
9.	4007	MATERIAL CONTROL (Up to 3" Width)
10.	4008	ROPE GUIDE AND MATERIAL CONTROL
11.	4008	ROPE GUIDE AND MATERIAL CONTROL
12.	4011	ROLL HOLDER, HEAVY DUTY
13.	4011	ROLL HOLDER, HEAVY DUTY
14.		FOLDER–LEFT
15.		FOLDER–RIGHT


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY OVERLOCKING TWO PIECES OF MATERIAL CONTINUOUSLY.

SINGER 246
RIMOLDI 327
UNION SPECIAL 39500
WILLCOX & GIBBS 504
JUKI 816



Illus. No.	Part No.	Description
1.	4113	CONTROLS FOR THREE THREAD
2.		DOUBLE PULLEY (Not Shown)
3.		MATERIAL GUIDE
4	4005	STOP BUTTON
5.	4009-1	DISC CONTROL ONLY
5a.	4012	TENSION RACK (Specify Width Desired)
6.	4000E	MOTOR CLUTCH CONTROL (Not Shown)
7.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
8.	K-1	HIGH STAND

Illus. No.	Part No.	Description
8a.	4049	MOTOR–110V
	4050	MOTOR–220V (3 Phase)
9.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
10.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
11.	A-20-1	TENSION RACK FOR BACKWINDERS
12.	4048	TABLE TOP (Specify Machine Class)
13.	A-20	BACKWINDERS


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY OVERLOCKING TWO PIECES OF MATERIAL AND REWINDING

UNION SPECIAL 39500
RIMOLDI 327
WILLCOX & GIBBS 504
JUKI



Illus. No.	Part No.	Description
1.	A-20	BACK WINDER
2.	4113	CONTROLS FOR THREE THREADS
3.	AP-11	ZERO MAX PULLER, SHORT ARM MODEL
4.		MATERIAL GUIDE (Not Shown)
5.	4009	DISC CONTROL AND MOUNT, COMPLETE
6.		PULLEY WHEEL, DOUBLE GROOVE
7.	4000E	MOTOR CLUTCH CONTROL
8.	K-1	HIGH STAND
9.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
10.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
11.	4048	TABLE TOP (Specify Machine Class)
12.	4049	MOTOR–110V
	4050	MOTOR–220V

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATIC JOINING TWO CONTINUOUS ROLLS OF MATERIAL

2-NEEDLE CHAINSTITCH

UNION SPECIAL 56400–51400
RIMOLDI 264
SINGER 300W–302W
METROPOLITAN
PFAFF 5642




Illus. No.	Part No.	Description
1.	4000E	MOTOR CLUTCH CONTROL
2.	4003	THREAD CONTROL (UPPER)
3.	4003	THREAD CONTROL (LOWER–Not Shown)
4.	4009-1	DISC CONTROL ONLY (2)
5.	4012	TENSION RACK (Specify Width Desired)
6.	778-1	DOUBLE MATERIAL ROLL HOLDER, LOWER
7.	AP-13	ZERO MAX PULLER, SHIRTMAKER MODEL
8.		DOUBLE GROOVE HANDWHEEL
9.	A-20	BACKWINDER (Not Shown)
10.	4048	TABLE TOP (Specify Machine Class)
11.	4049 4050	MOTOR–110V MOTOR–220V (3 Phase)
12	K-1	HIGH STAND
13.	4001 4002	TRANSFORMER–110V (Not Shown) TRANSFORMER–220V (Not Shown)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

OVERLOCK SERGER.
CONTINUOUS HEMMING WITH BACKWINDER.

UNION SPECIAL 39500
RIMOLDI 327
WILLCOX & GIBBS 504
JUKI



Illus. No.	Part No.	Description
1.	A-20	BACKWINDER
2.	4113	CONTROLS FOR THREE THREADS
3.		DOUBLE GROOVE PULLEY (Specify Machine Class)
4.	4009-1	DISC CONTROL ONLY
4a.	4012	TENSION RACK
5.	4000E	MOTOR CLUTCH CONTROL
6.	K-1	HIGH STAND
7.	778-2	MATERIAL ROLL HOLDER (LONG) SINGLE
8.	4001 4002	TRANSFORMER–110V (Not Shown) TRANSFORMER–220V (Not Shown)
9.	4014	SHAFT END SUPPORT WITH BEARING FOR A-20
10.	4012	TENSION RACK (Specify Width Desired)
11.	4048	TABLE TOP (Specify Machine Class)
12.	4049 4050	MOTOR–110V MOTOR–220V (3 Phase)


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

AUTOMATICALLY HEMMING
SINGLE NEEDLE CHAINSTITCH
UNION SPECIAL 51300–56300
RIMOLDI 264
SINGER 253, 262, 300W
WILLCOX & GIBBS 5483



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.		DOUBLE PULLEY WHEEL
4.		TURN DOWN HEMMER (Send Sample)
5.	4009	DISC CONTROL AND MOUNT COMPLETE
6.	4000E	MOTOR CLUTCH CONTROL
7.		TURN-UNDER PRE-FOLD (Send Sample)
8.	K-1	HIGH STAND
9.	4001 4002	TRANSFORMER–110V TRANSFORMER–220V
10.	4012	TENSION RACK (Specify Width Desired)
11.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
12.	4014	SHAFT END SUPPORT WITH BEARING FOR A-20
13.	A-20-1	TENSION RACK FOR BACKWINDERS
14.	A-20	BACKWINDER
15.	4049 4050	MOTOR–110V MOTOR–220V (3 Phase)
16.	4048	TABLE TOP (Specify Machine Class)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY OVERLOCKING MATERIAL CONTINUOUSLY.

ROLL EDGE HEMMING

UNION SPECIAL 39500
WILLCOX & GIBBS 504
RIMOLDI 327
JUKI 816
MERROW



Illus. No.	Part No.	Description
1.	4113	CONTROL FOR THREE THREADS
2.		DOUBLE PULLEY WHEEL
3.	4009-1	DISC CONTROL ONLY
3a.	4012	TENSION RACK (Specify Width Desired)
4.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
5.	4000E	MOTOR CLUTCH CONTROL
6.	K-1	HIGH STAND
7.	4049	MOTOR–110V
	4050	MOTOR–220V (3 Phase)
8.	4014	SHAFT END SUPPORT WITH BEARING FOR A-20
9.	A-20-1	TENSION RACK FOR BACKWINDERS
10.	4048	TABLE TOP (Specify Machine Class)
11.	A-20	BACKWINDER
12.	4001	TRANSFORMER–110V (Not Shown)
	4002	TRANSFORMER–220V (Not Shown)


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING MATERIAL FOR STRAPS.

UNION SPECIAL 51700
SINGER 300W
RIMOLDI 264
WILLCOX & GIBBS
METROPOLITAN




Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	780-U	UNIVERSAL BINDING REEL, BALL BEARING WITH BRAKE
5.	4007	MATERIAL CONTROL (Up to 3" Width)
6.		FOLDER (Send Sample)
7.	A-20	BACKWINDER
8.	A-20-1	TENSION RACK FOR BACKWINDERS
9.	4014	SHAFT END SUPPORT WITH BEARING FOR A-20
10.	4001	TRANSFORMER–110V TRANSFORMER–220V
11.	K-1	HIGH STAND
12.	4049 4050	MOTOR–110V MOTOR–220V (3 Phase)
13.	4048	TABLE TOP (Specify Machine Class)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING LACE AND NYLON "TRIMS" FOR LINGERIE.

SINGER 300W-302W
UNION SPECIAL 51700, 54400
RIMOLDI 264
PFAFF 5642



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4009	DISC CONTROL AND MOUNT COMPLETE (2)
5.	778-2	MATERIAL ROLL HOLDER (LONG) SINGLE
6.	778-1	DOUBLE MATERIAL ROLL HOLDER, LOWER
7.	4048	TABLE TOP (Specify Machine Class)
8.	4007	MATERIAL CONTROL (Up to 3" Width)
9.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
10.	K-1	HIGH STAND
11.		LACE AND MATERIAL ATTACHMENT
12.	4049	MOTOR–110V
	4050	MOTOR–220V (3 Phase)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY HEMMING MATERIAL.

SINGLE THREAD CHAINSTITCH
TWO-THREAD CHAINSTITCH

SINGER 240, 253, 262
UNION SPECIAL 51300, 56300
RIMOLDI 264
WILLCOX & GIBBS 5483



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROLS
2.	AP-16-C	ZERO MAX PULLER WITH EXTENSION (Specify width required measuring from the needle line to the end support)
3.	4048	TABLE TOP
4.		TURN DOWN HEMMER (DOUBLE)
5.		DOUBLE GROOVE PULLEY WHEEL
6.	4012	TENSION RACK (Specify Width Desired)
7.	4000E	MOTOR CLUTCH CONTROL
8.	K-1	HIGH STAND
9.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
10.	779-4	HEAVY DUTY BALL BEARING ROLL HOLDER
11.	AP-16-C1	PULLER END SUPPORT
12	4009-1	DISC CONTROL ONLY
13.	4049	MOTOR–110V
	4050	MOTOR–220V (3 Phase)


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

CONTINUOUSLY HEMMING DRAPERY MATERIAL.

BLIND STITCH HEMMER



Illus. No.	Part No.	Description
1.	AP-16-C	ZERO MAX WITH EXTENSION (Specify width required measuring from the needle line to the end support)
1a.	AP-16-C1	PULLER END SUPPORT
2.	4003	THREAD CONTROL
3.	4048	TABLE TOP (Specify Machine Class)
4.		DOUBLE PULLEY WHEEL
5.		DOUBLE TURN HEMMER
6.	4009-1	DISC CONTROL ONLY
6a.	4012	TENSION RACK (Specify Width Desired)
7.	4000E	MOTOR CLUTCH CONTROL
8.	4001 4002	TRANSFORMER–110V TRANSFORMER–220V
9.	K-1	HIGH STAND
10.	778-4	HEAVY DUTY BALL BEARING ROLL HOLDER
11.	4049 4050	MOTOR–110V (Not Shown) MOTOR–220V (3 Phase)


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY HEMMING.

SINGLE NEEDLE
TWO-THREAD CHAINSTITCH
UNION SPECIAL 56300, 51300
RIMOLDI 264
SINGER 253
WILLCOX & GIBBS 5483



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4009	DISC CONTROL AND MOUNT COMPLETE
5.		DOWN TURN HEMMER (Send Sample)
6.	4001 4002	TRANSFORMER–110V TRANSFORMER–220V
7.	K-1	HIGH STAND
7a.	4049 4050	MOTOR–110V MOTOR–220V (3 Phase)
8.	778	ROLL HOLDER WITH CLAMP, LOWER
9.	4012	TENSION RACK (Specify Width Desired)
10.	4048	TABLE TOP (Specify Machine Class)


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING STRAPS, BELTS, etc.

SINGER 300W, 302W
UNION SPECIAL 56700, 51700
RIMOLDI 264
METROPOLITAN
PFAFF 5642




Illus. No.	Part No.	Description
1.	K-1	HIGH STAND
1a.	4049	MOTOR–110V
	4050	MOTOR–220V (3 Phase)
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4003	THREAD CONTROL
5.		FOLDER (Send Samples)
6.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
7.	4048	TABLE TOP (Specify Machine Class)
8.	G-100-8	GEARED PULLER, 300W (Specify Stitch Gear Desired)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY BINDING TWO SEPERATE PIECES OF MATERIAL

SINGER 300W, 302W
UNION SPECIAL 56700, 54400
RIMOLDI 264
METROPOLITAN
PFAFF 5642



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4009-1	DISC CONTROL ONLY
5.		LEFT AND RIGHT BINDERS
6.	K-1	HIGH STAND
6a.	4049 4050	MOTOR–110V MOTOR–220V (3 Phase)
7.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER, RIGHT
8.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER, LEFT
9.	4001 4002	TRANSFORMER–110V TRANSFORMER–220V
10.	782-1	DOUBLE MATERIAL ROLL HOLDER, UPPER
11.	4012	TENSION RACK
12.	4009-1	DISC CONTROL ONLY
13.	4048	TABLE TOP (Specify Machine Class)


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING BRASSIER STRAPS.

SINGER 212
UNION SPECIAL 62200
PFAFF 442
DURKOFF




Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4015	BOBBIN THREAD CONTROL (TIMER)
3.	AP-14	SPAGHETTI PULLER
4.		DOUBLE PULLEY WHEEL
5.	4048	TABLE TOP (Specify Machine Class)
6.	4000E	MOTOR CLUTCH CONTROL
7.	K-1	HIGH STAND
7a.	4049	MOTOR–110V
	4050	MOTOR–220V (3 Phase)
8.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
9.	778-1	DOUBLE MATERIAL ROLL HOLDER, LOWER
10.		STRAP FOLDER (Send Sample)
11.		FLAT IRON WITH BASE
12.	4007	MATERIAL CONTROL (Up to 3" Width)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING FIRST OPERATION
ELASTIC TAPE TO MATERIAL.

UNION SPECIAL 56700, 54400
SINGER SPECIAL 300W, 302W
RIMOLDI 264
PFAFF 5642




Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4009	DISC CONTROL AND MOUNT COMPLETE
5.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
6.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
7.		MATERIAL ATTACHMENT
8.	K-1	HIGH STAND
8a	4049	MOTOR–110V
	4050	MOTOR–220V (3 Phase)
9.	4001	TRANSFORMER–110V
	4002	TRANSFORMER–220V
10.	4048	TABLE TOP (SPECIFY MACHINE CLASS)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING SECOND OPERATION WAISTBAND

UNION SPECIAL 56300,51300
RIMOLDI 264
W & G 5483



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4007	MATERIAL CONTROL (UP TO 3" WIDTH
4.	781-1	MATERIAL ROLL HOLDER WITH BALL BEARING DISC, CLAMP ON STAND
5.	4009	DISC CONTROL AND MOUNT COMPLETE
6.	4000E	MOTOR CLUTCH CONTROL
7.	K-1	HIGH STAND

Illus. No.	Part No.	Description
7a.	4049	MOTOR, 110V
	4050	MOTOR, 220V
8.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
9.		SPECIAL ATTACHMENT
10.		SPECIAL ATTACHMENT
11.	4001	TRANSFORMER-110V
	4002	TRANSFORMER-220V
12.	4048	TABLE TOP (Specify Machine Class)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

AUTOMATICALLY SEWING BRASSIER STRAPS.

UNION SPECIAL 51400, 56400
RIMOLDI 264
SINGER 300W, 302W
PFAFF 5642




Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4009	DISC CONTROL AND MOUNT COMPLETE
4.	4000E	MOTOR CLUTCH CONTROL
5.	K-1	HIGH STAND
	4049	MOTOR-110V
	4050	MOTOR-220V (3 Phase)
6.	4001	TRANSFORMER-110V
	4002	TRANSFORMER-220V
7.	778-1	DOUBLE MATERIAL ROLL HOLDER, LOWER
8.		STRAP FOLDER (Send Samples)
9.	4048	TABLE TOP (SPECIFY MACHINE CLASS)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY HEMMING
AND STITCHING LACE TO TRIM.

SINGER 253-262
U.S. 51300-51400
W & G 5483
RIMOLDI 264




Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4007	MATERIAL CONTROL (UP TO 3" WIDTH)
5.	4009-1	DISC CONTROL
5a.	4012	TENSION RACK (SPECIFY WIDTH DESIRED
6.	778-3	SINGLE ROLL HOLDER WITH CLAMP, BALL BEARING, LOWER
7.		PULLEY WHEEL, DOUBLE GROOVE
8.	A-20	BACKWINDER
9.	782	SINGLE OVERHEAD TAPE STAND
10.	A-20-1	TENSION RACK FOR BACKWINDERS
11.	K-1	HIGH STAND
11a.	4049 4050	MOTOR-110V MOTOR-220V
12.	4001 4002	TRANSFORMER-110V TRANSFORMER-220V
13.		HEMMER AND LACE GUIDE
14.	4048	TABLE TOP (SPECIFY MACHINE CLASS)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SEWING AND CUTTING BELT LOOPS TO LENGTH.

UNION SPECIAL 52700, 57700
RIMOLDI 263
W & G 41 or 43



Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4000E	MOTOR CLUTCH CONTROL
4.	4009	DISC CONTROL AND MOUNT COMPLETE
5.	778	ROLL HOLDER WITH CLAMP, LOWER
6.	4001	TRANSFORMER-110V
	4002	TRANSFORMER-220V
8.		FOLDER (Send Samples)
9.	K-1	HIGH STAND
10.	4049	MOTOR-110V
	4050	MOTOR-220V
11.	4048	TABLE TOP (SPECIFY MACHINE CLASS)


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service
AUTOMATIC CONTINUOUS HEMMING

W & G 5483
SINGER 253-262
U.S. 51300-56300
RIMOLDI 264




Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.	4003	THREAD CONTROL
3.	4009	DISC CONTROL & MOUNT (Complete)
3a.	4012	TENSION RACK (Specify Width Desired)
4.	4000E	MOTOR CLUTCH CONTROL
5.	K-1	HIGH STAND
5a.	4049 4050	MOTOR-110V MOTOR-220V
6.	4001 4002	TRANSFORMER-110V TRANSFORMER-220V
7.	778-4	HEAVY DUTY BALL BEARING ROLL HOLDER
8.	4014	SHAFT END SUPPORT WITH BEARING FOR A-20
9.	AP-10	ZERO-MAX STANDARD PULLER
10.	A-20-1	TENSION RACK FOR BACKWINDERS
11.	A-20	BACKWINDER
12.		PULLEY WHEEL NOT SHOWN
13.	4048	TABLE TOP (SPECIFY MACHINE CLASS)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATIC BINDING LEFT AND RIGHT WITH BACK WINDER



Illus. No.	Part No.	Description	Illus. No.	Part No.	Description
1.	A-20	BACKWINDER	9.	778	ROLL HOLDER WITH CLAMP, LOWER
2.	AP-12	PULLER, TOP SUPPORT MODEL	10.	4001	TRANSFORMER, 110 Volt
3.	4009	DISC CONTROL AND MOUNT COMPLETE	10a.	4002	TRANSFORMER, 220 Volt (3 PHASE)
4.	781-3	PIPING STAND	11.	4049	MOTOR, 110 Volt
5.	778	ROLL HOLDER WITH CLAMP, LOWER	11a.	4050	MOTOR, 220 Volt 9 (3 PHASE)
6.	4048	TABLE TOP (SPECIFY MACHINE CLASS)	12.	4000E	MOTOR CLUTCH CONTROL
7.	4007	MATERIAL CONTROL (UP TO 3" WIDTH)	13.	4003	THREAD CONTROL
8.	K-1	HIGH STAND	14.	4003	THREAD CONTROL


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATICALLY SEWING AND WINDING WAISTBAND MATERIAL

SINGER 253,262
U.S. 51300,56300
RIMOLDI 264
W & G 5483




Illus. No.	Part No.	Description
1.	4003	THREAD CONTROL
2.		PULLEY WHEEL
3.	4012	TENSION RACK (SPECIFY WIDTH DESIRED
4.	4007	MATERIAL CONTROL (UP TO 3" WIDTH)
5.	4009	DISC CONTROL AND MOUNT COMPLETE
6.	4000E	MOTOR CLUTCH CONTROL
7.	778-1	DOUBLE MATERIAL ROLL HOLDER, LOWER
8.	K-1	HIGH STAND
8a.	4049	MOTOR 110V
	4050	MOTOR 220V
9.	4001	TRANSFORMER-110V
	4002	TRANSFORMER-220V
10.	A-20	BACKWINDER
11.	4048	TABLE TOP (SPECIFY MACHINE CLASS)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATIC JOINING TWO OR MORE PLYS




Illus. No.	Part No.	Description
1.	A-20	BACKWINDER
2.	4003	THREAD CONTROL
3.	AP-11	ZERO-MAX PULLER, SHORT ARM MODEL
4.	A-20-1	TENSION RACK FOR BACKWINDERS
5.	4009	DISC CONTROL AND MOUNT COMPLETE
6.	778-1	DOUBLE MATERIAL ROLL HOLDER, LOWER
7.	4000E	MOTOR CLUTCH CONTROL
8.	K-1	HIGH STAND
9.	4001	TRANSFORMER, 110 Volt
9a.	4002	TRANSFORMER, 220 Volt (3 PHASE)
10.	4048	TABLE TOP (SPECIFY MACHINE CLASS)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATIC BELT LOOP OPERATION WITH CUTTER AND COUNTER




Illus. No.	Part No.	Description	Illus. No.	Part No.	Description
1.	AC-1	STRIP CUTTER WITH COUNTER	6.	K-1	HIGH STAND
2.	4003	THREAD CONTROL	7.	4049	MOTOR, 110 Volt
3.	4003	THREAD CONTROL	7a.	4050	MOTOR, 220 Volt (3 PHASE)
4.	4048	TABLE TOP (SPECIFY MACHINE CLASS)	8.	4005	STOP BUTTON
5.	4000E	MOTOR CLUTCH CONTROL			

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATIC ROLL EDGE HEMMER




Illus. No.	Part No.	Description	Illus. No.	Part No.	Description
1.	K-1	HIGH STAND	5.	4113	CONTROLS FOR THREE THREADS
2.	4000E	MOTOR CLUTCH CONTROL	6.	A-20	BACKWINDER
3.	4048	TABLE TOP (SPECIFY MACHINE CLASS)	7.	4009	DISC CONTROL AND MOUNT COMPLETE
4.	AP-11	ZERO-MAX PULLER, SHORT ARM MODEL	8.	778	ROLL HOLDER WITH CLAMP, LOWER

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATIC CURTAIN TIE BACKS



Illus. No.	Part No.	Description
1.	4007	MATERIAL CONTROL (UP TO 3" WIDTH)
2.	781	MATERIAL ROLL HOLDER, CLAMP ON BINDING STAND, NON-ROTATING DISC
3.	AP-11	ZERO-MAX PULLER, SHORT ARM MODEL
4.	4048	TABLE TOP (SPECIFY MACHINE CLASS)
5.		SPECIAL FOLDER
6.	4049	MOTOR, 110 Volt
6a.	4050	MOTOR, 220 Volt (3 PHASE)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

A-20
BACKWINDER



This machine hems two rolls of material and rewinds them simultaneously.

Esta máquina hace ruedos y da vuelta a dos rollos de telas simultaneamente.

The machine is equipped with automatic stops, should the thread break, material run out, etc. One operator can easily operate multi-set-ups.



La máquina está equipada para pararse automáticamente en caso de que él hilo se rompiera, ó se acabara la tela. Un solo operario puede facilmente poner en acción diferentes juegos de prendas.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



A-20-3 HEAVY DUTY BACKWINDER FOR WAISTBANDS, etc.
Specify width of material.

Indicar el ancho del material.



A-20-7 COMBINING GUIDE FOR WAISTBANDS, ETC.
Specify width needed.

Indicar el ancho requerido

GENERAL INFORMATION

MACHINES REQUIRE PULLEY WHEEL TO DRIVE WINDER. SPECIFY MACHINE MAKE & MODEL NO.

SHAFT END SUPPORT FOR WINDER AS SHOWN IN PHOTO A-20-2 IS RECOMMENDED WHEN WINDING WIDE MATERIAL.

ALL WINDERS HAVE DOUBLE BALL-BEARINGS, DOUBLE SLIP-CLUTCHES. NEEDS NO OILING.

EASY, ADJUSTABLE CLUTCH AND MATERIAL TENSIONS.

EASY INSTALLATION.

TO ORDER WINDERS

SPECIFY WINDER NUMBER.

SPECIFY TENSION RACK REQUIRED, 18", 25" or 30" LONG.

SPECIFY CONE CENTERS, 1" or 2" (2" TAPERED CONE TAKES PAPER TUBES FROM 1" to 2").

INFORMACION GENERAL

Las máquinas necesitan la polea en el volante/rueda para accionar el aparato utilizado para enrollar el material.

Indicar la clase y modelo de la máquina.
Cuando se enrollan materiales anchos se recomienda el uso del eje/arbol y el soporte, para el aparato que enrolla el material, tales como en el grabado A-20-2.
Todos los aparatos usados para enrollar materiales tienen doble cojinete de bolas y dobles embragues desitables.
No necesita ser aceitado.
Facilmente, embragues ajustable y aditamento el cual controla la tension del material.
Se instala facilmente.

Para ordenar estos aparatos usados para enrollar el material.

Especificar el numero del aparato.
Indicar la tension del perchero para controlar el material, largo 12", 25", 30".
Indicar los tamanos de los conos de 1" o 2" (los conos para cintas usan un tubo de e papel de 1" a 2").

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

A20-7
ELECTRIC REWINDING REEL



Capacity up to 6" width – No. A20-7.
Capacity up to 12" width – No. A20-8.
Our Electric Take-Up Reel is completely self contained.
May be moved from one machine to another, simply unplug and go.
Available with yardage counter or other special accessories.
May be inter-connected to automatic machines to stop at pre-set stages.

Capacidad hasta 6" de ancho No.A20-7.
Capacidad hasta 12" de ancho No.A20-8
El porta carrete electrico esta completamente autosostenido.
Puede ser usado de una máquina a otra, simplemente desenchufelo y vuelvalo a enchufar.
Suministrado con tablero contador en yardas U otros accesorios especiales.
Puede estar interconectado a las máquinas automáticas para los ya determinados pasos de la operación.

ELECTRIC BACKWINDERS MAY BE CUSTOM BUILT TO SUIT YOUR OPERATION

SEND SAMPLES AND SPECIFY MACHINE TYPE AND CLASS FOR PROMPT QUOTE AND DELIVERY

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

A20–10

FLUID DRIVE BACKWINDERS

OVER & UNDER DOUBLE BACKWINDER
specify width needed.





DOUBLE OVERHEAD BACKWINDER.
specify width needed.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AP-22
VARIABLE SPEED METERING DEVICE

V-NECKS, ROUND COLLARS, BOTTOM BANDS, CUFFS, ETC., CAN BE ATTACHED WITH THE AP-22 VARIABLE SPEED METERING DEVICE FROM ATLANTA ATTACHMENT COMPANY.

Our Attachment dispenses collar, cuff or bottom band tape to an overlock machine from a roll with the desired tension, or without any tension at all.



Escotes en forma de V, cuellos redondos, fajas/lirras, puños, etc pueden ser pegadas/cosidas con el aparato tensor AP-22, el cual puede ser comprado en Atlanta Attachment Company.
Este adittamento dobribuyè cuellos, puños o fajas a la máquina de sobrehilado, desde un rollo, con la tension de sobrehilado, desde un rollo, con la tension deseada o sin ella.
Este adittamento cose los cuellos y las etiquetas a las camisas de cuello en forma de V en un ciclo de trabajo, los dos hombros de las camisas están

- "V" neck shirts with both shoulders closed, label and collar set in one operation.
- Sweetheart collars with both shoulders closed, label and collar set in one operation.
- Round collar shirts with one shoulder open, label and collar set in one operation.
- Adjustable Folder accepts rolls cut 2"–10". Eliminates waste (cut too narrow, cut too wide).
- Cuff-collar measurements constant.
- Swings out for machine threading and maintenance.
- Installs in 45 minutes on any overlock.
- Training time reduced.
- Improves quality of garment.
- Low purchase price—Quick pay-back.

CONTACT US TODAY FOR A DEMONSTRATION IN OUR SHOWROOM USING YOUR MATERIAL.



Aplica/cose los cuellos y las etiquetas a las camisas de cuello "Sweetheart" en un ciclo de trabajo. La camisa tiene ambos hombros cerrados.
Aplica/cose la etiqueta y los cuellos redondos en un ciclo de trabajo.
La camisa tiene un hombro abierto.
El dobladillador ajustable trabaja con rollos de material de 2" a 10".
Elimina el desperdicio (corta muy angosto o muy ancho).
Los tamaños del puño-cuellos permanecen constantes.
Se puede mover para enhebrar y limpiar la máquina.
Se instala a las máquinas de sobrehilado en 45 minutos.
No se necesita mucho tiempo para entrenar a la operaria.
Mejora la cualidad de la prenda de vestir.
A un precio barato - Remuneración pronta.
PONGASE EN CONTACTO CON NOSOTROS PARA HACERLE UNA DEMONSTRACION USANDO SU MATERIAL.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



Please visit our website for the latest in sewing technology:

Click on link...

http://www.atlatt.com

PARTS & COMPONENTS

One Stop Shopping...
Atlanta Parts Depot
for your Replacement Parts

- **Over $5 million in parts for AAC and other suppliers.**

  Atlanta Attachment Co.

Cash	Gribetz
Galkin	Brother
Juki	Singer
Mitsubishi	W&G
Porter	Union Special
Pegasus	United

- **95% Ship the same or 2nd day... The Balance Shipped within 72 Hours or FREE!***

Log on at:
www.atlantapartsdepot.com

Parts:
Cutting Blades
Feed Dogs
Knives
Loopers
Needle Bars
Presser Feet
Rotary Hooks
Spreaders
Shears & Scissors
Synchronizers

Needles:
Beka
Groz-Beckert
Schmetz
Singer



* Contact sales for the recommended spareparts list and the model workstations covered.

Sudden Service®

Atlanta Parts Depot is a division of Atlanta Attachment Company®.
© 2004 Atlanta Attachment Company. All rights reserved. All materials contained herein are additionally protected by United States copyright laws and may not be used, disclosed, reproduced, distributed, published or sold without the express written consent of Atlanta Attachment Company, which consent may be withheld at Atlanta Attachment's sole discretion. You may not alter or remove any copyright, trademark or other notice from copies of these materials. Atlanta Attachment Company is a registered trademark of Atlanta Attachment Company. Atlanta Parts Depot is a trademark of Atlanta Attachment Company. All other trademarks are the property of their respective owners.
04053030705

Atlanta Parts Depot™
401 Industrial Park Drive
Lawrenceville, GA 30045
1-866-885-5100

S300-W
COMPLETE GEAR DRIVEN PULLER

For Singer 300W Class Machines
(SYNCHRONIZED)



Easily installed. No machining required.
Upper Puller Assembly shipped completely installed.
Precision made to exacting specifications.
Supplied with your choice of Stitch Worm and Gear.

Available with Air Lift for Puller.





Se instala facilmente. No se requiere ninguna maquinaria para su instalación.
Este adiamento se embarca completamente montado/instalado.
Hecho de acuerdo a sus especificaciones.
Suministrado con la puntada y embrague de su preferencia.

STITCHES PER INCH	(21) STITCH WORM	(22) GEAR
5	#269655	#269656
6	#269657	#269658
7	#269659	#269660
8	#269661	#269662
9	#269631	#269632
10	#269663	#269664
11	#269665	#269666
12	#269667	#269668

SPECIFY SIZE WHEN ORDERING

S212-P
CLOTH PULLER

For 112W140 and 212W140 Singer Machines
(SYNCHRONIZED)



Available with Air Lift on Puller.

Easily attached to machine. No machining necessary.
Split Driving Crank eliminates need to remove bottom shaft for installation.
Equipped with upper and lower, 1½" extra wide hard rubber rollers.
Self aligning upper roller fork bracket.
New styler Singer type, heavy-duty Clutch.

Se adapta a la maquina facilmente. No requiere ninguna maquinaria para su instalación.
Este tipo de montaje elimina la necesidad de remover el eje inferior al instalarlo.
Equipado con rodillos duros de goma reforzada y ajustables de 1½" de ancho.
El soporte del rodillo se alinea por si mismo.
Para el nuevo estilo Singer de trabajo fuerte.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SYNCHRONIZED PULLERS

For 241, 251, 281 Class Singer Machines



No. S241P - For 241 Class Singer Machines
No. S281P - For 251 and 281 Class Singer Machines

Pullers Sincronizado
Para las máquinas Singer 241, 251, 281
El No. S241P para la máquina Singer 241
El No. 281P para la máquinas Singer 251 y 281
ESPECIFICARLO AL HACER SU ORDEN

SPECIFY WHEN ORDERING

Clutch driven for positive uniform drive. (Eliminates slipping and dragging of variable speed type pullers.)
Close coupled to machine feed for better control.
Equipped with upper hard rubber roller and lower hardened steel idler roller.
Puller is shipped 90% assembled . . . no machining required.

El puller de embrague es accionado en una forma uniforme (Elimina los problemas de los pullers de acción variable, tales como deslizamiento, atraque)
Esta unido al impelente de la máquina para un mejor control
Equipado con un rodillo de goma en la parte superior y con un rodillo de acero en la parte inferior.
El puller está casi montado al momento de embarcarlo, 90%. No se requiere ninguna maquinaria para instalarlo

CUSTOM BUILT PULLERS AVAILABLE

ZERO-MAX DRIVE
OR
SYNCHRONIZED

CALL OR WRITE FOR QUOTE





PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

VARIABLE SPEED CLOTH PULLERS

WITH ZERO-MAX SPEED REDUCERS

AUTOMATICALLY SYNCHRONIZES PULLER SPEED WITH THE SEWING MACHINE


- OIL-LESS NYLON BEARINGS TO ELIMINATE OIL SPOTTING
- ALL PARTS ARE PLATED TO ELIMINATE RUST
- EQUIPPED WITH 1 KNURLED ROLLER AND 1 RUBBER ROLLER AT NO ADDITIONAL COST – AS EXPERIENCE HAS PROVED, THIS COMBINATION RESULTS IN BETTER PULLING AND QUIETER OPERATION
- BELT GUARD AND GEAR COVER ELIMINATES THREAD WRAPPING SHAFTS AND GEARS

VIENE CON EL ZERO MAX
Automaticamente sincroniza la velocidad del puller con la maquina de coser.
Provisto con cojinete de nylon, sin ser aceitado, para eliminar las manchas de aceite.
Todas las partes estan plateadas para eliminar la oxidacion.
Equipada con con un rodillo nudoso y un rodillo de goma sin costo alguno al cliente. Como la experiencia, asi lo ha demonstrado, esta combinacion resulta ser mas apaciguada y tira mejor el material.
El guarda correa y la cubierta del engrane evita que el hilo se enrolle al rededor de los ejes y de los enganes.

STANDARD MODEL

MODELO ESTANDARD

AP-10



SHORT ARM MODEL

For Overlock and Blindstitch Machines

AP-11



MODELO DE BRAZO CORTE
Para máquinas de sobrehilar y de puntada ciega.

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

VARIABLE SPEED CLOTH PULLERS

TOP SUPPORT MODEL



AP-12

Designed for multiple-needle and other machines running bulky pieces. Overarm support applies uniform pressure along the entire length of the roller. An extra long bottom shaft with an extension roller acts as a conveyor to move the work out.

Diseñado para máquinas de múltiples agujas y otras tipo de máquinas que hacen trabajos con materiales abultados. El soporte del brazo ejerce una presión uniforme a lo largo del rodillo.
Un eje extra largo inferior, con un rodillo extendido actúa como un transportador removiendo el trabajo hecho.

SHIRTMAKER MODEL

A short arm model with long shafts. Especially designed for shirt front and other operations. Designed to eliminate puckering caused by permanent-press type fabrics, etc.



AP-13

El modelo de brazo corto con un eje largo. Especialmente diseñado para hacer la parte delantera de la camisa y otras maniobras.
Diseñado para eliminar las arrugas de los tejidos hechos con las telas permanent press, etc.

SPAGHETTI PULLER

A three roller model to provide extra pull for spaghetti and other heavy trimmings. It can be mounted either in front or rear of machine. Two compensating rollers and one knurled roller produce evenly stitched work. Eliminates jerk when crossing seams.

AP-14



Este adjustador tiene tres rodillos que permiten tirar más fuerte al spaghetti y otro tipo de adornos pesados. Se puede montar al frente o detrás de la máquina. Dos rodillos compensadores y un rodillo moleteado producen una costura igual. Elimina los tirones repentinos cuando se cose encima de la costura.


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

VARIABLE SPEED CLOTH PULLERS

DISPOSITIVO PARA REALZAR, DE VELOCIDAD VARIABLE

AP-15



STANDARD MODEL
with Yardage Counter

Modelo Estándard
Con dispositivo en yardas usado para controlar la producción

HEAVY-DUTY CLOTH PULLER

(SPECIFY MODEL WHEN ORDERING)

- **Used for joining bedspreads, serging and binding carpet, draperies, and other heavy work.**
- **Top shaft adjusts to accommodate thick work and is always parallel to bottom shafts.**
- **Handle lifts top shaft for easy insertion and removal of work**

Dispositivo para realce/Pesado/fuerte

(INDICAR EL MODELO AL HACER SU ORDEN)

Usado para coser cubrecamas/cobertores, para sobrehilar y ribetear alfombras, cortinas, y otros materiales pesados.
El eje superior se relaja acomodandose para dejar pasar los materiales gruesos, siempre está paralelo a eje inferior.
Se levanta/realza manualmente para insertar y remover el trabajo que se está haciendo.



MODEL AP-16A: **For overlock and other machines where horizontal distance between needle and puller drive pulley is 6" to 11".**

MODEL AP-16B: **For longer arm machines where horizontal distance between needle and puller drive pulley is 11" to 17".**

MODELO AP-16A

Para ser usado con máquinas de sobrehilar y con otros tipos de maquinas donde la distancia entre la aguja y la polea del motor impulsor va de 6" a 11"

MODELO AP-16B

Para ser usado con maquinas de cabeza alargada donde la distancia entre las agujas y la polea del motor impulsor es de 11" a 17"

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

ROLLERS FOR CLOTH PULLERS

COMPLETE LINE AVAILABLE: 3", 6" and 12" LENGTHS, for 1/2" SHAFTS

PLAIN

PR34: 3" Plain Roller
PR63: 6" Plain Roller
PR64: 12" Plain Roller



RUBBER

PR32: 3" Rubber Roller
PR61: 6" Rubber Roller
PR65: 12" Rubber Roller

KNURLED

PR33: 3" Knurled Roller
PR62: 6" Knurled Roller
PR66: 12" Knurled Roller

SERRATED

PR35: 3" Serrated Roller

COMPENSATING

PR36
3" ADJUSTABLE COMPENSATING ROLLER (1/2" SHAFT)
(Only One Compensating Roller Is Necessary)

Uneven pulling of material is eliminated because the roller compensates for varying thicknesses of material and remains parallel and in perfect contact at all times.

ALSO AVAILABLE

3/8" SHAFT ROLLERS

RODILLOS PARA DISPOSITIVOS DE REALCE
SUMINISTRAMOS UN SURTIDO COMPLETO de 3", 6", y 12" de LARGO PARA EJES/ARBOLES

IF YOU HAVE FINALLY WORN OUT THAT SPECIAL FOLDER

THAT IS NOT ILLUSTRATED IN ANY CATALOGUE,

SEND IT TO US AND WE WILL MAKE AN EXACT DUPLICATION.

"SUDDEN SERVICE" AVAILABLE HERE, TOO!

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Skipping is Fun



But Not In Sewing Operations

Atlanta Attachment's custom designed fluted rollers help reduce skipped stitches by providing a positive, uniform feed. Presser foot tension may be greatly reduced thereby eliminating the feeding stall that causes skipping.





- Reduce rejects & repairs
- Reduce downtime
- Cross heavy seams easily
- Handle all weight fabrics
- Available for most machines
- Positive – uniform feed

Website: www.atlatt.com email: sales@atlatt.com

The ***Sudden Service***™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

TOP & BOTTOM ELASTIC METERING DEVICES



No. AP-17 – TOP *Superior*



No. AP-18 – BOTTOM *Inferior*

These units accurately measure out elastic and other trim to all types of machines. The ratio is quickly and accurately set by means of the Zero Max speed reducer. The unit is easily installed.

A rod assembly is furnished with the Top Metering Device to hold the spool of elastic. SPECIFY TYPE OF MACHINE. Swing-out guides are available

Este aparato mide el elástico y otros adornos para todos los tipos de máquina. La cantidad es medida con el Zero-Max. Esta unidad se instala facilmente.

Una varilla es provista junto con el aparato tensor superior para sostener el carrete de elástico.


Indicar le tipo de máquinas. Guias giratorias son suministrados

LOWER ELASTIC SYNCHRONIZED METERING DEVICE COMPLETE

For all Union Special 50000 Series Machines

APARATO INFERIOR TENSOR DE ELASTICO

Para todas las máquinas Union Special de las series 50000



No. 29486-F

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

ELASTIC METERING
RIGHT SIZE !!!
FIRST TIME !! EVERY TIME !!

OUR MODEL AP-28 ELECTRONIC METERING DEVICE OFFERS:

- ⊙ EASY DIGITAL SETTING
- ⊙ NON SLIP METERING HEAD
- ⊙ UPPER OR LOWER METERING
- ⊙ SIMPLE INSTALLATION
- ⊙ AVAILABLE FOR ALL MACHINES
- ⊙ REDUCES REPAIRS



MODEL AP-28 Electronic metering device upper mounted



MODEL AP-28 Electronic metering device lower mounted

The Model AP-28 Electronic Metering Device is easily programmed for different stretch values and incorporates a stepping motor drive with clutchless metering head to insure accurate size control.

Video tape available FREE upon request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

FOOT LIFTS FOR ALL MACHINES

(PNEUMATIC)



No. 1295

Operación sencilla.
Valvula operada con la rodilla.

Single Function
Knee Valve
No. A192-6



Two Function
No. A192-6/1

Dos Funciones.

All Foot Lifts may be designed to work in conjunction with other automatic components.

Todos los alzaprensatelas pueden ser diseñados para trabajar en conjuncion con otras partes operades automaticâmente.



Treadle Rod Assembly
No. A192-5

Varilla del pedal.

Heel Switch
No. A192-7

Conmutador de tobillo.



No. 1250



Foot Valve
No. A192-9

Available for all machines. Lifts, presser foot and puller, if needed.

Suministrado para todas las máquinas.
Suministramos para todas las máquinas, si Ud. los necesita: elevador, pie prensatelas y "Puller."

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

FOOT LIFTS FOR ALL MACHINES


(PNEUMATIC)

(NEUMATICO)

Air operated footlifts reduce operator fatigue.

Let us tailor a foot lift to fit your needs.

Los elevadores de de pie son manejados neumáticamente, reduce la fatiga de la operaria.
Déjenos fabricarle el aditamento, de esta clase, necesitado por Ud.



No. 1258

All Foot Lifts may be designed to work in conjunction with other automatic components.

Todos estos elevadores de pie pueden ser diseñados para trabajar en conjunción con otros partes operadas automaticamente.



No. 1252
with Tension Opener



No. 1254 AP
Lifts Foot and Puller

Alzaprensatela y Puller

No. 1241



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

PULLEY WHEEL ADAPTERS

PULLEY ADAPTER STUD WITH PULLEY WHEEL

PARTES PARA ADAPTAR

STYLE 1 – PW1

Attaches to hub on sewing machine fly wheel. Recommended for use on 107W; 112W115; 131W; 153W; 400W1; etc.



STYLE 2 – PW2

Recommended for use on 31 CL; 52 CL; 52 CL; 95 CL; 241 CL; 251 CL; 281 CL; etc.



STYLE 3 – PW3

Recommended for use on 111W 112W140; 143W; 240W; etc.



Used when there is no hub on wheel. Can be attached by replacing balance wheel screw of sewing machine.

DOUBLE GROOVE BALANCE WHEELS

(FOR USE WITH PULLERS)

RUEDAS DE DOBLE RANURA (PARA SER USADOS CON LOS PULLERS)

FOR UNION SPECIAL 50000 SERIES:

No. 52421 (No. 52921 DG)
No. 51221C DG . . . . . Complete with built-in pulley adapter



No. 51221C DG

FOR RIMOLDI MACHINES:

27; 827; 28; E28; 29; 829 CL
. . . . . No. 270-008/3

FOR SINGER MACHINES:

212W . . . . . No. 267451
246 CL . . . . . No. 160877
251; 281 CL . . . . . No. 147139-001 DG
400W; 402W . . . . . No. 259464 with Bearing No. 272142 (No. 270004)
451K; 457G; 600W . . . No. 272227 DG

FOR WILLCOX & GIBBS SUPERLOCK:

No. 181118 DG

FOR MERROW MACHINES:

No. M-24-1 DG

NEEDLE POSITIONER HAND WHEEL ADAPTER



No. 2100 – For use with needle positioning synchronizer.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.


17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

COMPLETE GAUGE SETS FOR UNION SPECIAL 51400 CLASS

(1/2"GAUGE ILLUSTRATED)



51405 – FEEDER



51424 – NEEDLE PLATE



51420 – FOOT



51417 – NEEDLE BAR

51418
NEEDLE BAR CLAMP



51408
FRONT LOOPER



51409
BACK LOOPER

COMPLETE SET CONSISTS OF

51405 Feeder; 51424 Needle Plate; 51420 Foot; 51417 Needle Bar; 51418 Needle Bar Clamp; 51408 Front Looper; 51409 Back Looper.

1/8" (8 GAUGE)

3/16"	(12 GAUGE)	1/2"	(32 GAUGE)
1/4"	(16 GAUGE)	5/8"	(40 GAUGE)
3/8"	(24 GAUGE)	3/4"	(48 GAUGE)

(SPECIFY GAUGE SIZE WHEN ORDERING)

AVAILABLE SEPARATELY:

NEEDLE BARS

51417C8	Needle Bar (1/8" Gauge)
51417C-12	Needle Bar (3/16" Gauge)
51417C-16	Needle Bar (1/4" Gauge)
51417-D	Needle Bar (3/8", 1/2", 3/4", 5/8" Gauge)

NEEDLE CLAMPS

51418-16	Needle Clamp (1/8", 3/16", 1/4" Gauge)
51418K-24	Needle Clamp (3/8" Gauge)
51418B-32	Needle Clamp (1/2" Gauge)
51418B-40	Needle Clamp (5/8" Gauge)
51418D-48	Needle Clamp (3/4" Gauge)

FRONT LOOPERS

51408-8	1/8" Gauge
51408-12	3/16" Gauge
51408-16	1/4" Gauge
51408-24	3/8" Gauge
51408-32	1/2" Gauge
51408-40	5/8" Gauge
51408-48	3/4" Gauge

SPECIFY SIZE WHEN ORDERING

BACK LOOPERS

51409
51409B
51409C

SCREWS

No. 89	Needle Clamp Screw
No. 98	Needle Set Screw

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641


Sudden Service

COMPLETE GAUGE SETS FOR UNION SPECIAL 51700 CLASS

(1½" GAUGE ILLUSTRATED)



51720 FOOT



51705 FEEDER



51724 NEEDLE PLATE



51708
FRONT LOOPER



51717 NEEDLE BAR

51718
NEEDLE BAR
CLAMP



51709
BACK LOOPER

COMPLETE SET CONSISTS OF:
51705 Feeder; 51724 Needle Plate; 51720 Foot; 51717 Needle Bar;
51718 Needle Bar Clamp; 51708 Front Looper; 51709 Back Looper.

7/8" (56 Gauge)
1" (64 Gauge)
1-1/4" (80 Gauge)
1-1/8" (72 Gauge)
1-1/2" (96 Gauge)
(Specify Gauge Size When Ordering)

ALSO AVAILABLE

51725
NEEDLE GUARD



AVAILABLE SEPARATELY

NEEDLE BARS

51717-A	Needle Bar (7/8", 1", 1-1/8", 1-1/4", 1-1/2" Gauge)
51718A-56	Needle Clamp (7/8" Gauge)
51718A-64	Needle Clamp (1" Gauge)

NEEDLE CLAMPS

51718A-72	Needle Clamp (1-1/8" Gauge)
51718A-80	Needle Clamp (1-1/4" Gauge)
51718A-96	Needle Clamp (1-1/2" Gauge)

SCREWS

No. 89	Needle Clamp Screw
No. 98	Needle Set Screw

LOOPERS

51708 (Front) 51709 (Back)
SPECIFY WHEN ORDERING

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

PARTS FOR UNION SPECIAL 54200 & 54400 A, C, E, F, G, K

COMPLETE GAUGE SETS FOUR NEEDLE – EQUAL SPACE

COMPLETE SET CONSISTS OF: Throat Plate, Feed Dog, Presser Foot, Needle Holder Complete with Needle Holder Eyelet and Needle Seat Block.



PRESSER FOOT



FEED DOG



THROAT PLATE



NEEDLE HOLDER COMPLETE with Needle Holder Eyelet and Needle Seat Block

	16-GAUGE 1/4"	24-GAUGE 3/8"	32-GAUGE 1/2"
THROAT PLATE	No. 54224 A-4-16	No. 54224 A-4-24	No. 54224 A-4-32
FEED DOG	No. 54205 A-4-16	No. 54205 A-4-24	No. 54205 A-4-32
PRESSER FOOT	No. 54220 A-4-16	No. 54220 A-4-24	No. 54220 A-4-32
NEEDLE HOLDER COMPLETE with Needle Holder Eyelet and Needle Seat Block	No. 54218-4-16 with No. 16197-4-16 and No. 54218 A-4-16	No. 54218-4-24 with No. 16197-4-24 and No. 54218 A-4-24	No. 54218-4-32 with No. K67294 and No. 54218 A-4-32

ALWAYS SPECIFY GAUGE SIZE WHEN ORDERING

ALSO AVAILABLE

RETAINER HOLDER



16-GAUGE 1/4" No. 54242 B-4-16

24-GAUGE 3/8" No. 54242 B-4-24

32-GAUGE 1/2" No. 54242 B-4-32

SPECIFY WHEN ORDERING

RETAINER



16-GAUGE 1/4" No. 54211 A

24-GAUGE 3/8" No. 54211 A

32-GAUGE 1/2" No. 54211 A

SPECIFY WHEN ORDERING



No. 54208A LOOPER

RUBBER ROLLERS



No. 54275E UPPER FEED ROLLER



No. 54276A LOWER FEED ROLLER

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

SPECIAL GAUGE SETS U.S.
(No. 1886) 54200 - (No. 1888) 54400

COMPLETE GAUGE SETS **FOUR NEEDLE EQUAL SPACE**

NOTE: Complete Set Consists of THROAT PLATE, FEED DOG, PRESSER FOOT NEEDLE HOLDER COMPLETE with Needle Holder Eyelet and Needle Seat Block.



PRESSER FOOT



FEED DOG



THROAT PLATE



NEEDLE HOLDER COMPLETE with NEEDLE HOLDER EYELET and NEEDLE SEAT BLOCK

	16-GAUGE ¼"	24-GAUGE ⅜"	32-GAUGE ½"
THROAT PLATE	No. 54224 A-4-16	No. 54224 A-4-24	No. 54224 A-4-32
FEED DOG	No. 54205 A-4-16	No. 54205 A-4-24	No. 54205 A-4-32
PRESSER FOOT	No. 54220 A-4-16	No. 54220 A-4-24	No. 54220 A-4-32
NEEDLE HOLDER COMP. with NDL. HDL. EYELET and NDL. SEAT BLOCK	No. 54218-4-16 with No. 16197-4-16 and No. 54218 A-4-16	No. 54218-4-24 with No. 16197-4-24 and No. 54218 A-4-24	No. 54218-4-32 with No. K67294 and No. 54218 A-4-32

ALWAYS SPECIFY GAUGE SIZE WHEN ORDERING

ALSO AVAILABLE:



RETAINER HOLDER

16-GAUGE ¼" No. 54242 B-4-16 | 24-GAUGE ⅜" No. 54242 B-4-24 | 32-GAUGE ½" No. 54242 B-4-32



RETAINER

16-GAUGE ¼" No. 54211 A | 24-GAUGE ⅜" No. 54211 A | 32-GAUGE ½" No. 54211 A

Special requirements quoted on request, any combination of needles and spacing available up to 2¼" total width.


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL GAUGE SETS
(No. 1886) 54200 & (No. 1888) 54400

FOR 54400 CLASS, 12 GAUGE, 12 NEEDLE MACHINES



No. 54420-12-12 Presser Foot



No. 54224A-12-12 Throat Plate



No. 54205A-12-12 Feed Dog



No. 54242B-12-12 Retainer Holder



No. 54458C-12
Needle Holder Eyelet




No. 54418-12-12
Needle Holder, Complete



No. 54485
Looper Holder
(12 Needle)

FOR 54400 CLASS, 16 GAUGE, 9 NEEDLE MACHINES



No. 54420-9-16 Presser Foot



No. 54224A-9-16 Throat Plate



No. 54205A-9-16 Feed Dog



No. 54242B-9-16 Retainer Holder



No. 54285A-4-16 Looper Holder



No. 54458C-9 Needle Holder Eyelet



No. 54485A Looper Holder



No. 54418-9-16
Needle Holder,
Complete

*Special requirements quoted on request, any combination of needles or spacing available up to 2¼" total width.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

COMPLETE GAUGE SETS FOR 112W115, 116, 140; 212G140, 141; 1810; 212W140 NEEDLE FEED MACHINES

(SPECIFY MACHINE CLASS WHEN ORDERING)









CLAMP FOR 112W



CLAMP FOR 212W

LOS HILOS SON SUMINISTRADOS DE ACUERDO CON SU
ACOLCHADO EN FORMA ZIGZAG MAX.
O
SINCRONIZADO
LLAME O ESCRIBA POR UNA COTIZACION DE PRECIOS

JUEGOS COMPLETOS DE GAUGE (Mencione estos tres ajustes)
Para las máquinas de transporte por agujas 112W115, 116, 140; 212G140; 141; 1810; 212W140
INDIQUE EL TIPO DE MÁQUINA AL HACER SU ORDEN

A practical attachment for engaging and disengaging either needle.

Excellent for cornering and sewing angles.

All that is required is a flip of the spring stud.

Este sujetador es muy práctico y se coloca para conectar y desconectar cualquier aguja.
Este sujetador es excelente para costuras de esquinas y formas angulares.
Lo único que se necesita hacer es mover ligeramente el resorte del perno.



SPLIT NEEDLE CLAMP
(For 112W & 212W Classes)

SUJETADOR DE AGUJA SPLIT, PERMITE HACER LA COSTURA Y OBTENERLA

Split Needle Clamp converts models 112W and 212W140 to a split needle gauge. Operator can stitch patterns that contain 90° angles simply by disengaging the right or left needle.

Needles are made in sizes from 1/8" – 1-1/8" and can be changed instantly. They are held in place by individual set screws. Needles are changed by simply releasing the correct set screw and slipping in a new needle.



No. 2011–112W
No. 2012–212W140

Este tipo de sujetador de agujas convierte los modelos 112W140 a modelos con "Split Needle Gauge", para así efectuar cierto tipo de costuras. La operadora puede coser los patrones de un ángulo de 90 grados simplemente desconectando la aguja derecha o la izquierda. Las agujas pueden ser hechas de un tamaño de 1/8" los agujas 1 1/8" pueden ser cambiadas en una forma instantánea. Las agujas son sujetadas, en su lugar, por medio de un juego de tornillos. Las agujas son cambiadas simplemente aflojando los tornillos se sacan las que se quieren cambiar y se ponen el mismo juego de agujas.

ALSO AVAILABLE FOR MOST OTHER MACHINES

Website: www.atlatt.com email: sales@atlatt.com

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL PLATES & FEEDS

Singer 241, 251, 281, 400W - 600W
Pfaff 463



No. 1435 Feed
No. 1435–02 Plate
HEAVY-DUTY 4 ROW FEED AND PLATE
For Right Angle Binding Operation

Impelente No. 1435
Placa/Plancha No. 1435-02
Impelente (de cuatro) de 4 hilas de diente y placa/plancha son usados para trabajos fuertes.
Usado con el ribeteador angular derecho.



No. 1436 Feed
No. 1436–02 Plate
HEAVY-DUTY 6 ROW FEED AND PLATE
For Right Angle Binding Operation

El impelente 1436
Placa/Plancha 1436-02
Impelente y placa usados para trabajos fuertes. El impelente tiene 6 hileras de diente.
Se usa con el ribeteador angular derecho.



No. 147451 Feed
No. 147452 Plate
HEAVY-DUTY 5 ROW FEED AND PLATE
For Operations such as Wide Hems, Wide Binding, Operations, Etc.

Impelente No. 147451
Placa/plancha 147452
Impelente y placa usados para trabajos fuertes. El impelente tiene 5 hileras de dientes.
Usado para hacer trabajos de dobladillos y ribetes anchos.


PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL GAUGE SETS WITH KNIFE

AVAILABLE FOR MOST MACHINES



Specify Machine Type, Class, and Gauge

Special Gauge Sets up to 2½" are available. The sewing head must be modified if the gauge width exceeds 1¾".

Juego especial de "gauge" hasta 2½" están a su disposición. El cabezal debe ser modificado si la anchura del "gauge" sobrepasa 1¾".

KNIT PLACKET SHIRT FRONTS WITH KNIFE

AVAILABLE FOR MOST MACHINES



No. 1820K Special Gauge Sets are available with knife mounted on the needle bar.

The knife may be mounted forward or behind the needle depending on the operation. Works well on knit shirt fronts to set the facing and slit simultaneously.

If the machine is equipped with a needle positioner and thread trimmers it greatly increases production.

Specify Machine Type, Class, and Gauge

El juego de partes para el "gauge" 1820K está disponible con la cuchilla montada en la barra de aguja.

La cuchilla puede estar montada hacia adelante o detras de la aguja dependiendo en la clase de trabajo que se realize. Hace un buen trabajo en la parte delatenra de la camisa de punto cuando se aplica el revestimiento y se corta en una forma simultanea.

Si la máquina está equipada con el posicionador de agujas y cortahilos la producción aumenta notablemente.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

MODEL 1800P

Center Knife Gauge Set



A retrofit Gauge Set with movable center knife to facilitate the cutting of pocket opening in panel and pocketing material. Knife begins to cut in front of sewing stitches and ends cut before sewing ceases. This differential in sew length versus cut length may be changed as desired.



1/4 GA. w/ 3/32 Differential
Illustrated Seam and Cut
Diagram.
Differential between seam
and cut as desired.

MACHINE CLASS: Juki - 1152 & 1178
Brother - LT2B832 & LT2B842
Mitsubishi - LT2-230 & LT2-2230
Pfaff - 442 & 1442
Durkopp - 244

1/4" - 5/16" - 3/8" - Specials on request

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL GAUGE SETS
(No. 1825) 302 W SINGER



No. 1825 Gauge Sets for the Singer 302 W cylinder arm machine are available in any combination of needles and spacing up to a total width of 2½".

Example:

⅛" - 1" - ¼"

¼" - 2" - ¼"

5/16" - 1⅛" - ⅜" - etc.

Some of the more popular gauges are:

10 Needle - ⅛" Spacing

10 Needle - 5/16" Spacing

9 Needle - ¼" Spacing

8 Needle - ¼" Spacing

6 Needle - ¼" Spacing

4 Needle - ½" Spacing

3 Needle - ⅜" Spacing



El juego de partes para el "gauge" No. 1825 de la máquina Singer 302W de brazo cilíndrico es suministrado para cualquiera combinación requenda de agujas y espacio distancia de una anchura hasta 2½".

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

GAUGE SETS FOR 300W; 302W; 1830 & 1825

(AVAILABLE WITH 2, 4, 6, 8, 10, 12, 16, or 25 NEEDLES)
(SPECIAL GAUGES AND CONFIGURATIONS QUOTED)



No. 267872-016	Presser Foot Complete–1/4" (Hinged) (2 Needle Machine)
No. 267872-024	Presser Foot Complete–3/8" (Hinged) (2 Needle Machine)
No. 267872-032	Presser Foot Complete–1/2" (Hinged) (2 Needle Machine)
No. 267872-040	Presser Foot Complete–5/8" (Hinged) (2 Needle Machine)
No. 267872-048	Presser Foot Complete–3/4" (Hinged) (2 Needle Machine)
No. 267874-056	Presser Foot Complete–7/8" (Hinged) (2 Needle Machine)
No. 267874-100	Presser Foot Complete–1" (Hinged) (2 Needle Machine)



No. 267851-016	Throat Plate–1/4" (2 Needle Machine)
No. 267853-024	Throat Plate–3/8" (2 Needle Machine)
No. 267855-032	Throat Plate–1/2" (2 Needle Machine)
No. 267857-040	Throat Plate–5/8" (2 Needle Machine)
No. 267858-048	Throat Plate–3/4" (2 Needle Machine)
No. 267858-056	Throat Plate–7/8" (2 Needle Machine)
No. 267859-100	Throat Plate–1" (2 Needle Machine)



No. 267802-016	Feed Dog–1/4" (2 Needle Machine)
No. 267804-024	Feed Dog–3/8" (2 Needle Machine)
No. 267812-032	Feed Dog–1/2" (2 Needle Machine)
No. 267817-040	Feed Dog–5/8" (2 Needle Machine)
No. 267821-048	Feed Dog–3/4" (2 Needle Machine)
No. 267821-056	Feed Dog–7/8" (2 Needle Machine)
No. 267825-100	Feed Dog–1" (2 Needle Machine)



No. 268151-016	Needle Clamp–1/4" (2 Needle Machine)
No. 268152-024	Needle Clamp–3/8" (2 Needle Machine)
No. 268152-032	Needle Clamp–1/2" (2 Needle Machine)
No. 268152-040	Needle Clamp–5/8" (2 Needle Machine)
No. 268154-048	Needle Clamp–3/4" (2 Needle Machine)
No. 268154-056	Needle Clamp–7/8" (2 Needle Machine)
No. 268156-100	Needle Clamp–1" (2 Needle Machine)



No. 268136 Needle Bar (Multiple Needle Machine)

ALSO AVAILABLE:
No. 268603 Needle Bar (Single Needle Machines)

No. 50014
Needle Set Screw
(Multiple Needle Machine)



No. 268144
Needle Bar Oiling Felt

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL GAUGE SETS
(No. 1830) 300 W SINGER



Gauge sets may be made in widths up to a total of 14".
The sewing head *must* be modified if the gauge width exceeds 4".
These are some of the more popular gauges, however any combination of needles and spacing within 14" may be obtained:
Such as ¼" - 4" - ¼"
⅜" - 2" - ⅜"
⅜" - 2" - 2" - ⅜",etc.

Las partes que integran los juegos de "gauges" pueden ser hechas de una anchura hasta de 14 pulgadas.
El cabezal debe ser modificado si la anchura del "gauge" sobrepasa cuatro (4) pulgadas.
Estos son algunas de lad "Gauges" más populares, sin embargo podemos suministrar cualquiera combinación entre las distancias de las agujas hasta 14"



WITH MODIFICATION

44 Needle - ¼" Spacing
39 Needle - ¼" Spacing
36 Needle - ¼" Spacing
35 Needle - ¼" Spacing
29 Needle - ½" Spacing
29 Needle - ¼" Spacing
25 Needle - ¼" Spacing
25 Needle - ⅜" Spacing
21 Needle - ¼" Spacing
20 Needle - ⅜" Spacing
19 Needle - ¼" Spacing
19 Needle - ⅜" Spacing
17 Needle - ¼" Spacing
17 Needle - ⅜" Spacing



WITHOUT MODIFICATION

16 Needle - ¼" Spacing
16 Needle - ⅜" Spacing
15 Needle - ¼"Spacing
15 Needle - ⅜" Spacing
12 Needle - ¼" Spacing
12 Needle - ⅜" Spacing
10 Needle - ¼" Spacing
10 Needle - ⅜" Spacing
8 Needle - ¼" Spacing
8 Needle - ⅜" Spacing
6 Needle - ¼" Spacing
6 Needle - ⅜" Spacing
4 Needle - ¼" Spacing
4 Needle - ⅜" Spacing
3 Needle - ¼" Spacing
3 Needle - ⅜" Spacing

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL GAUGE SETS WITH KNIFE KNIT PLACKET FRONT SHIRTS

(No. 1835K) CONSEW 332-R; (No. 1843K) JUKI 1152; (No. 1851K) PFAFF 142, (No. 1850K) 442



Special gauge sets are available with a knife mounted between the needles. It may be mounted forward of or behind the needles, depending on the operation.
If the machine is equipped with a needle positioner and thread trimmer it greatly increases production.

Tenemos disponibles juegos especiales de partes para los gauges con una cuchilla montada entre las agujas. La cuchilla puede estar montada delante o detras de las agujas, dependiendo en el tipo de trabajo que se realize.
Si la máquina está equipada con el posicionador de agujas y el cortahilo la producción aumenta notablemente.

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL GAUGE SETS
(No. 1852) PFAFF 5642



Gauge sets available in any combination of needles and spacing up to 2½".
Some of the more popular gauge sets are listed below.

Los juegos de "gauge" están disponibles en cualquiera combinación donde el espacio entre las agujas sea hasta 2½".
Algunos de los juegos de "gauge" más populos se pueden ver en la lista siguiente.



12 Needle - 3/16" Spacing
10 Needle - ¼" Spacing
10 Needle - 3/16" Spacing
9 Needle - ¼" Spacing
8 Needle - ¼" Spacing
8 Needle - 3/16" Spacing
6 Needle - ⅜" Spacing
6 Needle - ¼" Spacing
6 Needle - 3/16" Spacing
4 Needle - ¼" Spacing
2 Needle - ½" Spacing

Any other combination such as:
⅛" - 1" - ¼"
3/16" - 2" - 3/16", etc.



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

SPECIAL GAUGE SETS
(No. 1860) METROPOLITAN
(No. 1860) W&G 992 & W&G 1500



These are some of the more popular gauges, however, other combinations are available such as: ¼" - 4" - ¼" or 3/16" - 2" - 2" - 3/16" etc. Advise us of your special need.

Estas son unas de las "gauges" más populares, sin embargo, otras combinación tales como ¼" - 4" - ¼" o 3/16" - 2" - 2" - 3/16" etc. tambien están disponibles. Indicamos cual es el juego de "gauge" necesitado por UD.

Special gauge set available in any combination of needles or spacing up to 6¼" width.

Juegos Especiales de "Gauge" están disponibles en cualquiera combinación, distancia entre las agujas de una anchura hasta 6¼".

Example: *Ejemplo:*

25 Needle - ¼" Spacing
25 Needle - 3/16" Spacing
19 Needle - ¼" Spacing
12 Needle - ¼" Spacing
12 Needle - 3/16" Spacing
10 Needle - ¼" Spacing
10 Needle - 3/16" Spacing
9 Needle - ¼" Spacing
9 Needle - 3/16" Spacing
8 Needle - ¼" Spacing
8 Needle - 3/16" Spacing
6 Needle - ¼" Spacing
4 Needle - ¼" Spacing

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service
PRESSER FEET



RIGHT HINGED RAISING FEET
No. US12463H
1/32"; 1/16"; 1/8"; 3/16"; 1/4"; 3/32"; 5/16"; 3/8"; 1/2"
No. US12463HT Teflon Base
1/32"; 1/16"; 1/8"; 3/16"; 1/4" 3/32"; 5/16"; 3/8"; 1/2"
SPECIFY SIZE WHEN ORDERING



LEFT HINGED RAISING FEET
No. USL12463H
1/32"; 1/16"; 3/32"; 1/8"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"
No. USL12463HT Teflon Base
1/32"; 1/16"; 3/32"; 1/8"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"
SPECIFY SIZE WHEN ORDERING



TOP STITCH FOOT
No. 224165
1/8"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"
SPECIFY SIZE WHEN ORDERING

PIPING FEET

LEFT
No. 36069L
1/16"; 1/8"; 3/16"; 1/4"; 3/8"; 1/2"
No. 36069LT (Teflon Base)
1/16"; 1/8"; 3/16"; 1/4" 3/8"; 1/2"



RIGHT
No. 36069R
1/16"; 1/8"; 3/16"; 1/4"; 3/8"; 1/2"
No. 36069RT (Teflon Base)
1/16"; 1/8"; 3/16"; 1/4" 3/8"; 1/2"



DOUBLE
No. 36069DG
1/8"; 3/16"; 1/4"



SPECIFY SIZE WHEN ORDERING

HINGED BINDER FOOT WITH ADJUSTMENT SCREW
No. 12142AHB



COMPENSATING BINDER FOOT



FITS ANY SET-IN BINDER

This foot compensates for any variation of thickness and feeds on both sides. For faster feeding, perfectly even binding, less feeder marks, flatter garments.

No. 601 for 3/4" or 7/8" Binding
No. 602 for 1" or 1-1/8" Binding
No. 604 for 1-1/4" or Wider Binding
SPECIFY SIZE WHEN ORDERING



REGULAR WALKING FEET
No. 240148 Outside No. 240149 Inside
No. 240148T Teflon Base No. 240149T Teflon Base

S537 ELASTIC SHIRRING FOOT



WITH ADJUSTABLE TENSION
1/8"; 3/16"; 1/4"; 3/8"; 1/2"
SPECIFY SIZE WHEN ORDERING



No. S533
ADJUSTABLE TUBE FOOT

Complete with 2 Shanks. Adjustable in width (1/8" – 1" and 1" – 2") and Stitch Location at no extra cost.

EXTRA TUBES (SPECIFY SIZE)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service
PRESSER FEET



EDGE GUIDE FOOT
No. 223773
3/16"; 1/4"; 5/16"
SPECIFY SIZE WHEN ORDERING



No. S583 Outside
No. S584 Inside

SPRING EDGE GUIDE FEET
1/8"; 3/16"; 1/4"
SPECIFY SIZE WHEN ORDERING
REPLACEMENT SPRING

No. S544
COMPENSATING HEMMING FEET
Compensates for any variation of material and feeds on both sides. For faster feeding, perfect hemming and folding. Garment is flatter—less puckering and cutting.



NARROW – 111
Used with Hemmers and Folders up to 3/4".

WIDE – 111
Used with Hemmers and Folders up to 1-1/8".

(SPECIFY SIZE WHEN ORDERING)



EDGE GUIDE HEMMING FEET

No. S538 SMALL	No. S539 MEDIUM	No. S540 LARGE	No. S541 EXTRA LARGE
For Hems Up To 1/4"	For Hems Up To 1/2"	For Hems Up To 1"	For Hems 1" and Over
TEFLON BASE	TEFLON BASE	TEFLON BASE	TEFLON BASE

FOR USE ON HEMS WHEN A MORE UNIFORM STITCHING MARGIN IS REQUIRED



No. S538D

DOUBLE EDGE GUIDE HEMMING FEET
3/8"; 1/2"; 5/8"
(SPECIFY SIZE WHEN ORDERING)
SIZE REPRESENTS THE DISTANCE BETWEEN THE NEEDLE HOLE AND RIGHT GUIDE



No. S31 Outside
No S30 Inside

SET–No. S32

WELTING FEET
1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"; 5/8"
SPECIFY SIZE WHEN ORDERING



DOUBLE WELTING FEET
No. U84 – Outside No. U83 – Inside
1/8"; 3/16"; 1/4"; 3/8"
(SPECIFY SIZE WHEN ORDERING)

SINGLE TOE



Inside
Outside

WELTING FEET WITH TEETH

3/16"		1/4"	
No. 240567	Outside	No. 240568	Outside
No. 240569	Inside	No. 240570	Inside

5/16"
No. 240134 Outside No. 240157 Inside
SPECIFY SIZE WHEN ORDERING

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

"T" GAUGE



No. 25878

3 CORNER GAUGE



No. 25873

SWING GAUGE



No. 120428



SWING EDGE GUIDE

No. 660C

For use on 111W machines.

FOR METROPOLITAN 992 & 1500 CLASS



No. 8524-703
Complete with Spring No. 1002

SLIDE PLATE FOR RUFFLING



No. 8524-705
Complete with Spring No. 1002

FACE PLATE
No. 240104 (240179)

111W, 153W, 168 CL



FACE PLATE
No. 210911

112W, 134W, 138 CL



PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service
SLIDE PLATES

108W, 108K
151W, 151K CL.



No. 208570
(BED PLATE)

111W, 211W, 211G CL.



No. 240004
(FRONT)

111W, 211W, 211G,CL.



No. 240003
(BACK)

111W, 211W, 211G CL.




No. 240003SP
(BACK) Built-Up For Attachments

112W, 212W, 212G CL.



(BACK)
No. 223852

112W, 212W, 212G CL.



(FRONT)
No. 223853

112W, 212W, 212G CL.



(ATTACHMENT)
No. 224144

SPECIAL PLATES
AVAILABLE

SUBMIT SAMPLE
FOR DUPLICATION

153W, 153K CL.



No. 221174

300W CL.



No. 268021 (268017)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617


Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

No. 4000E

ELECTRONIC MOTOR CLUTCH CONTROL

FOR AUTOMATIC MACHINE OPERATION





Website: www.atlatt.com email: sales@atlatt.com

The *Sudden Service*™ Company

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



TRANSFORMER
No. 4002 – (220 Volt)
No. 4001 – (110 Volt)



No. 4006
THREAD STOP
LOCK STITCH



No. 4004 – TWIST PLUG



No. 4005 – PUSH BUTTON



No. 4003
THREAD STOP
MERCURY TYPE



No. 4000E
MOTOR CONTROL ASSEMBLY

FOR SINGER, UNION SPECIAL, METROPOLITAN, WILLCOX & GIBBS, ETC.

(When ordering parts, or complete kits, it is important that machine type and materials, as they are to be used in production, are included with purchase order.)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

MATERIAL, RIBBON, ZIPPER and CORD STOPS



No. 4008 – 3" ZIPPER STOP



No. 4007 – 3" RIBBON STOP




SPECIFY MATERIAL WIDTH


No. 4009-1 – DISC STOP ONLY

No. 4009 – COMPLETE UNIT

Can be ordered in any length. (Material Stop)



No. 4110 – 12" MATERIAL STOP



No. 4111 – 8" MATERIAL STOP

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



A-U

SPECIFY BORE SIZE



A-4



A-5



A-7

A-U UNIVERSAL ROD CONNECTOR

A-4 ALUMINUM HUB With Thumb Screw

A-5 HOOK TYPE UNIVERSAL ROD CONNECTOR With Thumb Screw

A-7 TABLE CLAMP (May be attached to any surface up to 2" in thickness)

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Sudden Service

FROM 1 TO 25 NEEDLES

THREAD STOPS

SPECIFY NUMBER OF THREADS

FOR MULTIPLE NEEDLE MACHINES



No. 4116



No. 4115



No. 4112



No. 4113



No. 4114

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

INDEX

A

30 Degree Binder with Raw Rubber 140
Adaptor, Handwheel Needle Positioner 456, 457
Adaptors, Pulley Wheel 456
ADJUSTABLE
- Blindstitch Hemmer 186
- Cuff Hemmer, Down Turn 149
- Cuff Hemming Attachment 150
- Guide, Double Binders 332
- Guide, Downturn Hemmer 205
- Guide, Right Angle 315
- Guide, Trim 314
- Guide, Upper 315
- Guide and Spring Double Rown Hemmers 178
- Guide Binding Folder 152
- Guide Single Downturn Hemmer 194
- Lace or Trim Guide, Right Angle 307
- Margin Elbow Bander 267
- Picot Hemmer 190
- Ric-Rac Guide 308
- Top Margin Elbow Bander, Collapsible 264
- Trim Guide 314
- Trim Setting Attachment 301
- Upturn Hemmer 196
- Upturn Hemmer Vinyl 196

Air Jet Feed Collarette 120
Air Jet Feed Sleeve Facing Folder 260
Air Jet Feed Split Tube Folder 120
Air Jet Hemmer 170
Air Jet Hemmer 195
Air Jet Upturn Hemmer 193
Air Scissors, Heavy-duty 265
Air Scissors, Pneumatic, Heavy- duty, Close Couple 265
Air Scissors 128
Aluminum Hub with Thumb Screw 480
Armhole Facing Attachment 246
Attach Row Cap 134
Attach Row Cap 136
Attached Zipper Fly Topstitch 199
ATTACHMENT
- Armhole Facing 246
- Bound Edge Zipper 293
- Bra Underwire 329
- Bra Underwire Support 326
- Circular Guiding Knit Collars, Bottom Bands 369, 370
- Contour Waistband Continuous Feed 277
- Cording 233
- Covered Elastic 223
- Covered Elastic 224
- Cuff Setting 151
- Double Needle Imitation Sleeving 201
- Double Yoking 200
- Double-Needle Sleeve Hemming with Elastic 225
- Downturn Zipper 298
- Drawstring Insertion 220
- French Piping 332
- Gun Case Zipper 300
- Hidden Zipper, Roll or Strip Feed 300
- Imitation Lap Seam 302
- Imitation Sleeving Double Needle 201
- Imitation Spaghetti 305
- Jeans Elastic Waistband 266
- Multi-Needle Taping 225
- Open Elastic with Adjustable Guide 218
- Right Angle Spaghetti 305
- Row Cap 53100 135
- Row Cap Waistband 229
- Single Needle Sleeving 200
- Spaghetti 304
- Spot Elastic Waistband 274, 361
- Stretch Elastic Waistband 51
- Tacking Elastic 212
- Trim Setting Adjustable 301
- Two-Tone Tucking 303
- Waistband Curtain Custom 228
- Waistband with Lining 237
- Waistband with Lining and Vacuum & Tensioner 238
- Zipper 298
- Zipper Double-Needle 297
- Zipper Fly Two-in-One 205
- Zipper Single-Needle 299

Attachment and Make Row Cap 134
Attachment Downturn Zipper 296
AUTOMATIC
- Back Pocket Hemmer 163
- Backtatch 37, 343
- Backtatch Sleeve Closing Station 39, 345, 347
- Backtack Sleeve Close and Turn 41, 349
- Belt Loop Cut and Count 437
- Binder, Cut-and-Insert 143
- Binding Left and Right with Backwinder 434
- Binding Multiple Plies 426
- Bra Strap 430
- Brassiere Strap Sewing 427
- Circular Clean Finish Hemmer 184
- Circular Elastic Waistband, Topstitch 59
- Clean Finish Elastic Waistband 51
- Clean Finish Hemmer, Short Body 184
- Continuous Hemming with Rewind 433
- Coverstitch Hemmer, Two-Needle, Sleeves & Pockets 333
- Curtain Tieback Sewing 439
- Cut-Apart, Programmable 45
- Cut-Apart, Raw Rubber Hem 219
- Cut-Apart Elastic Bottom Hem 67, 397
- Cut-Apart for Baseball Cap Binding 141
- Drapery Hemmer 423
- Elastic Set Operation 428
- Epaulet Sewing 73, 403
- Handbag Handles 412
- Hemmer, Clean Finish 184
- Hemmer, Single Fold 185
- Hemmer, Single Needle 424
- Hemmer, Single or Two-Thread Chainstitch 422
- Hemmer with Pre-fold 158
- Hemming Single Needle with Rewind 418
- Hemming with Backwinder, Overlock 417
- Jacket Tab Sewing 73, 403
- Jeans Waistband Station 76, 405
- Joining Multiple Plies Overlock 436
- Joining Rolls of Material 416

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

AUTOMATIC (Cont'd.)
Lace Hemming 431
Latchtack 37, 343
Machine Control 477
Multi-Needle Undertrimmer 71, 401
Overlock 414
Overlock and Rewind 415
Pocket Welt System 69, 399
Rib Knit Cuff Setting Legs 341
Rib Knit Cuff Setting Sleeves 339
Rib Knit Leg Cuff Setting 35, 444
Rib Knit Sleeve Cuff Setting 33
Roll Edge Hammer 438
Roll Edge Hemming Overlock 419
Second Operation Waistband Sew 429
Sew and Cut Belt Loops 432
Spaghetti Unit 306
Spiral Elastic 51
Spiral Elastic Waistband Station 51
Strap and Belt Sewing 425
Strap Sewing 420
Tie Back 37, 343
Tie Back Sleeve Close and Turn 41, 349
Tie Back Sleeve Closing Station 39, 345, 347
Topstitch Circular Elastic Waistband 59
Trim Joining for Lingerie 421
Two-Needle Coverstitch Hemmer, Sleeves & Pockets 333
Two-Needle Coverstitch Hemmer Sleeves & Bodies 335
Type Shirt Front Hemmer 181
Waistband Sew and Wind 435
Waistband Station, Jeans 75, 406
Automatics Wiring Diagram 411

B

Baby Pants 140
BACK POCKET HEMMERS
Automatic 163
Downturn 161
Downturn with Tongue 163
Back Tacker, Lower 409
Backlatch, Automatic 37, 343
Backlatch, Semi-Automatic 37, 343
Backlatch Lower 409
Backlatch Upper 409
Backwinder, Fluid Drive 443
Backwinder, Heavy-duty 441
Backwinder 440
Bag Closing, Clean Finish Hemmer 204
Bag Closing Hemmer 199
Balance Wheel, Double Groove 456
Ball Bearing, Piping Stand 324
Ball Bearing Binding Stand with Brake 324
Ball Bearing Stand, Double 325
Ball Foot Hemmer, Upturn 310
Band and Hem Folder 119
Bander, Elbow, Clean Finish Top, Raw Finish Bottom 268
Bander, Elbow, Uneven Turnbacks 268
Banding Folder, Straight 241
Banding Folder, "C" Type 261
Banding Folder Mounting Brackets 269
Banding Set, Over and Under 273
Baseball Cap Binder, Right Angle 141
Bedsheet Hemmer 148
Bedspread Hemmer, Downturn Clean Finishd 212
Bellows Pocket Hemmer Upturn, Clean Finish 164
Belt and Belt Loop Folder Butt Seam 254
Belt Closing Folder with Topstitch Guide 198
Belt Feed System, Variable Speed 44
Belt Folder, Center Stitch Overlap 254
Belt Loop, Cut and Count Automatic 437
Belt Loop Folder, Blindstitch 244
Belt Loop Folder, Blindstitch 244
Belt Loop Folder, Blindstitch with Lining 255
Belt Loop Folder 254
Belt Loop Folder for Galkin Cutter 257
Belt Loop Sew and Cut, Automatic 432
Belt or Strap Folder, Straight, Roll Feed 240
Belt Strap Folder, Finished End, Strip Load 239
Belt & Loop Folder, Strip Load 239
Belt & Tab Attachment Finished End 278
Bib Hemmer for Overalls 192
Bibbing and Banding Folder 275
BINDER
Blanket and Sheet Border 331
Carpet 121
Elastic 125
Elastic 129
Elastic "C" Type with Tension 145
Fitted Sheet Elastic 137
Off Angle 138
Picot Trim 121
Right Angle 122
Right Angle 123
Right Angle Cording 130
Right Angle Semi-Fold 126
Right Angle Tape 127
Right Angle Welting 130
Semi-Fold Right Angle 126
Straight 146
Swing RightAngle 125
Topstitch Roll Fed 234
Vibrating 393
"C" Type, Elastic 217
"C" Type 144
"C" Type Rolled Material 146
Attachment, Double 133
Baby Pants with Raw Rubber 140
Ruffler Attachment 133
Blanket Mitred Corner 330
Double Adjustable Guides 332
Mattress Tape 142
Binding, Automatic Multiple Plies 426
Binding Collarette 117
Binding Collarette 118
Binding Folder with Adjustable Guide 152
Binding Left and Right, Automatic with Backwinder 434
Binding Reel, Top and Bottom 322
Binding Reel, Universal 321
Binding Reel 323
Binding Reel Disc 323

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Binding Set, Straight 131
Binding Stand, Ball Bearing with Brake 324
Binding Stand, Clamp-on, Non Rotating 322
Blanket and Sheet Border Binder 331
Blanket Binder Set, Two-Piece 330
Blanket Binders, Mitred Corner 330
Blindstitch Belt Loop Folder 244
Blindstitch Belt Loop Folder for Cutters 244
Blindstitch Belt Loop Folder with Lining 255
Blindstitch Book Seam Folder 193
Blindstitch Hemmer, Clean Finish 171
Blindstitch Hemmer, Mousetrap 202
Blindstitch Hemmer, Swing-out Mousetrap 202
Blindstitch Hemmer Adjustable 186
Blindstitch Hemmer Clean Finish 165
Blindstitch Latch Hemmer 186
Block Binders 142
Blue Jeans Waistband Folder 272
Book Facing Folder, Overhead 153
Book Facing Folder, Overhead Lining 153
Book Facing Folder 156
Book Facing Folder Overhead Cord Piping 153
Book Facing Folder with Lining 153
Book Folder, Right Angle 296
Book Seam Folder Blindstitch 193
Border Binder, Blanket and Sheet 331
Bottom Bands, Guiding Attachment, Circular 369, 370
Bottom Metering Device, Electronic 43
Bottom Reel 321
Bottom Ruffler 63, 371-392
Bound Edge Zipper Attachment 299
Bra Strap, Automatic 427
Bra Strap Folder 243
Bra Straps, Automatic 430
Bra Underwire Attachment 329
Bra Underwire Folder 328
Bra Underwire Support Attachment 326
Bra Underwire Support Folder 327
Brassiere Strap Sewing, Automatic 427
Breakdown Bracket, Folder 271
Bulky Material Button Stay Hemmer 180
Bulky Material Hemmer, Clean Finish 175
Bulldog Hemmer, Split 183
Bulldog Hemmer 183
Butt Seam Belt and Belt Loop Folder 254
Button Stay Folder, Shirt Front 247
Button Stay Folder with Lining 248
Button Stay Hemmer, Bulky Material 180
Button Stay Hemmer, Clean Finish 174
Button Stay Hemmer, Downturn 227
Button Stay Hemmer, Large Work Plate 180
Button Stay Hemmer, Upturn Clean Finish 176
Button Stay Hemmer 179
Button Stay Hemmer Reverse 181
Button Stay Hemmer with Lining 181

C

Cap Binder Right Angle 141
Cap Sweat Band and Visor Roll Feed 313
Cap Sweat Band Folder Roll Feed 283
Carpet Binder, Cut-and-Insert 143
Carpet Binder 121
Center Cut-Apart Knife 47, 353
Center Folder, Imitation, 2 Operations 251
Center Front Folder, Imitation, Lower Facing 252
Center Knife Gauge Sets, Placket Front Shirts 470
Center Knife Gauge Sets 465
Center Knife Programmable 69, 399
Center Stitch Belt Folder, Overlap 254
Center Stitch Folder 242
Center Stitch Folder Imitation 253
Circular Automatic Hemmer, Single Fold 185
Circular Clean Finish Elastic Waistband 57, 365, 367
Circular Collar Guiding Attachment 369, 370
Circular Cuff Setting Cylinder Arm 55, 353
Circular Elastic Set Waistband 61
Circular Elastic Waistband 57, 365
Circular Elastic Waistband Topstitch 57, 365, 367
Circular Guiding Attachment for Knit Collars or Bottom Bands 369, 370
Circular Hemmer, Clean Finish Automatic 184
Circular Hemmer, Short Body Clean Finish 184
Circular Hemmer 183
Circular Knit Collar Set and Tape 155, 357
Circular Split Hemmer 183
Circular Upturn Split Hemmer 185
Clamp, Table 480
Clamp-on Binding Stand, Non Rotating 322
Clamp-on Overhead Tape Stand 322
CLEAN FINISH
- Elastic Hemmer 208
- Automatic Hemmer 184
- Blindstitch Hemmer 165
- Blindstitch Hemmer 171
- Circular Hemmer, Short Body 184
- Elastic Folder, Spiral 216
- Elastic Hemmer, Double Needle 221
- Elastic Waistband 216, 359
- Elastic Waistband Automatic 51
- Hemmer 74
- Hemmer, Bag Closing 204
- Hemmer, Blindstitch Mousetrap 202
- Hemmer, Button Stay 174
- Hemmer, Downturn 162
- Hemmer, Heavy-duty 175
- Hemmer, Swing-out 171
- Hemmer, Terry or Fleece 204
- Hemmer, Upturn for Bellows Pocket 164
- Hemmer, Upturn for Vinyl 173
- Hemmer, Upturn Swing-out 167
- Hemmer, Upturn with Flare 172
- Hemmer, Upturn with Lining 173
- Hemmer 166
- Hemmer Downturn with Tongue 167
- Hemmer Upturn with Flare 168
- Hemmer with Cord Insert 197
- Hemmer with Fringe Guide 164
- Mousetrap Hemmer 202
- Swing Hemmer 170

Close Coupled Air Scissors 265
Close Coupled Cut-Apart Knife for Overlocks 354
Close Coupled Synchronized Pullers 214
Cloth Puller Rollers 450

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Cloth Puller Synchronized 446
Cloth Pullers, Variable Speed 447, 448, 449
Collander Machine & Folders, Strap or Trim, Hot Roll or Press 259
Collapsible Elbow Bander with Adjustable Top Margin 264
Collapsible Folder, Placket or Waistband 233
Collar Band Felling Attachment 159
Collar Band Hemmer Upturn 310
Collar Band Hemmer 192
Collar Cuff and Band Setting Rib Knit 337
Collar Guiding Attachment, Circular 369, 370
Collar Set and Tape for Placket Front Shirts 154
Collar Taping Folder 230
Collar Taping Placket Shirt 49, 355
Collarette Air Jet Feed 120
Collarette Binding Folder 117
Collarette Binding Folder 118
Combination Bedsheet Hemmer Set 147
Combination Hemmer Set, Bedsheet 147
Combining Guide for Waistbands, etc. 441
Complete Gauge Sets, Special Gauge Sets 463
Cone Bearing Disc, Self-Centering 325
Cone Bearing Elastic Stand 324
Cone Bearings, Roll Holding Cones 325
Cones, Roll Holder 325
Constant Ruffler 63, 371-392
Continuous Feed Contour Waistband Attachment 277
Continuous Feed Elastic Waistband Attachment 268
Continuous Hemming with Rewind Automatic 433
Continuous Rolls of Material Joined Automatically 416
Contour Shirt Tail Hemmer 187
Contour Waistband Attachment Continuous Feed 277
Contour Waistband Attachment with Finished End 277
Control, Automatic Machine 477
Control, Electronic Motor Clutch 477
Cord 212
Cord Filler Horn Folder 152
Cord Folder, Single Turn 197
Cord Handle Folder, Luggage 245
Cord Handle Folder, Upholstery, Double or Triple 258
Cord Hemmer, Clean Finish 197
Cord Hemmer, Downturn Clean Finish 212
Cord Piper, Topstitch 286
Cord Piping, Book Facing Folder Overhead 153
Cord Piping, Piggyback 287
Cord Piping Folder, Sandwich 295
Cord Piping for Curves and Corners 297
Cord Piping for Overlock, Angle Type Swing-out 291
Cord Piping for Overlock Machines, Straight or Angled Swing-out 292
Cord Piping Hemmer, Pre-made 151
Cord Piping Piggyback for Overlock 293
Cord Piping Top Center Folder 249
Cord Welt, Double, Pre-made 290
Cord Welt Imitation Lap Seam Attachment 302
Cord Welt Pre-made, Swing-out 290
Cord Welter, Straight Type 288
Cord Welter, Swing-out 288
Cord Welter, Swing-out Plain Sewer 289
Cord Welting with Strip Placket Folder 237
Cording Attachment 233
Cording Binder, Right Angle 130
Covered Elastic Attachment 223
Covered Elastic Attachment 224
Covered Elastic Attachment with Swing-out Hemmer 223
Coverstitch Hemmer, Automatic Two-Needle, Sleeves & Bodies 335
Coverstitch Single Downturn Hemmer 194
Cuff Folder, Imitation Downturn 262
Cuff Folder Imitation Upturn 262
Cuff Hemmer, Adjustable Down Turn 149
Cuff Hemmer, Down Turn Adjustable 149
Cuff Hemming Attachment, Adjustable 150
Cuff Setting, Automatic Rib Knit 339
Cuff Setting, Automatic Rib Knit for Legs 341
Cuff Setting Attachment 151
Cuff Setting Circular Cylinder Arm 55, 363
Curtain Hemmer Rod Pocket Double Roll 182
Curtain Rod Pocket Hemmer Double Roll 182
Curtain Tieback, Automatic 439
Curve and Corner Cord Piper 287
Custom Built Pullers 446
Custom Designed Waistband Curtain Attachment 228
Cut-and-Insert Binder 143
Cut-Apart Knife, Close Coupled for Overlocks 354
Cut-Apart Knife, Double Acting 48
Cut-Apart Knife 126
Cylinder Arm Conversion for 39500 ..... 55, 363
Cylinder Arm Cut-Apart Knife 354

D

Detectors, Thread Break 461
Diagrams, Garment 91
Disc, Binding Reel 323
Double Ball Bearing Stand 325
DOUBLE
- Binder Attachment 133
- Binders, Adjustable Guides 332
- Blade Rufflers 63, 371-392
- Cord Welt Pre-made 290
- Groove Balance Wheel 456
- Lap Seam Folder 316
- Needle Elastic Hemmer 221
- Needle Imitation Sleeving Attachment 201
- Double or Triple Cord Handle Folder, Upholstery 258
- Roll Hemmer with Adjustable Guide and Spring 178
- Roll Hemmers 178

Double-Needle Sleeve Hemming Attachment with Elastic 229
Double-Needle Upturn Zipper Attachment 296
Double-Needle Zipper Attachment 297
Down Turn Adjustable Cuff Hemmer 149
DOWNTURN
- Clean Finish Hemmer with Tongue 167
- Elastic Strap Folder 226
- Back Pocket Hemmer 161
- Back Pocket Hemmer with Rod 161
- Back Pocket Hemmer with Tongue 163
- Button Stay Hemmer 227
- Clean Finish Hemmer 162
- Clean Turn Finish Hemmer 212

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

DOWNTURN (Cont'd)
Double Roll Hemmer, Downturn 177
Hemmer, Adjustable Guide 205
Hemmer, Single Swing-out 194
Hemmer Interlining 157
Imitation Cuff Folder 262
Raw Edge Hemmer 194
Tunnel Elastic Panty Waist 210
Zipper Attachment 298
Zipper Attachment Garment Bag Pocket Book 256
Drapery Hemmer, Automatic Blindstitch 423
Drapery Side Hemmer, Imitation 252
Drapery Side Hemmer 148
Drawstring Attachment 220
Drawstring Insertion Attachment 220

E

Edge, Trim and Bind Folder 142
Edge-to-Edge Rufflers 63, 371-392
ELASTIC
Attachment, Covered 223
Attachment, Covered Right Angle 224
Attachment, Covered with Swing-out Hemmer 223
Attachment, Open with Adjustable Guide 218
Attachment, Stretch Waistband 315
Attachment, Tacking 212
Binder, Right Angle 139
Binder 125
Binder 129
Bottom Hem, Automatic 67, 397
Fitted Sheet Binder 137
Hemmer, Clean Finish 208
Hemmer, Swing-away 217
Hemmer Double Needle 221
Hemmer Tunnel with Tacking Device 211
Hemmer with Tacking Device 221
Jeans Waistband Attachment 265
Loop Setting 61
Metering Device, Electronic 43
Metering Device, Lower Synchronized 209
Metering Device, Upper 207
Metering Device 207
Sleeve Hemming Attachment, Double Needle 229
Sleeve Hemming Attachment, Double Needle 229
Stand with Cone Bearing 324
Strap Folder Downturn 226
Tape Sewing, Automatic 428
Tension Binder, "C" Type 145
Tension for Rimoldi 206
Waistband Attachment, Continuous Feed 266
Waistband Clean Finish 215, 359
"C" Binder 217
"C" Type Binder 146
Elbow Bander, Adjustable Margin 267
Elbow Bander, Clean Finish Top,
Raw Finish Bottom 268
Elbow Bander, Right Angle 267
Elbow Bander 268
Elbow Bander Collapsible, Adjustable Top Margin 264
Elbow Banding Folder, Small Size 263
Elbow Banding Folder 262
Elbow Strap or Belt Folder, Right Angle 267
Electric Rewinding Reel 442
Electronic Elastic Metering Device 43
Electronic Fast Action Knife 45, 351, 466
Electronic Metering 43
Electronic Metering Device, Upper or Lower 453
Electronic Motor Clutch Control 477
Epaulet 73, 403
Epaulet Sewing, Automatic 73, 403
Extra Short Hemmer Front Pocket 158
Extra Short Placket or Waistband Folder 232

F

Facing Attachment, Armhole 246
Facing Folder, French 240
Facing Folder, Pockets 282
Fashion Knit Collar Set and Tape 49, 355
FastAction Knife, Programmable 141
Fast Action Knife, Programmable 45, 351, 466
Federal Seams Specifications 82
Feed and Plate, Heavy-Duty Special 168
Feed and Plate Standard Five Row 168
Feeding System, Belt Driven 44
Feeding System, Top Belt Attachment 44
Feeds and Plates, Special 464
Feet, Presser 473, 474
Feet, Topstitch 309
Felling Attachment, Special 159
Finished End, Belt & Strap Folder, Strip Load 239
Finished End, Belt & Tab Attachment 278
Finished End Contour Waistband Attachment 277
Finished End Placket/Waistband 236
Fitted Sheet Binder Elastic 137
Five-Row Feed and Plate Standard 168
Flare Hemmer, Upturn Clean Finish 168
Flare Hemmer, Upturn Clean Finish 172
Flat Bed Right Angle Binder 122
Flat Lock Taping Folder 225
Fluid Drive Backwinders 443
Fluid Drive Rewinders 443
Fluted Puller Rollers 213
Fluted Puller Rollers 222
Fluted Puller Rollers 396
Fluted Puller Rollers 451
Fluted Rollers 451
FOLDER
Back Pocket Welting, Imitation 253
Band and Hem 119
Belt Closing with Topstitch Guide 198
Belt Loop, Strip Load 239
Belt Loop 254
Belt Loop for Galkin Cutter 257
Belt & Belt Loop Butt Seam 254
Bibbing and Banding 275
Blindstitch Belt Loop 244
Blindstitch Belt Loop with Lining 255
Blindstitch Book Seam 193
Bra Strap 243
Bra Underwire 328
Bra Underwire Support 327
Button Stay Shirt Front 247
Button Stay with Lining 248
Center Stitch 242

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

FOLDER (Cont'd)
Clean Finish Elastic Spiral 216
Collar Taping 230
Collarette Binding 117
Collarette Binding 118
Double Lap Seam 316
Elastic Strap Downturn 226
Elastic Waistband, Right Angle 269
Elbow Banding, Small Size 263
Elbow Banding 263
Finished End, Belt Strap, Strip Load 239
Finished End Placket/Waistband 236
French Belt 242
French Facing 240
Hem and Band 119
Imitation Center, 2 Operations 251
Imitation Center 250
Imitation Center 251
Imitation Center Stitch 253
Jacket Yoking 226
Lap Seam 318
Lap Seam 319
Lap Seam Sleeve 320
Lap Seam with Spring 317
Lined Handle & Belt 258
Luggage Handle 245
Overhead Book Facing 153
Placket Strip Load 235
Placket Uneven Turnbacks 235
Placket Waistband, Extra Short 232
Pocket Facing 281
Pre-made Cord Piping 284
Right Angle, Elastic Waistband 269
Right Angle Book 256
Right Angle Piping, Pre-made 284
Roller Press for Fusing Machines 257
Sandwich Cord Piping 285
Self-Welt 227
Self-Welt with Cord 227
Semi-Fold Lap Seam 316
Semi-Joiner 312
Shell Edge Stitch 304
Short Placket/Waistband Strip Load 231
Side Stitch Loop 234
Single Turn Cord 197
Sleeve Facing Strip Load 260
Sleeve Facing with Air Jet Feed 260
Spiral Elastic Waistband 215, 359
Split Tube 117
Split Tube 118
Straight, Vinyl or Plastic 241
Strip Load Elastic Waistband Jeans 232
Strip Placket with Cord Welting 237
Strip Placket/Waistband Off-Set Margins 237
Taping for Flat Lock 225
Top Center on Swing-up Bracket 248
Top Center on Swing-up Bracket 248
Top Center Strip Load 250
Top Center with Cord Piping 249
Top Center with Lining 249
Topstitch Joiner 311
Waistband/Placket Strip Load Semi-Fold 236
"C" Type Banding 261
Breakdown Bracket 271
Edge, Trim and Bind 142
Elbow Strap or Belt, Right Angle 267
Mounting Brackets 271
Mounting Dimensions 270
Collander Machine, Hot Roll or Press 259
Fusing Machine 256
Foot, Downturn Topstitch 310
Foot, Joiner Topstitch 311
Foot, Label Setting 162
Foot, Special Label Setting 162
Foot, Top Stripper 225
Foot, Tube 311
Foot Lift, Pneumatic 455
Foot Lifts Pneumatic 454
Foot Switch, Pneumatic 454
French Belt Folder 242
French Belt or Belt Loop Folder, Bra Strap 243
French Facing Folder 240
French Piping Attachment 332
Fringe Guide, Clean Finish Hemmer 164
Front Pocket Hemmer 158
Full Turnback, Three-Way Hemmer 205
Fusing Machine Folders 256
Fusing Machine Roller Press Folder 257

G

Galkin Cutter Belt Loop Folder 257
Galkin Type Belt Loop Folder 244
Garment Diagrams 91
Gauge Dimensions Multi-Needle 81
Gauge Sets, Special 224
Gauge Sets for 300W, 302W, 1830, 1825 468
Gauge Sets Union Special 51400 458
Gauge Sets Union Special 51700 459
Gear Driven Puller 445
General Information and Terms 77
Gore Hemmer, Heavy-duty 199
Gore Hemmer 198
Gore Hemmer Upturn for Vinyl 188
Guide, Adjustable 314
Guide, Combining Waistbands 441
Guide, Ric-Rac Adjustable 308
Gun Case Zipper 300

H

Handbag Handle Sewing Station 412
Handle Folder, Cord Luggage 245
Handle Folder, Luggage 245
Handle & Belt Folder Lined 258
Heavy Cord Downturn Hemmer, Clean Finish 212
Heavy Seam, Single Uptum Hemmer 192
Heavy-duty Air Scissors 265
Heavy-duty Backwinder 441
Heavy-duty Clean Finish Hemmer 175
Heavy-duty Feed and Plate, Special 168
Heavy-duty Gore Hemmer 199
Heavy-duty Hemmer, Spring Loaded 157
Heavy-duty Hemmer 160
Heel Switch, Pneumatic 454
Hem and Band Folder 119

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Hem with Pre-made Cord Piping 151
HEMMER
Adjustable Picot 190
Adjustable Upturn 196
Air Jet 170
Air Jet 195
Air Jet Upturn 193
Automatic Back Pocket 163
Automatic Coverstitch, Sleeves & Pockets 333
Automatic Single Needle 424
Automatic Two-Needle Coverstitch Sleeves & Bodies 336
Automatic Type Shirt Front 181
Automatic with Pre-fold 158
Bag Closing, Clean Finish 204
Bag Closing Gore 199
Bedsheet 148
Blindstitch, Clean Finish 171
Blindstitch Adjustable 188
Blindstitch Clean Finish 165
Bulky Material, Clean Finish 175
Button Stay, Bulky Material 180
Button Stay, Large Work Plate 180
Button Stay 179
Button Stay Reverse 181
Button Stay with Lining 181
Circular Upturn Split 185
Clean Finish, Swing 170
Clean Finish, Swing-out 171
Clean Finish, Terry or Fleece 204
Clean Finish 165
Clean Finish 166
Clean Finish 174
Clean Finish with Fring Guide 164
Collar Band 192
Contour Shirt Tail 187
Double Roll, Downturn 177
Downturn Back Pocket 161
Downturn Back Pocket with Rod 161
Downturn Back Pocket with Tongue 163
Downturn Button Stay 227
Downturn Clean Finish 162
Downturn Clean Finish with Tongue 167
Downturn Raw Edge 194
Downturn Tunnel Elastic Panty Waist 210
Downturn with Adjustable Guide 205
Downturn with Interlining 157
Drapery Side 148
Elastic Swing-away 217
Elastic with Tacking Device 221
Front Pocket 158
Full Turnback, Three-Way 205
Gore 198
Heavy-Duty 160
Heavy-Duty Spring Loaded 157
Imitation Tunnel Raw Rubber 219
Latch Blindstitch 186
Latch Plain Sewer 186
Long Core Pin 191
Mousetrap Swing-out Raw Edge 203
Patch Pocket 166
Pigtail 162
Pillow Case 147
Plain 189
Plain without Gore 190
Plain without Pin 191
Raw Edge Hemmer Upturn with Lining 192
Raw Edge Mousetrap 203
Rod Pocket Double Roll 182
Roll Edge Automatic 438
Shirt Front 249
Shirt Tail Spring 187
Shirt Tail Spring 187
Single Downturn 195
Single Downturn Coverstitch 194
Single Downturn Swing-out 194
Single Downturn with Lining 194
Single Upturn 192
Single Upturn 196
Single Upturn Collar Band 192
Split Bulldog 183
Split for Circular Garments 183
Spring Foot Upturn 310
Spring Shirt Tail 187
Swing Up 188
Three-Way Mousetrap 203
Three-Way Mousetrap Swing-out 203
Towel End with Spring 189
Tunnel Elastic 208
Upturn, Collar Band 310
Upturn Clean Finish 166
Upturn Clean Finish 175
Upturn Clean Finish Button Stay with Lining 176
Upturn Clean Finish Swing-out 166
Upturn Clean Finish with Flare 172
Upturn Clean Finish with Lining 173
Upturn for Curtain Ruffler 192
Upturn Rod 159
Upturn Split 185
for Overalls, Bib 192
Set, Combination Bed Sheet 147
Upturn Ball Foot 310
Double Roll 178
Double Roll Adjustable Guide and Spring 178
Hemming, Automatic Roll Edge Overlock 419
Hemming, Automatic Single Needle Rewind 418
Hemming, Automatically, Single- or Double-Needle Chain 422
Hidden Zipper Attachment, Roll or Strip Feed 300
High-Speed Spaghetti Unit 307
Hook Type Rod Connector Universal 480
Horn Folder with Cord Filler 152
Hot Roll or Press Collander Folders, Strap or Trim 259
Hub, Aluminum with Thumb Screw 480

I

Imitation, Back Pocket Welting Folder 253
Imitation Center Folder, 2 Operations 251
Imitation Center Folder 250
Imitation Center Folder 251
Imitation Center Front Folder with Lower Facing 252
Imitation Center Stitch Folder 253
Imitation Cuff Folder Downturn 262
Imitation Cuff Folder Upturn 262

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Imitation Drapery Side Hemmer 252
Imitation Lap Seam Attachment 302
Imitation Lap Seam Attachment Cord Welt 302
Imitation Spaghetti Attachment 305
Imitation Tunnel Elastic 218
Imitation Tunnel Hemmer for Raw Rubber 219
Instructions, Filling Mercury Switches 411
Interlining Downturn Hemmer 157
Intermittent Ruffler 63, 371-392
Intermittent Top Shirring for Overlocks 395
Intermittent Top Shirring for Overlocks 65
Invisible Stitch Row Cap 134

J

Jacket Yoking Folder 226
Jeans Bottom Hemmers 183
Jeans Elastic Waistband Folder, Strip Load 232
Jeans Waistband, Automatic 76, 405
Join Trim Automatically 421
Joiner Folder, Topstitch 311
Joiner Foot, Topstitch 311

K

Knee Switch, Pneumatic 454
Knife, Air 128
Knife, Center Cut-Apart 47, 353
Knife, Pneumatic Safety 48
Knife, Programmable Fast Action 45, 351, 466
Knife, Stripe Cutting 47, 353
Knife Gauge Sets, Special 465
Knit Collar Circular Set and Tape 156, 357

L

Label Foot 317
Label Setting Foot 162
Lace Hemming, Automatic 431
Lace or Trim Guide, Adjustable Right Angle 307
Lap Seam Attachment, Imitation 302
Lap Seam Attachment, Imitation with Cord Welt 302
Lap Seam Folder, Double 316
Lap Seam Folder, Semi-Fold 316
Lap Seam Folder 318
Lap Seam Folder 319
Lap Seam Folder Sleeving 320
Lap Seam Folder with Spring 317
Lap Seam Guide, Raw Edge 316
Large Work Plate, Button Stay Hemmer 180
Latch Hemmer, Plain Sewer 186
Latch Hemmer Blindatitch 186
Latchtack, Automatic 37, 343
Latchtack, Semi-Automatic 37, 343
Left Joiner, Topstitch 313
Leg Cuff Setting Rib Knit 35, 444
Leg Elastic, Automatic Cut-Apart 219
Leg Hemming 183
Leg Hemming Jeans 183
Lined Handle & Belt Folder 258
Long Core Pin Hemmer 191
Loop Folder, Side Stitch 234
Lower Back Tacker 409
Lower Elastic Metering Device 207
Lower Elastic Metering Device 209
Lower Facing, Center Front Folder, Imitation 252
Lower Metering Device 207
Lower Variable Speed Metering Device 452
Luggage Cord Handle Folder 245
Luggage Handle Folder 245

M

Material, Ribbon, Zipper and Cord Stops 479
Mattress Tape Binder 142
Mercury Switch Filling Instructions 411
Metering, Electronic 43
Metering Device, Elastic Upper 207
Metering Device, Electronic, Upper or Lower 453
Metering Device, Variable Speed 444
Metering Device Synchronized, Lower 209
Metropolitan and W & G Gauge Sets, Special 472
Mitred Corner Blanket Binders 330
Motor Control Assembly 478
Mounting Brackets Folders 271
Mounting Brackets for Banding Folders 269
Mousetrap, Three-Way Hemmer Swing-out 203
Mousetrap Blindstitch Hemmer 202
Mousetrap Blindstitch Hemmer Swing-out 202
Mousetrap Hemmer, Raw Edge 203
Mousetrap Hemmer, Swing-out Raw Edge 203
Mousetrap Three-Way Hemmer 203
Multiple Feed System 44
Multi-Needle Chainstitch Undertrimmer 71, 401
Multi-Needle Gauge Dimensions 81
Multi-Needle Taping Attachment 225
Multi-Needle Undertrimmer 71, 401
Multi-Roll Trim Joining Automatically 421

N

Needle Bar Split 463
Needle Chuck Retractable 463
Needle Positioner Handwheel Adaptor 456, 457
Non Rotating Clamp-on Binding Stand 322

O

Off Angle Binder 138
Off-Set Margin, Strip Load Placket/
Waistband Folder 237
Open Elastic Attachment with Adjustable Guide 218
Over and Under Banding Set 273
Overall Bib and Band Folder 275
Overhead Book Facing Folder 153
Overhead Book Facing Folder Cord Piping 153
Overhead Book Facing Folder with Lining 153
Overhead Tape Stand, Clamp-on 322
Overhead Tape Stand 322
Overlap Center Stitch Belt Folder 254
Overlock, Plain Piping 291
Overlock, Top Shirring Intermittent 65
Overlock and Rewind Automatically 415
Overlock Cord Piping, Angle Type, Swing-out 291
Overlock Cord Piping, Straight or Angled 292
Overlock Hemming with Backwinder 417
Overlock Joining, Multiple Plies, Automatic 436
Overlock Piggyback Cord Piping 293
Overlock Piggyback Plain Piping 293
Overlock Piping, Pre-made 294

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Overlock Piping, Pre-made Piggyback 294
Overlock Plain Piping, Straight Type Swing-out 292
Overlock Pre-made Piping 294
Overlock Top Shirring Intermittent 395
Overlock Two Ply Automatic 414

P

Panty Waist Hemmer 210
Partial Elastic Waistband 53
Parts for Union Special 54200 and 54400 460
Patch Pocket Hemmer 168
Pfaff 5642 Gauge Sets, Special 471
Picot Hemmer, Adjustable 190
Picot Trim Binder 121
Piggyback Cord Piping 287
Piggyback Cord Piping for Overlock 293
Piggyback Plain Piping for Overlock 293
Piggyback Welting 289
Pigtail Hemmer 182
Pillow Case Hemmer 147
Pin Hemmer, Long Core 191
Piper, Topstitch Cord 286
Piping Attachment, French 332
Piping Binder, Right Angle 132
Piping Stand, Ball Bearing 324
Piping Stand 24
Placket Folder, Strip Load 235
Placket Folder on Even Turnbacks 236
Placket Front Shirt Center Knife Gauge Sets 470
Placket Front Shirt Collar Set and Tape 154
Placket or Waistband Folder, Extra Short 232
Placket Shirt Collar Set and Tape 49, 355
Placket/Waistband Folder, Collapsible Strip Load 233
Placket/Waistband Folder, Finished End 235
Plain Hemmer 189
Plain Hemmer without Gore 190
Plain Hemmer without Pin 191
Plain Piping for Overlock, Straight Type Swing-out 292
Plain Piping for Overlock 291
Plain Piping Piggyback for Overlock 293
Plain Sewer, Latch Hemmer 186
Plastic, Straight Folder 241
Plates, Slide 476
Plates and Feeds, Special 464
Plates and Feeds, Special Binder 124
Pneumatic Air Scissors 265
Pneumatic Foot Lift 454
Pneumatic Foot Lifts 455
Pneumatic Foot Switch 454
Pneumatic Heel Switch 454
Pneumatic Knee Switch 454
Pneumatic Safety Knife 48
Pneumatic Scissors 128
Pneumatic Treadle Rod Assembly 454
Pocket Facing Folder 282
Pocket Welt System 69, 399
Pocket Welting Folder, Back Imitation 253
Presser Feet, Special 473, 474
Presser Foot for 327 Rimoldi 206
Pre-cut Blindstitch Belt Loop Folder 244
Pre-fold Automatic Hemmer 158
Pre-made Cord Piping Folder Swing-out 284
Pre-made Cord Piping Hemmer 151
Pre-made Cord Welt, Swing-out 290
Pre-made Double Cord Welt 290
Pre-made Piggyback Piping for Overlock 294
Pre-made Piping for Overlock 294
Pre-made Right Angle Piping Folder 284
Programmable Center Knife 466
Programmable Center Knife 69
Programmable Center Knife 69, 399
Programmable Fast Action Knife 141
Programmable Fast Action Knife 45, 351, 466
Puller, Cloth Synchronized 445
Puller, Gear Driven Synchronized 445
Puller, Synchronized 446
Puller Rollers, Fluted 222
Puller Rollers, Fluted 396
Puller Rollers, Fluted 451
Puller Rollers Fluted 213
Pullers, Cloth Variable Speed 447, 448, 449
Pullers, Custom Built 446
Pullers, Synchronized 255
Pullers, Synchronized Close Coupled 214
Pullers, Synchronized or Variable Speed 255
Pullers, Variable Speed 255
Pulley Wheel Adapters 456
Push Button 478

R

Raw Edge Elastic Waistband, Strip Load 222
Raw Edge Lap Seam Guide 316
Raw Edge Mousetrap Hemmer 203
Raw Rubber Binder, 30 Degree 140
Raw Rubber Binder, Right Angle 140
Raw Rubber Hemmer, Automatic Cut-Apart 219
Raw Rubber Tunnel Hemmer, Imitation 219
Reel, Material Lower 321
Reel, Tape and Binding Universal 321
Reel Rewinding, Electric 442
Retractable Needle Chuck 463
Reverse Button Stay Hemmer 181
Reverse Hemmer, Button Stay 181
Rewinder, Fluid Drive 443
Rewinder 440
Rewinding Reel, Electric 442
Rib Knit Collar Cuff and Band Setting 337
Rib Knit Cuff Setting, Automatic, All with Sleeves 339
Rib Knit Leg Cuff Setting, Automatic 35, 444
Rib Knit Leg Cuff Setting, Automatic 341
Rib Knit Sleeve Cuff Setting, Automatic 33
Ric-Rac Guide, Adjustable 308
RIGHT ANGLE
Elbow Bander 267
Semi-Fold Binder 126
Adjustable Guide 315
Adjustable Lace or Trim Guide 307
Binder, Flat Bed 122
Binder, Moveable 393
Binder 122
Binder 123
Binder with Elastic 139
Binder with Raw Rubber 140

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.
17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

RIGHT ANGLE (Cont'd)
Binding with Piping 132
Book Folder 295
Cap Binder 141
Cording Binder 130
Covered Elastic Attachment 224
Elastic Binder 139
Elastic Waistband Folder 269
Elbow Strap or Belt Folder 267
Spaghetti Attachment 305
Swing Binder 125
Tape Binder, Swing Type 128
Tape Binder 127
Trim or Lace Guide 307
Welting Binder 130
Rimoldi 327 Presser Foot 206
Rimoldi Elastic Tension 206
Rod Connector, Hood Type 480
Rod Connector, Universal 480
Rod Hemmer, Downturn Back Pocket 161
Rod Hemmer, Upturn 159
Rod Pocket Hemmer, Double Roll 182
Roll Edge Hemming, Automatic Overlock 419
Roll Feed, Cap Sweat Band Folder 283
Roll Feed, Semi-Stripper 280
Roll Feed, Straight Belt or Strap Folder 240
Roll Feed, Upper Strippers 281
Roll Feed Gun Case Zipper Attachment 300
Roll Stand, Double 325
Roller Press Folder Fusing Machines 257
Rollers for Cloth Pullers 450
Row Cap, Attach and Make 134
Row Cap Attachment, Invisible Stitch 134
Row Cap Attachment 136
Row Cap Attachment 53100 135
Row Cap Waistband Attachment 229
Ruffers, Constant 63, 371-392
Ruffler 63, 371-392
Ruffler Binder Attachment 133
Rufflers, Bottom 63, 371-392
Rufflers, Double Blade 63, 371-392
Rufflers, Edge-to-Edge 63, 371-392
Rufflers, Intermittent 63, 371-392
Rufflers, Sandwich 63, 371-392
Rufflers, Top 63, 371-392
Rufflers, Top and Bottom 63, 371-392
Rufflers, Topstitch 63, 371-392

S

Sandwich Cord Piping Folder 295
Sandwich Piper Topstitch Cord Piper 286
Sandwich Piping Set 308
Sandwich Ruffler 63, 371-392
Scissors, Air 128
Scissors, Pneumatic 128
Seam Bust and Side Seam 312
Seams Specifications, Federal 82
Second Operation Waistband Automatic 429
Self-Centering Cone Bearings with Disc 325
Self-Welt Folder with Cord 227
Semi-Automatic Backlatch 37, 343
Semi-Automatic Latchtack 37, 343
Semi-Automatic Spot Elastic Waistband 53
Semi-Automatic Tie Back 37, 343
Semi-Fold Lap Seam Folder 316
Semi-Fold Strip Load Waistband/Placket 236
Semi-Joiner Folder 312
Semi-Stripper Roll Feed 280
Sensors Material, Ribbon, Zipper and Cord Zipper Stop 479
Serger Cylinder Arm Conversion for 39500 ..... 55, 363
Set, Circular Elastic Waistband 61
Set, Elastic Loop Circular 61
Set and Tape Circular Knit Collar 155, 357
Set and Tape Collar Fashion Knit 49, 355
Set-In Pockets 69, 339
Shell Edge Stitch Folder 304
Shirt Front Button Stay Folder 247
Shirt Front Hemmer, Automatic Type 181
Shirt Front Hemmer 249
Shirt Tail Spring Hemmer 187
Shirt Tail Spring Hemmer 187
Short Body Hemmer, Automatic Clean Finish 184
Short Placket/Waistband Folder, Strip Load 231
Side Drapery Hemmer 148
Side Hemmer, Drapery, Imitation 252
Side Hemmer, Drapery 148
Side Seam and Seam Bust 312
Side Stitch Loop Folder 234
Singer 300W Special Gauge Sets 469
Singer 302W Special Gauge Sets 467
Single Down Turn Hemmer, Adjustable Guide 194
Single Downturn Hemmer, Swing-out 194
Single Downturn Hemmer 195
Single Downturn Hemmer for Coverstitch 194
Single Fold Automatic Hemmer 185
Single Fold Circular Automatic Hemmer 185
Single Needle Sleeving Attachment 200
Single Operation Collar Set and Tape 49, 355
Single Turn Cord Folder 197
Single Upturn Collar Band Hemmer 192
Single Upturn Hemmer 192
Single Upturn Hemmer 196
Single Upturn Hemmer Adjustable Guide Tube 192
Single Upturn Hemmer Curtain Ruffler 192
Single Upturn Hemmer Heavy Seams 192
Single-Needle Zipper Attachment 299
Sleeve, Lap Seam Folder 320
Sleeve Close and Turn, Automatic Backlatch 41, 349
Sleeve Close and Turn, Automatic Backtack 41, 349
Sleeve Closing, Automatic Backlatch 39, 345, 347
Sleeve Closing, Automatic Backtack 39, 345, 347
Sleeve Closing, Automatic Tie Back 39, 345, 347
Sleeve Cuff Setting, Automatic 33
Sleeve Facing Folder, Strip Load 260
Sleeve Facing Folder with Air Jet Feed 260
Sleeve Hemming Attachment, Elastic Double Needle 229
Sleeving Attachment, Double Needle Imitation 201
Sleeving Attachment, Single Needle 200
Slide Plates 478
Small Size, Elbow Banding Folder 263
Spaghetti Attachment, Imitation 305
Spaghetti Attachment, Right Angle 305

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Spaghetti Attachment 304
Spaghetti Unit, Automatic 306
Spaghetti Unit, High-Speed 307
SPECIAL
Special Binder Plates and Feeds 124
Special Felling Attachment 159
Special Gauge Sets 54200, 54400 461
Special Gauge Sets, Pfaff 5642 471
Special Gauge Sets 224
Special Gauge Sets 302W Singer 467
Special Gauge Sets 462
Special Gauge Sets for 300W Singer 469
Special Gauge Sets Metropolitan W & G 472
Special Gauge Sets with Knife 465
Special Heavy-duty Feed and Plate 168
Special Plates and Feeds 464
Special Presser Feet 473, 474
Spiral Clean Finish Elastic Folder 216
Spiral Elastic Waistband, Automatic 61
Spiral Elastic Waistband Folder 215, 359
Split Bulldog Hemmer 183
Split Hemmer 183
Split Hemmer Upturn 185
Split Needle Bar 463
Split Tube Folder 117
Split Tube Folder 118
Split Tube Folder Air Jet Feed 120
Spot Elastic Waistband 53
Spot Elastic Waistband Attachment 274, 361
Spring Foot Hemmer Upturn 310
Spring Hemmer Straight Shirt Tail 187
Spring Loaded, Heavy-Duty Hemmer 157
Spring Loaded Lap Seam Folder 317
Stand, Binding Clamp-on 322
Stand, Piping 324
Standard Five-Row Feed and Plate 168
Straight Banding Folder 241
Straight Belt or Strap Folder Roll Feed 240
Straight Binder 146
Straight Binding Set 131
Straight Bottom Shirt Tail Spring Hemmer 187
Straight Folder for Vinyl or Plastic 241
Straight or Angled Cord Piping for Overlock Machines 292
Straight Type Cord Welter 288
Strap and Belt Sewing, Automatic 425
Strap Automatic 420
Strap Folder, Downturn Elastic 226
Strap Sewing, Automatic 420
Stretch Waistband Elastic Attachment 315
Strip Load, Elastic Waistband Raw Edge 222
Strip Load, Placket/Waistband Folder, Short 231
Strip Load, Raw Edge Elastic Waistband 222
Strip Load, Top Center Folder 250
Strip Load Belt & Loop Folder 239
Strip Load Collapsible Placket/Waistband Folder 233
Strip Load Elastic Waistband Folder for Jeans 232
Strip Load Finished End, Belt Strap Folder 239
Strip Load Placket Folder 235
Strip Load Placket Off-Set Margins 237
Strip Load Sleeve Facing Folder 260
Strip Load Waistband/Placket, Semi-Fold 236
Strip Placket with Cord Welting 237
Stripe Cutting Knife 47, 353
Stripped, Underbed 276
Stripper Foot, Top 225
Strippers, Upper 281
Sweat Band Folder Cap Roll Feed 283
Swing Binder, Right Angle 126
Swing Hemmer, Clean Finish 170
Swing Type Right Angle Tape Binder 128
Swing Up Hemmer 188
Swing-away Elastic Hemmer 217
Swing-out, Clean Finish Hemmer 171
Swing-out, Cord Welter 288
Swing-out, Upturn, Clean Finish Hemmer 167
Swing-out Cord Piping for Overlock, Angle Type 291
Swing-out Cord Welter Plain Sewer 289
Swing-Out Hemmer 156
Swing-out Hemmer Uptum Clean Finish 166
Swing-Out Hemming, Book Facing Folder 156
Swing-out Mousetrap Hemmer, Blindstitch 202
Swing-out Pre-made Cord Piping Folder 284
Swing-out Raw Edge Mousetrap Hemmer 203
Swing-out Single Downturn Hemmer 194
Swing-up Top Center Folder 248
Synchronized Close Coupled Pullers 214
Synchronized Cloth Puller 445
Synchronized Elastic Metering Device Lower 209
Synchronized Gear Driven Puller 445
Synchronized Puller 446
Synchronized Pullers 255

T

Tab Sewing, Automatic 73, 403
Tab & Belt Attachment, Finished End 278
Table Clamp 480
Tacking Device, Elastic Hemmer 221
Tacking Device, Tunnel Elastic Hemmer 211
Tacking Elastic Attachment 212
Tape and Binding Reel, Universal 321
Tape Binder, Right Angle 127
Tape Binder, Right Angle Swing Type 128
Tape Cutter, Electronic 45, 351, 466
Tape Feeder, Rib Knit, Variable Speed 444
Tape Feeder, Walker 407
Tape Stand, Overhead 322
Taping Attachment, Multi-Needle 225
Taping Folder, Collar 230
Taping Folder for Flat Lock 225
Terry or Fleece Hemmer, Clean Finish 204
Thread Break Detectors 481
Thread Stop 478
Thread Stop Mercury Type 478
Three-Way Hemmer, Full Turnback 205
Three-Way Hemmer, Mousetrap 203
Tie Back, Automatic 37, 343
Tie Back Semi-Automatic 37, 343
Tieback, Curtain Automatic 439
Tieback Lower 409
Tieback Upper 409
Top and Bottom Belt Feed System 44
Top and Bottom Binding Reel 322
Top and Bottom Rufflers 63, 371-392

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

Top Belt Feed System....44
Top Center Folder, Strip Load....250
Top Center Folder Swing-up Bracket....248
Top Center Folder with Cord Piping....249
Top Center Folder with Lining....249
Top Metering Device, Electronic....43
Top Ruffler....63, 371-392
Top Shirring Intermittent for Overlocks....395
Top Shirring Intermittent Overlock....65
Top Stripper Foot....225
Topstitch and Piping Set....309
Topstitch Binder....234
Topstitch Circular Elastic Waistband....57, 365, 367
Topstitch Feet....309
Topstitch Foot, Downturn....310
Topstitch Guide Belt Closing Folder....196
Topstitch Joiner Folder....311
Topstitch Joiner Foot....311
Topstitch Joiner Left....313
Topstitch Rufflers....63, 371-392
Towel End Hemmer with Spring....189
Transformer....478
Treadle Rod Assembly, Pneumatic....454
Trim Guide, Adjustable, Right Angle....315
Trim or Lace Guide, Adjustable Right Angle....307
Trim Setting Attachment, Adjustable....301
Tube Foot....311
Tucking Attachment, Two-Tone....303
Tunnel Elastic, Imitation....218
Tunnel Elastic....210
Tunnel Elastic Hemmer....208
Tunnel Elastic Hemmer with Tacking Device....211
Tunnel Hemmer, Imitation Raw Rubber....219
Twist Plug....478
Two-in-One Zipper Fly Attachment....206
Two-Piece Blanket Binder Set....330
Two-Piece Waistband Folder....273
Two-Tone Tucking Attachment....303

U

Underbed Stripper....275
Undertrimmer Automatic for Multi-Needle....71, 401
Underwire Attachment, Bra....329
Underwire Folder, Bra....328
Underwire Support Folder, Bra....327
Union Special 51700 Gauge Sets....459
Union Special Gauge Sets 51400....458
Universal Binding Reel....321
Universal Rod Connector....480
Universal Tape and Binding Reel....321
Upper Adjustable Guide....315
Upper Elastic Metering Device....207
Upper Strippers, Roll Feed....281
Upper Variable Speed Metering Device....452
UPTURN
Ball Foot Hemmer....310
Clean Finish Hemmer for Bellows Pocket....164
Imitation Cuff Folder....262
Clean Finish Button Stay Hemmer with Lining....176
Clean Finish Elastic Hemmer, Double Needle....221
Clean Finish Hemmer....166
Clean Finish Hemmer....175
Clean Finish Hemmer for Vinyl....173
Clean Finish Hemmer Swing-out....167
Clean Finish Hemmer with Flare....168
Clean Finish Hemmer with Flare....172
Clean Finish Hemmer with Lining....173
Collar Band Hemmer....210
Gore Hemmer for Vinyl....188
Hemmer with Air Jets....193
Raw Edge Hemmer....192
Rod Hemmer....159
Split Hemmer....185
Spring Foot Hemmer....310
Zipper Attachment, Double-Needle....296

V

Vacuum & Tensioner Waistband Attachment with Lining....238
Variable Speed Belt Feed....44
Variable Speed Cloth Pullers....447, 448, 449
Variable Speed Metering Device, Lower....452
Variable Speed Metering Device, Upper....452
Variable Speed Metering Device....444
Variable Speed Pullers....255
Variable Speed Rib Knit Tape Feeder....444
Vibrating Binder....393
Vibrating Right Angle Binder....393
Vinyl, Clean Finish Hemmer Upturn....173
Vinyl Binder, Raw Rubber....140
Vinyl Binder, "C" Type....144
Vinyl Binder with Raw Rubber....140
Vinyl Cut-and-Insert Binder....143
Vinyl Hemmer, Adjustable Upturn....196
Vinyl Hemmer, Upturn Clean Finish....73
Vinyl Straight Folder....241
Vinyl Upturn Gore Hemmer....188
Visor and Sweat Band Cap Roll Feed....313

W

W & G and Metropolitan Gauge Sets, Special....472
WAISTBAND
Sew and Wind Automatically....435
Attachment, Contour with Finished End....277
Attachment Contour, Continuous Feed....277
Attachment Row Cap....229
Attachment with Lining....237
Attachment with Lining....238
Attachment with Lining with Vacuum & Tensioner....238
Curtain Attachment, Custom Designed....228
Elastic Attachment, Stretch....315
Folder, Bluejeans....272
Folder, Two-Piece....273
Raw Edge Elastic Strip Load....222
Walker Back Tacker, Upper....408
Walker Tape Feeder....407
Walker Upper Back Tacker....408
Welt Pocket Setting....69, 399
Welt Pocket System....69, 399
Welting, Piggyback....289
Welting Binder, Right Angle....130
Wiring Diagram for Automatics....411

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php
© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641

WORKSTATION
- Automatic Belt Loop Operation with Cut and Count 437
- Automatic Binding Left and Right with Backwinder 434
- Automatic Binding Multiple Plies 426
- Automatic Blindstitch Hemmer 423
- Automatic Bra Strap Workstation, Automatic Bra Strap Sewing 427
- Automatic Continuous Hemming 433
- Automatic Curtain Tieback 439
- Automatic Elastic Tape Set First Operation 426
- Automatic Handbag Handles 412, 413
- Automatic Hemmer 422
- Automatic Joining Two Continuous Rolls of Material, Chainstitch 416
- Automatic Lace and Trim Sewing 421
- Automatic Lace Hemming to Trim 431
- Automatic Multiple Ply Joining Overlock 436
- Automatic Overlock Joining Two Ply 414
- Automatic Roll Edge Hemmer 438
- Automatic Roll Edge Hemming, Overlock 419
- Automatic Second Operation Waistband 429
- Automatic Sew and Cut Belt Loops 432
- Automatic Sew and Wind Waistband 435
- Automatic Single Needle Hemmer 424
- Automatic Spaghetti Unit 306
- Automatic Strap and Belt Sewing 425
- Automatic Strap Sewing 420
- Spiral Elastic Clean Finish Waistband 215, 359
- Automatic Backlatch Sleeve Close and Turn ..41, 349
- Automatic Backlatch Sleeve Closing 39, 345, 347
- Automatic Circular Topstitch Elastic Waistband 59
- Automatic Clean Finish Elastic 51
- Automatic Cut-Apart Side Conveyor for Elastic Hem 67, 397
- Automatic Rib Knit Cuff Setting 33
- Automatic Rib Knit Leg Cuff Setting 35, 444
- Circular Elastic Waistband, Clean Finish or Topstitch 57, 365, 367
- Elastic Leg Hemmer, Automatic Cut-Apart 67, 397

Y
- Yoke Felling Attachment 159
- Yoking Attachment, Double 200
- Yoking Folder, Jacket 226

Z
ZIPPER
- Gun Case Roll Feed 300
- Attachment, Double-Needle 297
- Attachment, Downturn 298
- Attachment, Downturn Garment Bag Pocket Book 298
- Attachment, Hidden, Roll or Strip Feed 300
- Attachment, Single-Needle 299
- Attachment 298
- Attachment Upturn, Double-Needle 298
- Attachment with Bound Edge 299
- Fly Attach Topstitch 198
- Fly Attachment, Two-In-One 206
- "C" Binder, Elastic 217
- "C" Type Banding Folder 261
- "C" Type Binder, Rolled Material 148
- "C" Type Binder 144
- "T" Gauge, Three Corner Gauge, Swing Gauge, Swing Edge Gauge 475

PATENTS: Our equipment may be covered by one or more patents. Please go to the following web page for an up-to-date patent list: www.atlatt.com/patents.php

© 2017 Atlanta Attachment Co.

17125092617

Atlanta Attachment Company
362 Industrial Park Drive
Lawrenceville, GA 30046
+1 (770) 963-7369 • FAX +1 (770) 963-7641



atlatt.com
sales@atlatt.com
phone **+1 (770) 963-7369**
fax **+1 (770) 963-7641**

362 Industrial Park Drive
Lawrenceville, GA 30046 USA

a Division of HSM

© 2017 Atlanta Attachment Co.